



PIPE LIFTING



On Pipe Hooks:

“Having a safety factor of 8+ is unheard of in any industry.”

-Third party Metallurgical Test Lab

Pipe Hooks

Extra thick steel for longevity and greater safety

- Extra thick T1 steel on A & B bodies
- Integrated handle for greater ease of use
- Reduced pinch points for increased safety
- Design based on ASME B30.20
- Interchangeable cast aluminum alloy inserts
- Unique wide mouth body available for extra clearance
- Sold in pairs



Model 232
Sizes 3"—42"



Model 233
Sizes 3"—42"



Model 231C
Sizes 36"—72"

Load Capacity (per hook)

- A Size: 8,000 lbs
- B Size: 10,000 lbs
- C Size: 25,000 lbs



Model 125G

Pipe Tong

Quickly string pipe

- Available in sizes 2"—36"
- Equipped with grip pads that ensure a safe, positive engagement of the pipe and are field replaceable
- Designed to permit an automatic release of the pipe when lift line is slacked off



AUXILIARY EQUIPMENT



On Hydraulic Dent Removers:
"My dent remover has been around here for at least 40 years."
~Joell, Oklahoma

Accuwrap II

Hand held pipe wrapping machine



Model 229B

- 3 Sizes Available: For 2"-18" wide tape rolls
- Applies release liner or plain tape coatings
- Will accommodate tape with 1.5" or 3" diameter cores
- Ideal for spiral and cigarette wrapping
- Very low profile, requires minimal clearance

Pipe Expander

The solution to egged pipe tie-ins

- Sizes 10"—48"
- 90% of pipe is always in contact with shoes
- Gear box moves toggles to position shoes in true circle
- Acme screw exerts tremendous pressure to force pipe into round



Model 221



Dent Remover

Reclaim dented pipe



Model 224

- Available in sizes 10"—48"
- Shoe design concentrates pressure in exact dent area
- Complete with manual pump and 6' pressure hose

