



CONTAINERS AND ASSORTMENTS

			TOOL CASES & TROLLEYS									TOOL BAGS & BOXES											TOOL TROLLEYS												
			2009N/BV	2028/VV	2029/VV	2032/TV	2033L/VV	2036/TV	C99	C99V1	C99V3/2C	C4	C5	C5S	C6T	C7	C8	C10	C9	C10S	C11	CP15L	CP17	CP17L	C12	C14	CP15	C18	C19	C19L	C20	C20L	C41S	C41H	C42H
pieces																																			
5914VU/M	Universal maintenance	109																							458										
5915VU/0	Universal maintenance	35									460																								
5915VU/1	Universal maintenance	45														460	460	460	460	460						460	460								
5915VU/2	Universal maintenance	49													461												461		461	461					
5915VU/3	Universal maintenance	74													461			461	461	461	461							461	461	461					
5915VU/4	Universal maintenance	80																											462	462					
5915VU/5	Universal maintenance	111																							462						462	462	462		
5915VU/AS	Universal maintenance	68															463												463	463					
5940SBK	Bicycle and motorcycle repairs	125																													488	488	488		
5941VU/M	Universal maintenance	64																														489			
5980EL/A	Electronic	57	475			475	475																												
5980EL/B	Electronic	98		476		476	476																												
5980ET/A	Electrotechnical	70	473			473																			473										
5980ET/B	Electrotechnical	64		474		474	474																		474										
5980ID	Plumbing	35	477																																
5980MQ	Electrotechnical	46		474																															
5980U/BIKE	Bicycle and motorcycle repairs	90																						468						468					
5990V1	Universal maintenance	44							467	467																									
5990V3	Universal maintenance	116							467		467																								

TOOL BAGS AND RUCKSACKS MADE FROM TECHNICAL FABRIC

- **FUNCTIONALITY**
- **STURDINESS**
- **DURABILITY**

These are the three cornerstones of Beta's range of Fabric Containers. Beta's tool bags and rucksacks are made from sturdy technical fabric, resistant to both abrasion and wear, with reinforced bottoms and seams, translating into reliability and durability.

Each container has special characteristics, designed for different uses and space optimization: zipped pockets, telescopic handles, wheel protectors, reinforced shoulder straps and transparent document bags are but some of the peculiarities of each bag and rucksack.

Painstaking care for detail, variety and special attention to the completely safe transportation of the tools make these products ideal for every working situation.



POLYPROPYLENE TOOL CASES

Beta provides a wide range of technical cases catering to any needs! Beta's tool cases and trolleys are made from sturdy, thick, shockproof, corrosion-resistant polypropylene designed to withstand heavy-duty use – e.g. at low temperatures.

Choose the product that best fits your working requirements from the classic tool trolley, the wheeled trolley version for easy transport, the versions fitted with TSA locks for totally free travelling and, finally, the aluminium or watertight version.

Most of Beta's tool cases and trolleys are also available in combination with tool assortments satisfying different working needs, depending on the field of application: electronics, hydraulics, boating and maintenance.



2001/B26

fabric wallet with assortment of 26 tools



2001/B26

1 020010215

- 55 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
- 96N/SC9 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1044F 250 mm
- 1128BMX 145 mm
- 1150 180 mm
- 1201E 3x75 - 4x100 - 5,5x150 mm
- 1202E PH1x80 - PH2x100 mm
- 1370 300 g
- 1692 2 m
- 1770A 9 mm

2001/BV

1 020010051

2001/BZV

tool case made from durable technical fabric

- Double upper handle for optimal hold
- Large front document pocket with zip closure
- Velcro strap at the back, for fixing the tool case to the trolley handle
- 20 convenient tool compartments (6 pockets and 14 elastic bands)
- Hammer loops
- Shoulder strap C9/RT can also be included (to be ordered separately)



2001/BZV

1 020010151

380x290x60 mm - 675 g



2001/BZ24 MQ

folding tool case with assortment of 24 tools, for electricians



2001/BZ24 MQ

1 020010154

	n.
1128BMX	1
1150MQ 180 mm	1
42 8-10-13-17-19 mm	5
1274MQ 3x100 - 4x100 - 5,5x125 mm	3
1272MQ PH0x60 - PH1x80 - PH2x100 mm	3
96BP/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	9
1253	1
1082MQ 160 mm	1

2001/BZ27 VU

folding tool case with assortment of 27 tools, for universal use



2001/BZ27 VU

1 020010157

	n.
1128BMX	1
1150 180 mm	1
42 7-8-10-13-17-19 mm	6
1201E 3x75 - 4x100 - 5,5x150 mm	3
1202E PH0x60 - PH1x80 - PH2x100 mm	3
96/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	9
1370 300 g	1
1048N 250 mm	1
1692/5 5 m	1
1771 18 mm	1

2002/BV6

roll-up tool wallet made of durable polyester, empty

- With 6 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 175 x 240 mm



2002/BV6

1 020020000

2002/BVL6

roll-up tool wallet made of durable polyester, empty

- With 6 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 220 x 290 mm



2002/BVL6

1 020020010

2002/BV7-ZIP

roll-up tool wallet made of durable polyester, empty

- With 7 convenient, differently sized compartments and small tool pocket with zip closure
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 355 x 220 mm



2002/BV7-ZIP

1 020020060

2002/BV8

roll-up tool wallet made of durable polyester, empty

- With 8 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 395 x 360 mm



2002/BV8

1 020020020

2002/BV9

roll-up tool wallet made of durable polyester, empty

- With 9 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 325 x 290 mm



2002/BV9

1 020020030

2002/BV12

roll-up tool wallet made of durable polyester, empty

- With 12 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 650 x 355 mm



2002/BV12

1 020020040

2002/BV13

roll-up tool wallet made of durable polyester, empty

- With 13 convenient, differently sized tool compartments
- Central handle made of reinforced fabric makes it easy to carry
- With interior flap preventing tools from coming out
- Reinforcement seams throughout wallet perimeter
- Double Velcro closure
- Dimensions when open: 330 x 190 mm



2002/BV13

1 020020050

2002/BV42

roll-up tool wallet made of durable polyester, empty

- With 42 convenient, differently sized tool compartments: 18 elastic bands and 24 pockets, including one pocket with strap flap
- Central handle made of reinforced fabric makes it easy to carry
- Can be hung on wall by means of metal rings
- Reinforcement seams throughout wallet perimeter
- Sturdy closure with double clip buckle
- Dimensions when open: 595 x 535 mm



2002/BV42

1 020020070

2005MPU

tool pouch, empty, made from nylon, with belt

- Five large tool pockets
- One front scissors pocket
- Buckle with carabine hook for adhesive tape
- Adjustable belt (70 ÷ 120 cm)

Dimensions: 155x285x80 mm



2005MPU

1 020050060

2005PA/D

tool pouch, empty, made from nylon, with belt



2005PA/D

1 020050000

2005PA/E

tool pouch, empty, made from nylon, with belt

- Two large pockets with elastic tool bands
- Two front scissors pockets
- Two convenient side compartments with:
 - left pocket with sturdy metal hook for measuring tapes
 - double right pocket with bag with drawstring and zip closure
- Buckle with carabine hook for adhesive tape
- Adjustable belt (70 ÷ 120 cm)

Dimensions: 260x250x190 mm



2005PA/E

1 020050030

2005PA/S

tool pouch, empty, made from nylon, with belt



2005PA/S

1 020050020

2009N/BV

leather bag for maintenance



2009N/BV

530x220x190 mm

1 020090200

2009ID

bag with assortment of tools for plumbing maintenance



2009ID

(2009N/BV+5980ID)

1 020091013

2028/VV

tool case, made of polypropylene

- 2 tool panels
- Interior bottom with removable partitions
- Double combination lock



2028/VV

480x190x400 mm

1 020280010

2028E

tool case with assortments of tools for electronic and electrotechnical maintenance



2028EL/A

(2028/VV+5980EL/A)

2028ET/A

(2028/VV+5980ET/A)

1 020281014

1 020281018

2029/VV

tool case, made of thick polypropylene, aluminium edged

2 tool panels
Bottom with removable and adjustable partitions
Supplied with shoulder strap
2 keyed locks



2029/VV 1 020290000

480x227x408 mm

2029E

tool cases with assortments of tools for electronic and electrotechnical maintenance



2029 BG MQ 1 020291257

(2029/VV+5980MQ)

2029ET/B 1 020291021

(2029/VV+5980ET/B)

2029EL/B 1 020291017

(2029/VV+5980EL/B)

2032/TV

tool trolley, made from plastic

2 tool panels
Tool pocket
Interior bottom with removable partitions



2032/TV 1 020320110

450x200x400 mm

2032/TE

tool trolley with assortments of tools for electronic and electrotechnical maintenance



2032TET/A 1 020321328

(2032/TV+5980ET/A)

2032TEL/A 1 020321314

(2032/TV+5980EL/A)

2033L/VV

wall tool case, made from aluminium, empty

- Highly shock resistant
- Nonscratch finish
- Ergonomic handle with rubber grip
- Double closure with combination

- 2 tool panels with elastic bands
- Interior bottom with removable partitions



2033L/VV 1 020330250

470x203x373 mm

2033L

aluminium tool cases with assortments of tools for electronic and electrotechnical maintenance



2033LEL/A 1 020331224

(2033L/VV+5980EL/A)

2033LEL/B 1 020331225

(2033L/VV+5980EL/B)

2033LET/B 1 020331237

(2033L/VV+5980ET/B)

2036/TV

tool trolley, made of thick polypropylene, aluminium edged

2 tool panels
Telescopic handle
Ball bearing castors



2036/TV 1 020360000

480x267x408 mm

2036E

trolley with assortments of tools for electronic and electrotechnical maintenance



2036TET/B 1 020361223

(2036/TV+5980ET/B)

2036EL/B 1 020361218

(2036/TV+5980EL/B)

2037/TV

tool trolley, made of thick polypropylene, with 4 pivoting castors

Highly shock resistant. Suitable for tool transportation in aircraft.
2 removable tool panels.
Built-in document pocket.
4 removable pivoting castors for horizontal trolley handling.
2 tote-trays included
2 TSA approved locks with keys
Rubber-coated handle



2037/TV 1 020370000

482x295x478 mm

2038/TV

tool trolley, made of thick polypropylene

- Highly shock resistant
- Aluminium sealing profile
- 2 TSA approved locks with keys
- 2 removable tool panels.
- Telescopic handle and big ball bearing castors
- 2 ergonomic rubber-coated handles (including 1 side handle)
- Capacious bottom
- Document pocket
- 3 tote drawers



2038/TV

430x375x525 mm

1 020380000

2041UC

Utility Case with assortment of 33 tools



2041UC

1 020410215

- 55 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
- 96/SC9 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 111 200 mm
- 1048V 250 mm
- 1128BMX 145 mm
- 1150 180 mm
- 1201E 2,5x50 - 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 1202E PH0x60 - PH1x80 - PH2x100 mm
- 1370 300 g
- 1692 3m
- 1771 170 mm
- 1833S 70 Lumen / 140 mm
- 1639NS-N 25m
- 1696 200 mm

535x282x87 mm - 4,5 Kg

2051N

assortment of 55 tools
for nautical maintenance
with shockproof polypropylene case



2051N

1 020510215

- 42 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 55AS 3/8x7/16 - 1/2x9/16 - 5/8x11/16"
- 956C □1/2 - 16 - 20,8 mm
- 1048 250 mm
- 1084BM 160 mm
- 1128BMX 145 mm
- 1150BM 180 mm
- 1166BM 160 mm
- 1201E ●3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 1202E ●PH1x80 - PH2x100 mm
- 1390 Ø 35 mm
- 1490/2 ø max 240 mm
- 96/SC9 ○1,5÷10 mm
- 1737 145 mm
- 1778X
- BMN1436 3,6 x 140 mm
- BMESB1925NE 25 m
- 111 200 mm
- 920A ○ 10 - 12 - 13 - 14 - 17 - 19 mm
- 920AS ○ 7/16 - 1/2 - 9/16 - 11/16 - 7/8"
- 920/22 255 mm - □1/2 - ■1/2
- 920/25 □1/2 - ■1/2
- 920/42 ■1/2
- 920/55 ■1/2

585x393x92 mm - 9 kg

2055HB

"Home Bag" case with assortment of 24 tools



2055HB

1 020550215

- 55 6x7 - 8x9 - 10x11 - 12x13 mm
- 96N/SC9 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1128BMX 145 mm
- 1150 180 mm
- 1048V 250 mm
- 1201E 3x75 - 4x100 - 5,5x100 mm
- 1202E PH0x60 - PH1x80 - PH2x100 mm
- 1370 300 g
- 1692 3m

373x275x70 mm - 3 Kg

2080/V6

organizer tool case with 6 removable tote-trays
and adjustable partitions



2080/V6 385x320x60 mm

1 020800060

2080/V6-U

removable tote-tray for organizer tool case
2080/V6



2080/V6-U

1 020800066

90x60x50 mm

Beta

2080/D10

set of 10 adjustable partitions for organizer tool case 2080/V6



2080/D10

1 020800070

2080/V12

organizer tool case with 12 removable tote-trays



2080/V12 300x145x330 mm

1 020800000

2080/V12-...

removable tote-tray for organizer tool case 2080/V12



2080/V12-S



2080/V12-M



2080/V12-L

2080/V12-S

95x75x65 mm

3 020800013

2080/V12-M

145x75x65 mm

2 020800015

2080/V12-L

295x75x65 mm


1 020800020

C3

mini tool bag, made from technical fabric

Main features:

- 1 exterior front pocket with zip closure
- 2 side pockets with tote trays
- 1 convenient rear pocket with Velcro closure
- 1 removable interior tool panel, with elastic bands on both sides
- USB interface for charging mobile devices
- Complete with shoulder strap



C3

230x110x320 mm - 890 g

1 021030000

C4 - 2104

tool basket made of technical fabric

Removable internal tool panel
Internal and external pockets and elastic tool holder
Sturdy waterproof base with rubber feet
Supplied with shoulder strap



C4

2104VU/0
(C4+5915VU/0)

330x260x360 mm - 2,5 kg

1 021040000
1 021041122

C5S

tool rucksack, made of hard-wearing polyester

- Double handle on top centre of rucksack for firm, balanced hold
- Two large front pockets
- Two capacious interior pockets and 2 additional Velcro straps
- Handy roll-up interior bag, composed of 4 tool panels
- Adjustable reinforced shoulder straps
- Maximum carrying capacity: 15 kg



C5S

310x120x390 mm - 0,9 Kg

1 021050100

C5 - 2105

tool rucksack, made of technical fabric



C5

2105VU/0
(C5+5915VU/0)

400x200x500 mm - 2,5 Kg

1 021050000
1 021051122

C6T - 2106

tool rucksack, made of technical fabric, with castors



C6T	1	021060010
2106T/VU0	1	021061123
(C6T+5915VU/0)		
≡ 360x200x480 mm - 📦 4,5 kg		

C7 - 2107

technical fabric tool bag

2 removable interior tool panels
 Interior PC pocket
 2 exterior front pockets
 Interior bottom made of plastic, with removable partitions



C7	1	021070000
2107VU/2	1	021071112
(C7+5915VU/2)		
2107VU/3	1	021071114
(C7+5915VU/3)		
≡ 480x165x380 mm - 📦 3,5 kg		

C8 - 2108

technical fabric tool trolley



C8	1	021080000
2108VU/1	1	021081022
(C8+5915VU/1)		
≡ 470x280x380 mm - 📦 4 kg		

C8B

tool trolley made from technical fabric, for electricians

Hard frame
 Telescopic carrying handle
 4 castors
 1 removable interior tool panel
 Front pocket with badge holder
 Double bottom complete with tote tray
 2 exterior side pockets
 2 wire puller hooks
 Tilting handle for easier access to tools
 Can be padlocked (padlock not included)



C8B	1	021080300
≡ 380x250x430 mm - 📦 4,7 kg		

C9 - 2109

technical fabric tool bag

- Hard base
- Interior and exterior tool pockets
- Exterior pocket with zip closure for enhanced safety
- Pocket with strap closure for personal belongings
- Double bottom
- Double string for levels
- Shoulder strap for easier transport



C9	1	021090000
2109VU/1	1	021091022
(C9+5915VU/1)		
2109VU/3	1	021091024
(C9+5915VU/3)		
≡ 550x280x320 mm - 📦 2,6 kg		

C9/RT

shoulder strap for items C4, C7, C9, C10, C10S, C11 and C12



C9/RT	1	021090900
--------------	---	-----------

C10 - 2110

technical fabric tool box

Hard frame
 Double bottom. Bottom can be removed for increased bag capacity
 Tilting handle for easier access to tools
 Elastic tool bands and interior and exterior pockets
 Cover
 Tool tray included in double bottom



C10	1	021100000
2110VU/1	1	021101031
(C10+5915VU/1)		
2110VU/3	1	021101034
(C10+5915VU/3)		
2110VU/AS	1	021101036
(C10+5915VU/AS)		
≡ 520x220x250 mm - 📦 3,3 kg		

C10S - 2110S

technical fabric tool box

- Hard frame
- Double bottom. Bottom can be removed for increased bag capacity
- Tilting handle for easier access to tools
- Elastic tool bands and interior and exterior pockets
- Cover
- Tool tray included in double bottom



C10S	1	021100001
2110SVU/1 (C10S+5915VU/1)	1	021101041
2110SVU/3 (C10S+5915VU/3)	1	021101044

≡ 420x220x250 mm - 📦 2,3 kg

C11 - 2111

technical fabric tool box



C11	1	021110000
2111VU/1 (C11+5915VU/1)	1	021111031
2111VU/3 (C11+5915VU/3)	1	021111034

≡ 410x230x250 mm - 📦 2 kg



C12 - 2112

technical fabric tool bag

- Removable interior tool panel
- Elastic tool bands and capacious interior and exterior pockets
- Bag opens at front for easier access to tools at workplace
- Hard, waterproof base with rubber feet
- Can be used with trolley C8



C12	1	021120000
2112ET/A (C12+5980ET/A)	1	021121028
2112ET/B (C12+5980ET/B)	1	021121029
2112VU/5 (C12+5915VU/5)	1	021121056

≡ 500x270x350 mm - 📦 5 kg

C13

tool trunk with castors,
made of hard-wearing polypropylene

- Suitable for outdoor use
- Shockproof, resistant to chemical agents
- Can be padlocked (padlock not included)
- Double closure
- Two wheels for horizontal handling of tool trunk
- With interior tote tray which can be removed and locked in two positions inside
- Name plate



C13	1	021130000
-----	---	-----------

≡ 806x350x467 mm - 📦 7,2 kg

C14

tool trolley, made of polypropylene, with 4 drawers

- Injection polypropylene frame for increased shock resistance.
- Lid-protected front accommodates 4 pull-out drawers (470x255):
 - 1 drawer 30 mm high
 - 2 drawers 60 mm high
 - 1 drawer 90 mm high
- Front centralized lock allows top and front lids to be closed simultaneously.
- Two side handles
- 4 sturdy rear castors
- Removable top tray
- Tool panel built into lid
- 3 tote-trays included
- Nameplate
- Can be closed with TSA lock



C14	1	021140000
2114VU/M (C14+5914VU/M)	1	021141011

≡ 585x390x457 mm - 📦 10 kg

CP15 - 2115

tool box, made from plastic, removable tote-tray and tool trays

- 1 tool tray built into cover
- 2 removable tool trays with adjustable partitions
- 1 interior tote-tray with adjustable partitions



CP15	1	021150201
2115PVU/1 (CP15+5915VU/1)	1	021151232
2115PVU/2 (CP15+5915VU/2)	1	021151234

≡ 445x240x250 mm - 📦 2 kg



CP15L - 2115

tool box, long series, made from plastic, removable tote-tray and tool trays

- 3 tool trays built into cover with adjustable partitions
- 1 interior tote-tray with adjustable partitions



CP15L	1	021150202
2115PL-VU/1 (CP15L+5915VU/1)	1	021151242
2115PL-VU/3 (CP15L+5915VU/3)	1	021151245
558x277x270 mm - 2,5 kg		

2115PI/BIKE-HOME

assortment of 28 tools for bike maintenance and E-bikes, in plastic box



2115PI/BIKE-HOME	1	021150098
------------------	---	-----------

- 96BP/SC9
- 3935
- 3969K3
- 42 8-9-10-13-14 mm
- 42SLIM 15 mm
- 1082G 160 mm
- 1150G 180 mm
- 1201E 3x75 - 5,5x150 mm
- 1202E PH0x60 - PH2x100 mm
- 3991
- BMESB1925NE 25 m
- BMN1436 3,6 x 140 mm

558x277x270 mm - 4,3 kg



2115P L-MQ32

assortment of 32 insulated tools for hybrid cars, in plastic tool box with soft thermoformed tray



2115PL-MQ32	1	021150332
-------------	---	-----------

- 920MQ/55A
- 89MQ 10-12 mm
- 850MQ 1/4"
- 860TX/A10 T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 920MQ/A 8-10-12-13-14-17-19 mm
- 920MQ/21 125mm
- 920MQ/22 250mm
- 1048MQ250 250mm
- 1150MQ 180mm
- 1164MQ160 160mm
- 1272MQ 4.5X80-6X100mm
- 1274MQ 3X100-4X100-5.5X125
- 1995MQ/G2 G2
- CP15L

C16 - 2116

tool box, made of plastic, with interior object compartment, empty



C16	1	021160000
2116VU/1 (C16+5915VU/1)	1	021161102
2116VU/3 (C16+5915VU/3)	1	021161105
500x260x260 mm - 2,5 kg		

CP17 - CP17L - 2117

tool box, made of stainless steel and plastic, removable tote-tray



CP17
500x200x220 mm



CP17L
575x245x265 mm

CP17	1	021170500
2117P-VU/1 (CP17+5915VU/1)	1	021171042
2117P-VU/3 (CP17+5915VU/3)	1	021171045
CP17L	1	021170502
2117L-VU/1 (CP17L+5915VU/1)	1	021171142
2117PL-VU/3 (CP17L+5915VU/3)	1	021171145

C18 - 2118

tool box made from sheet metal



C18	1	021180001
2118VU/1 (C18+5915VU/1)	1	021181032
450x200x100 mm - 3 kg		



C19 - 2119 - C19L - 2119L

three-section cantilever tool box,
made from sheet metal



C19

450x200x160 mm

C19L

550x200x160 mm

C19	1	021190001
2119VU/3 (C19+5915VU/3)	1	021191025
C19L	1	021190002
2119L-VU/3 (C19L+5915VU/3)	1	021191125

C20 - C20L - 2120

five-section cantilever tool box,
made from sheet metal



C20

450x200x210 mm

C20L

550x200x210 mm

C20	1	021200001
2120VU/2 (C20+5915VU/2)	1	021201061
2120VU/3 (C20+5915VU/3)	1	021201063
2120VU/4 (C20+5915VU/4)	1	021201064
2120VU/AS (C20+5915VU/AS)	1	021201068
C20L	1	021200002
2120L-VU/2 (C20L+5915VU/2)	1	021201161
2120L-VU/3 (C20L+5915VU/3)	1	021201163
2120L-VU/4 (C20L+5915VU/4)	1	021201164
2120L-VU/AS (C20L+5915VU/AS)	1	021201168

C20TSS

five-section cantilever tool box, made of AISI
304 stainless steel



C20TSS

450x200x210 mm - 4kg

1 021203001

C22B

tool trunk,
made of sheet metal



C22B O

720x320x310 mm

C22BM O

850x360x350 mm

C22BL O

1010x410x400 mm

C22B-O	1	022000150
C22BM-O	1	022000160
C22BL-O	1	022000170

C22B O: 13 kg
C22BM O: 20 kg
C22BL O: 26 kg

C22W

tool trunk,
made from sheet metal,
lined for enhanced tool protection



C22W-O

690x300x360 mm

C22WL-O

990x300x360 mm

C22W-O	1	022000269
C22WL-O	1	022000299

C22W O: 15 kg
C22WL O: 28 kg

C22P

tool trunk for building yards, made of sheet
metal

built-in, retractable handles
raised shoes for forklift truck handling
double burglar-proof lock closure (not included)



C22PM O

915x540x430 mm

C22PL O

1220x720x615 mm

C22PM-O	1	022000240
C22PL-O	1	022000245

C22PM O: 39 kg
C22PL O: 67 kg



C99

Combo is Beta's modular system comprised of **3 different types of sturdy tool cases** for replacing your work equipment tidily and totally safely. The tool cases can be easily joined to each other by a **simple click**, through the functional side snap-on mechanism.

The system, Beta Combo C99, is compatible with the L-BOXX standard by Sortimo®.

C99

BETA COMBO comprehensive modular system

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.

System comprising:

- Ultracompact folding trolley with telescopic handle C99P (485x520x1095 mm)
- ABS tool case C99V1 (445x358x152 mm)
- ABS tool case C99V2 (445x358x254 mm)
- ABS tool case with 2 portable tote trays C99V3/2C (445x358x322 mm)



C99



1 099000010


C99V0

COMBO ABS tool case, with transparent cover

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.

Main features:

- Transparent cover made from sturdy polycarbonate for quick identification of contents
- Outer dimensions: 445x358x118 mm
- Max. interior carrying capacity: 25 kg
- Can be padlocked
- Weight: 2.5 kg



C99V0



1 099000202


C99V0-P12

COMBO ABS tool case, with transparent cover

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.

Main features:

- Transparent cover made from sturdy polycarbonate for quick identification of contents
- Particularly suitable for carrying smallwares, including screws, nuts, washers, rivets and dowels
- Supplied complete with kit of 18 tote trays:
 - 2 red trays, 52x52 mm
 - 3 yellow trays, 104x52 mm
 - 2 blue trays, 104x104 mm
 - 1 green tray, 104x156 mm
 - 2 orange trays, 208x52 mm
 - 2 grey trays, 312x71 mm, and 6 adjustable partitions
- Outer dimensions: 445x358x118 mm
- Max. interior carrying capacity: 25 kg
- Can be padlocked
- Weight: 3.2 kg



C99V0-P12



C99P12-V0

kit of 18 tote trays for tool cases C99V0

Kit contents:

- 2 red trays, 52x52 mm
- 3 yellow trays, 104x52 mm
- 2 blue trays, 104x104 mm
- 1 green tray, 104x156 mm
- 2 orange trays, 208x52 mm
- 2 grey trays, 312x71 mm, and 6 adjustable partitions



C99P12-V0




C99V1

COMBO ABS tool case

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.

Main features:

- Outer dimensions: 445x358x152 mm
- Max. interior carrying capacity: 25 kg
- Can be padlocked
- Weight: 2.2 kg



C99V1



1 099000250


C99V2

COMBO ABS tool case

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.

Main features:

- Outer dimensions: 445x358x254 mm
- Max. interior carrying capacity: 25 kg
- Weight: 2.8 kg



C99V2



1 099000350




C99V3/2C

COMBO ABS tool case with 2 portable tote trays

The tool cases can be easily joined to each other by a simple click, through the functional side snap-on mechanism.

Main features:

- Outer dimensions: 445x358x322 mm
- Max. interior carrying capacity: 25 kg
- Supplied with 2 tote trays C99C-V3, empty
- Weight: 5.6 kg



C99V3/2C



1 099000450

C99C-V3

COMBO portable tool box

Transparent cover for quick identification of contents


Built-in handle

Outer dimensions: 367x316x72 mm

Weight: 0.9 kg

Can be equipped with:

- 7 compartment thermoformed tote tray C99T-V3
- kit of 17 tote trays item C99P-V3



C99C-V3



1 099000496

C99P

COMBO folding tool trolley

Main features:

- Ultracompact folding tool trolley
- Telescopic handle
- Dimensions when open: 485x520x1095 mm
- Dimensions when closed: 485x80x810 mm
- Dimensions of folding base: 485x350 mm
- Two puncture proof wheels, Ø 175



C99P




1 099000101

C99PC

cover lining for wall tool cases C99V1 and C99V3/2C

Required in combination with thermoformed trays, to prevent the contents from coming out of the compartments or getting mixed up during transportation.



C99PC 1 099000491

C99T

thermoformed tote tray, 4-compartment, for tool cases C99V1 and C99V3/2C




C99T 1 099000492

C99M

soft foam insert, pre-cubed, for COMBO tool cases C99V1, C99V2 and C99V3/2C

Easy to shape, for safe, customized accommodation of any tools



C99M 1 099000494

C99T-V3

thermoformed tote tray with 7 compartments, for tool boxes C99C-V3



C99T-V3 1 099000497

C99P-V3

kit of 17 tote trays for tool boxes C99C-V3

Kit contents:

- 6 red trays 52x52 mm
- 2 yellow trays 104x52 mm
- 3 grey trays 78x260 mm and 6 partitions



C99P-V3 1 099000498

C99PP

tool panel for COMBO cases

- with 6 pockets and 11 elastic tool bands
- supplied complete with hooks for fixing panel into case cover



306 mm

376 mm

C99PP 1 099000489



RSC22

portable tool chest
with 3 drawers



Main features:

- 3 drawers (588x277 mm)
with ball bearing slides:
- 1 drawer, 50 mm high
- 2 drawers, 70 mm high.
- Front centralized lock.
- Retractable side handles for ease of handling.

19 kg



h	max
50 mm	25 kg
70 mm	25 kg



RSC22-O	RAL 2011	1	022003001
RSC22-R	RAL 3000	1	022003003
RSC22-A	RAL 7016	1	022003007

RSC23

portable tool chest
with 5 drawers



Main features:

- 5 drawers (588x277 mm) with ball bearing slides:
- 2 drawers, 50 mm high
- 3 drawers, 70 mm high.
- Front centralized lock.
- Retractable side handles for ease of handling.

📦 26 kg



h	max
50 mm	25 kg
70 mm	25 kg



Model	RAL Color	Weight	Code
RSC23-O	RAL 2011	1	023003001
RSC23-R	RAL 3000	1	023003003
RSC23-A	RAL 7016	1	023003007

CD23S

Caddy trolley

Main features:

- ABS-coated worktop designed to match tool chests RSC22, RSC23, RSC23C, RSC23T
- Removable handle, can be stored underneath chassis.
- Four castors, Ø 100 mm: 2 fixed and 2 steering (one with brake).
- Maximum load capacity: 250 kg.

📦 14 kg



Model	Weight	Code
CD23S	1	023000610

RSC23C

portable tool chest
with 8 drawers



Main features:

- 8 drawers (588x277 mm) with ball bearing slides:
- 4 drawers, 50 mm high
- 3 drawers, 70 mm high
- 1 drawer, 100 mm high.
- Front centralized lock.
- Retractable side handles for ease of handling.

📦 28 kg



h	max
50 mm	25 kg
70 mm	25 kg



Model	RAL Color	Weight	Code
RSC23C-O	RAL 2011	1	023003011
RSC23C-R	RAL 3000	1	023003013
RSC23C-A	RAL 7016	1	023003017

RSC23T

portable tool chest
with 5 drawers

Main features:

- 5 drawers (588x367 mm) with ball bearing slides:
- 5 drawers, 70 mm high.
- Front centralized lock.
- Can be fitted with kit of 4 castors and 1 handle (2300ST/KIT)

📦 36 kg



RSC23T-FO	RAL 2011	1	023003020
RSC23T-O	RAL 2011	1	023003021
RSC23T-G	RAL 9006	1	023003022
RSC23T-R	RAL 3000	1	023003023
RSC23T-B	RAL 5015	1	023003026
RSC23T-A	RAL 7016	1	023003027
RSC23T-N	RAL 9005	1	023003029

2300ST/KIT

kit with 4 castors and 1 handle for C23ST

- Four castors, Ø 125 mm:
- 2 fixed and 2 steering (one with brake).
- Telescopic handle

📦 6,5 kg


2300ST/KIT	1	023000950
------------	---	-----------





Beta


MOBILE ROLLER CAB RSC24

Beta
RSC24



Available colours:

RSC24-		
FO	RAL 2011	RAL 2011
O	RAL 7016	RAL 2011
G	RAL 7016	RAL 9006
R	RAL 7016	RAL 3000
B	RAL 7016	RAL 5015
A	RAL 7016	RAL 7016
N	RAL 9005	RAL 9005



NEW WORKTOP

**FIRMER AND STURDIER
MORE CONVENIENT
AND FUNCTIONAL
MORE MODERN**



- Drawers with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- New ABS reinforced worktop, designed to support tool chests RSC22, RSC23, RSC23C and RSC23T
- Multi-purpose top with anti-fall edges and eight holes for accommodating screwdrivers
- Front centralized safety lock
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 800 kg

Available models:

- RSC24/5 (5 drawers)
- RSC24/6 (6 drawers)
- RSC24/7 (7 drawers)
- RSC24/8 (8 drawers)

Available accessories:



RSC24/7

mobile roller cab with 7 drawers

Main features:

- 7 fully removable drawers (588x367 mm), with ball bearing slides:
- 5 drawers, 70 mm high
- 1 drawer, 140 mm high
- 1 drawer, 210 mm high

63 kg

Model	Qty	Part No.
RSC24/7-FO	1	024004070
RSC24/7-O	1	024004071
RSC24/7-G	1	024004072
RSC24/7-R	1	024004073
RSC24/7-B	1	024004076
RSC24/7-A	1	024004077
RSC24/7-N	1	024004079



Beta
RSC24



h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg

RSC24/5

mobile roller cab with 5 drawers

Main features:

- 5 fully removable drawers (588x367 mm), with ball bearing slides:
- 2 drawers, 70 mm high
- 2 drawers, 140 mm high
- 1 drawer, 280 mm high

60 kg

	🔧	📦
RSC24/5-FO	1	024004050
RSC24/5-O	1	024004051
RSC24/5-G	1	024004052
RSC24/5-R	1	024004053
RSC24/5-B	1	024004056
RSC24/5-A	1	024004057
RSC24/5-N	1	024004059



RSC24/5-O

Beta RSC24



h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

RSC24/6

mobile roller cab with 6 drawers

Main features:

- 6 fully removable drawers (588x367 mm), with ball bearing slides:
- 4 drawers, 70 mm high
- 1 drawer, 140 mm high
- 1 drawer, 280 mm high

62 kg

	🔧	📦
RSC24/6-FO	1	024004060
RSC24/6-O	1	024004061
RSC24/6-G	1	024004062
RSC24/6-R	1	024004063
RSC24/6-B	1	024004066
RSC24/6-A	1	024004067
RSC24/6-N	1	024004069



RSC24/6-O

Beta RSC24



h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

RSC24/8

mobile roller cab with 8 drawers

Main features:

- 8 fully removable drawers (588x367 mm), with ball bearing slides:
- 6 drawers, 70 mm high
- 2 drawers, 140 mm high

66 kg

	🔧	📦
RSC24/8-FO	1	024004080
RSC24/8-O	1	024004081
RSC24/8-G	1	024004082
RSC24/8-R	1	024004083
RSC24/8-B	1	024004086
RSC24/8-A	1	024004087
RSC24/8-N	1	024004089



RSC24/8-O

Beta RSC24



h	max
70 mm	25 kg
140 mm	30 kg

RSC24A/6

mobile roller cab with 6 drawers,
with anti-tilt system

Main features:

- 6 fully removable drawers (588x367 mm), with ball bearing slides:
- 4 drawers, 70 mm high
- 1 drawer, 140 mm high
- 1 drawer, 280 mm high

62 kg

RSC24A/6-O	1	024004161
RSC24A/6-R	1	024004163
RSC24A/6-A	1	024004167



RSC24A/6-O

Beta RSC24



RSC24A/6-A



RSC24A/6-R



h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

RSC24A/7

mobile roller cab with 7 drawers,
with anti-tilt system

Main features:

- 7 fully removable drawers (588x367 mm), with ball bearing slides:
- 5 drawers, 70 mm high
- 1 drawer, 140 mm high
- 1 drawer, 210 mm high.

63 kg

RSC24A/7-O	1	024004171
RSC24A/7-R	1	024004173
RSC24A/7-A	1	024004177



RSC24A/7-O

Beta RSC24



RSC24A/7-A



RSC24A/7-R



h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg

RSC24A/8

mobile roller cab with 8 drawers,
with anti-tilt system

Main features:

- 8 fully removable drawers (588x367 mm), with ball bearing slides:
- 6 drawers, 70 mm high
- 2 drawers, 140 mm high

66 kg

RSC24A/8-O	1	024004181
RSC24A/8-R	1	024004183
RSC24A/8-A	1	024004187



RSC24A/8-O

Beta RSC24



RSC24A/8-A



RSC24A/8-R



h	max
70 mm	25 kg
140 mm	30 kg

MOBILE ROLLER CAB RSC24AXL




LONG VERSION:
each drawer can accommodate up to 6 EVA foam
or ABS thermoformed trays

ANTI-TILT SYSTEM: PREVENTS SEVERAL DRAWERS FROM BEING SIMULTANEOUSLY OPENED



- Drawers with ball bearing slides
- New ABS reinforced worktop with anti-fall edges, eight holes for accommodating screwdrivers and 6 tote trays.
- Sturdy nylon front, with built-in label holder
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 1000 kg
- Drawer bases protected by foamed rubber mats
- Integrated side bottle holder
- Front centralized safety lock



Available colours:

O	RAL 7016	RAL 2011
G	RAL 7016	RAL 7016
R	RAL 7016	RAL 3000

Available accessories:



RSC24AXL/7

mobile roller cab with 7 drawers,
with anti-tilt system,
long model

Main features:



- 7 fully removable drawers (882x367 mm), with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high



h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg



84 kg



RSC24AXL/7-O	1	024004271
RSC24AXL/7-R	1	024004273
RSC24AXL/7-A	1	024004277

RSC24AXL/8

mobile roller cab with 8 drawers,
with anti-tilt system,
long model

Main features:


- 8 fully removable drawers (882x367 mm), with ball bearing slides:
- 6 drawers, 70 mm high.
- 2 drawers, 140 mm high.

88 kg

RSC24AXL/8-O	1	024004281
RSC24AXL/8-R	1	024004283
RSC24AXL/8-A	1	024004287



h	max
70 mm	30 kg
140 mm	35 kg



RSC24AXL/9

mobile roller cab with 9 drawers,
with anti-tilt system,
long model

Main features:


- 9 fully removable drawers (882x367 mm), with ball bearing slides:
- 8 drawers, 70 mm high
- 1 drawer, 140 mm high.

90 kg

RSC24AXL/9-O	1	024004291
RSC24AXL/9-R	1	024004293
RSC24AXL/9-A	1	024004297



h	max
70 mm	30 kg
140 mm	35 kg




2400 RSC24/PC

paper roll holder for mobile roller cab RSC24

0,3 kg

2400 RSC24/PC-A	1	024004903
2400 RSC24/PC-N	1	024004904



RAL7016 2400 RSC24/PC-A
RAL9005 2400 RSC24/PC-N




2400 RSC24/PD

document holder for mobile roller cab RSC24

1,2 kg

2400 RSC24/PD-A	1	024004907
2400 RSC24/PD-N	1	024004908



RAL7016 2400 RSC24/PD-A
RAL9005 2400 RSC24/PD-N



2400 RSC24/PF

perforated tool panel with supports, for roller cab RSC24

2,3 kg

2400 RSC24/PF	1	024004902
---------------	---	-----------



2400 RSC24/PF-

bottle holder for mobile roller cab RSC24

0,5 kg

2400 RSC24/PF-A	1	024004905
2400 RSC24/PF-N	1	024004906



RAL7016 2400S RSC24/PF-A
RAL9005 2400S RSC24/PF-N



2400 RSC24/PL

wood worktop for roller cab RSC24

4,3 kg

2400 RSC24/PL	1	024004901
---------------	---	-----------



2400 RSC24/SPC

computer bracket for mobile roller cab RSC24

- With removable drawer
- Cannot be used with model RSC24AXL

3,1 kg

2400 RSC24/SPC	1	024004909
----------------	---	-----------




2400 RSC24/MP

folding shelf for items RSC24 - RSC24A - RSC51

- For use as additional worktop
- Worktop dimensions: 390x440 mm, protected by an anti-oil and anti-petrol rubber mat
- Load capacity: 20 kg

📦 3,4 kg



2400 RSC24/MP

1 024004900

2499PF

bottle holder

- Can match roller cabs C38, C38A

📦 2,5 kg

2499PF O

2499PF G

2499PF R



2499PF-O

1 024990210

2499PF-G

1 024990219

2499PF-R

1 024990230

2499PF/M

universal magnetic bottle holder

📦 2,2 kg



2499PF/M

1 024990050

2499PC

paper roll holder

- Matches Tank trolleys C25 and cabs C38.

📦 2,2 kg



2499PC

1 024990090



RSC24L/7



mobile roller cab
with 7 drawers
and side shelves

Main features:

- 7 drawers (588x367 mm)
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- 4 castors, Ø 125 mm:
2 fixed and 2 steering with brakes.
- Front centralized lock.
- Static load capacity: 1,100 kg.
- Multi-ply wood worktop with holes
for a vice
(1599F/100, to be ordered separately).
- Side compartment with vertically adjustable shelf.
- Built-in paper roll holder.
- Double rear bottle holder.
- Built-in side bottle holder

80 kg

Model	RAL	Weight	Code
RSC24L/7-O	RAL 2011	1	024004371
RSC24L/7-R	RAL 3000	1	024004373
RSC24L/7-A	RAL 7016	1	024004377



RSC24L-CAB



mobile roller cab
with 7 drawers
and tool cabinet

Main features:

- 7 drawers (588x367 mm)
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- 4 castors, Ø 125 mm:
2 fixed and 2 steering with brakes.
- Front centralized lock.
- Side tool cabinet with lockable door and vertically adjustable interior shelf.
- Static load capacity: 1,100 kg.
- Multi-ply wood worktop with holes
for a vice
(1599F/100, to be ordered separately).
- Built-in paper roll holder.
- Double rear bottle holder.
- Built-in side bottle holder

82 kg

Model	RAL	Weight	Code
RSC24L-CAB/O	RAL 2011	1	024004471
RSC24L-CAB/R	RAL 3000	1	024004473
RSC24L-CAB/A	RAL 7016	1	024004477




C04TSS-7

mobile roller cab with seven drawers, made entirely of stainless steel, Non-marking wheels

Main features:

- Seven drawers (570 x 410 mm) with ball bearing slides;
- 6 drawers, 83 mm high;
- 1 drawer, 170 mm high;
- 4 castors Ø 125 mm
- 2 fixed and 2 steering (two with brakes);
- Front centralized lock;
- Frame made entirely of stainless steel AISI 304
- Castors, supports, ball bearings, drawer interiors and guides made of stainless steel
- Drawer handles made of aluminium

63 kg



C04TSS/7

1 024003077 305


C25

Tank trolley with shelf

Main features:

- Foldaway lid.
- 1 sliding drawer.
- Tool tray protected by foamed rubber mats.
- Shelves protected by oil and fuel proof mats.
- Four castors 100 mm in Ø:
- 2 fixed and 2 swivelling (one with brake).
- Safety lock.
- One more shelf M4 can be added on the opposite side.
- Empty thermoformed tray for 1/2" sockets and accessories (024990104).
- Paper roll holder item 2499PC can also be included

31,5 kg



C25

1 025000001

C27S

folding tool trolley for outdoor jobs

Folding tool trolley. Its unique patented design guarantees an effortless transport.

Features:

- 2 drawers, 588x277 mm, with ball bearing slides, for two-way opening
- Large lower object compartment, 588x277x220 mm
- Sheet metal frame
- 2 fixed castors, Ø 160 mm, and 2 steering castors with brake, Ø 100 mm
- Thermoplastic worktop with 6 built-in tool trays
- Centralized lock
- Can accommodate drawer partitions and MC foam tool trays

20 kg



C27S-O





C27S-G



C27S-R



h	max
70 mm	20 kg



C27S-O	RAL 2011	1	027000201
C27S-G	RAL 7016	1	027000202
C27S-R	RAL 3000	1	027000203

RSC28

SuperTank trolley with wood worktop and 10 drawers

Main features:

- 10 drawers (588x367 mm) with ball bearing slides.
- Quick, safe system for opening and closing drawers, with nylon and fibreglass front.
- 5 side drawers:
 - 4 drawers, 70 mm high
 - 1 drawer, 210 mm high.
- 5 front drawers:
 - 4 drawers, 70 mm high
 - 1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- 4 high-capacity castors, Ø 150 mm:
 - 2 fixed and 2 steering with brakes.
- 2 centralized safety locks.
- 3 front tool drawers.
- Multi-ply wood worktop with holes for a vice (1599F/150, to be ordered separately).
- Built-in tool compartment.
- Side compartment with foldaway door with lock.
- Built-in bottle holders.
- 135-mm-high storage compartment with plastic-covered base.
- Static load capacity: 1,200 kg.

1200 kg



RSC28-O

130 kg





RSC28-A



RSC28-R



h	max
70 mm	25 kg
210 mm	30 kg



RSC28-O	1	028003001
RSC28-R	1	028003003
RSC28-A	1	028003007

C30M


MaxiTank mobile workbench

Main features:


- 5 front drawers with ball bearing slides:
 - 3 drawers (367x610 mm), 90 mm high
 - 1 drawer (588x610 mm), 90 mm high
 - 1 drawer (588x610 mm), 180 mm high.
- Quick opening system with aluminium front.
- Drawer bases protected by foamed rubber mats.
- Can be fitted with thermoformed trays.
- One hydraulic jack, designed to lift front part effortlessly, thus allowing easy transportation.
- 4 high-capacity castors:
 - 2 steering, front, Ø 150 mm
 - 2 fixed, rear, Ø 170 mm.
- Oil-proof, rubber-coated worktop, 1300x800 mm, with drain hole for fluid collection in a small tank.
- Storage compartment, 720x250x1300 mm, with PVC-coated worktop and front sliding panels.
- Centralized lock for drawers and panels.
- 3 built-in side bottle holders.
- Built-in paper roll holder
- Static load capacity: 1,800 kg.
- Can accommodate a multi-ply wood worktop (3000M/PLM), to be ordered separately
- Can accommodate vice 1599F/150 (to be ordered separately).



200 kg



h	max
90 mm	30 kg
180 mm	35 kg



C30M

1 030000300

3000M/PLM

wood worktop for C30M,
with holes for a vice (1599F/150)

10 kg



1240x740x26 mm

3000M/PLM

1 030000350



FUNCTIONAL AND STURDY




- Pull-out drawers
- Front centralized safety lock
- Can accommodate a worktop and drawer partitions, to be ordered separately
- Static load capacity: 1200 kg

Available models:

- **C35/6GM** (6 drawers)
- **C35/7GM** (7 drawers)
- **C35/8GM** (8 drawers)
- **C35/9GM** (9 drawers)

Available accessories:



C35/6GM

industrial tool chest with 6 drawers



Main features:

- 6 pull-out drawers (600x447 mm):
 - 2 drawers, 75 mm high
 - 1 drawer, 100 mm high
 - 1 drawer, 150 mm high
 - 1 drawer, 200 mm high
 - 1 drawer, 300 mm high
- Front centralized safety lock.
- Can accommodate a worktop and drawer partitions, to be ordered separately

75 kg



h	max
75 mm	70 kg
100 mm	70 kg
150 mm	70 kg
200 mm	70 kg
300 mm	70 kg



C35/6GM

1 035000162

C35/7GM

industrial tool chest with 7 drawers

Main features:

- 7 pull-out drawers (600x447 mm):
 - 2 drawers, 75 mm high
 - 1 drawer, 100 mm high
 - 3 drawers, 150 mm high
 - 1 drawer, 200 mm high
- Front centralized safety lock.
- Can accommodate a worktop and drawer partitions, to be ordered separately

82 kg

C35/7GM

1 035000172



75 mm	100 mm	150 mm	200 mm	70 kg



718	640	1000
75		
75		
100		
150		
150		
200		

C35/8GM

industrial tool chest with 8 drawers

Main features:

- 8 pull-out drawers (600x447 mm):
 - 4 drawers, 75 mm high
 - 1 drawer, 100 mm high
 - 2 drawers, 150 mm high
 - 1 drawer, 200 mm high
- Front centralized safety lock.
- Can accommodate a worktop and drawer partitions, to be ordered separately

86 kg

C35/8GM

1 035000182



75 mm	100 mm	150 mm	200 mm	70 kg



718	640	1000
75		
75		
75		
100		
150		
150		
200		

C35/9GM

industrial tool chest with 9 drawers

Main features:

- 9 pull-out drawers (600x447 mm):
 - 6 drawers, 75 mm high
 - 3 drawers, 150 mm high
- Front centralized safety lock.
- Can accommodate a worktop and drawer partitions, to be ordered separately

91 kg

C35/9GM

1 035000192



75 mm	150 mm	70 kg



718	640	1000
75		
75		
75		
75		
75		
150		
150		
150		


3500/P-M

worktop with perimeter edge for tool chest C35

3500/P-M

700x600 mm

1 035000505



SOFT BUMPERS

- Drawers with ball bearing slides
- Sturdy multi-purpose worktop
- Quick release system made of aluminium, opening throughout length of drawer
- Tote-trays and holes for accommodating screwdrivers
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 1000 kg
- Corner bumpers throughout height of roller cab, to avoid damaging vehicles in garage
- Drawer bases protected by foamed rubber mats
- Front centralized safety lock
- Built-in side bottle and paper holders, adjustable in several positions


Available models:

- C37/6 (6 drawers)
- C37/7 (7 drawers)
- C37/8 (8 drawers)
- C37A/7 (7 drawers with anti-tilt system)




Available colours:

O	RAL 2011
G	RAL 7016
R	RAL 3000



Available accessories:



C37/7

mobile roller cab with 7 drawers

Main features:

- 7 drawers (588x367 mm) with ball bearing slides:
- 5 drawers 75 mm high
- 1 drawer 150 mm high
- 1 drawer 225 mm high

71 kg

1000 kg



C37/7-O



C37/7-G



C37/7-R



C37/7-O	1	037000071
C37/7-G	1	037000072
C37/7-R	1	037000073

h	max
75 mm	30 kg
150 mm	35 kg
225 mm	35 kg

C37/6

mobile roller cab
with 6 drawers

Main features:

- 6 drawers (588x367 mm) with ball bearing slides:
- 4 drawers 75 mm high
- 1 drawer 150 mm high
- 1 drawer 305 mm high

69 kg

C37/6-O	1	037000061
C37/6-G	1	037000062
C37/6-R	1	037000063



C37/6-G



C37/6-R



h	max
75 mm	30 kg
150 mm	35 kg
305 mm	40 kg



C37/8

mobile roller cab
with 8 drawers

Main features:

- 8 drawers (588x367 mm) with ball bearing slides:
- 6 drawers 75 mm high
- 2 drawers 150 mm high

73 kg

C37/8-O	1	037000081
C37/8-G	1	037000082
C37/8-R	1	037000083



C37/8-G



C37/8-R



h	max
75 mm	30 kg



C37A/7

mobile roller cab
with 7 drawers, with anti-tilt system

Main features:

- 7 drawers (588x367 mm), with ball bearing slides:
- 5 drawers 75 mm high
- 1 drawer 150 mm high
- 1 drawer 225 mm high

71 kg

C37A/7-O	1	037000271
C37A/7-G	1	037000272
C37A/7-R	1	037000273



C37A/7-G



C37A/7-R



h	max
75 mm	30 kg
150 mm	35 kg
225 mm	35 kg



3700/PLA

stainless steel worktop for mobile roller cab item C37

2,8 kg

3700/PLA 1 037000100



3700/PLL

wood worktop for tool trolley C27

Can accommodate a vice (1599P/100, to be ordered separately)

3,9 kg

3700/PLL 1 037000101




672x396x28 mm

3700/PF

perforated panel with brackets for mobile roller cab item C37

3,2 kg

3700/PF 1 037000102



3700/PFL

perforated side panel for mobile roller cab item C37

1,9 kg

3700/PFL 1 037000104



3700/PC

computer bracket for mobile roller cab item C37

3,1 kg

3700/PC 1 037000103



C38

mobile roller cab
with eleven drawers

Main features:

- Eleven drawers with ball bearing slides:
- 1 drawer 937x410x122 mm
- 3 drawers 570x410x74 mm
- 2 drawers 570x410x153 mm
- 3 drawers 313x410x74 mm
- 2 drawers 313x410x153 mm.
- Drawer bases protected by foamed rubber mats.
- Static load capacity: 1200 kg.
- 4 high-capacity castors: Ø 125 mm:
- 2 fixed and 2 steering (both with lever brake).
- Front centralized lock.
- Sheet metal worktop covered by a rubber mat.
- Can be fitted with paper roll holder item 2499PC and bottle holder item 2499PF.

114 kg



C38-G




C38-R

C38-O



h	max
74 mm	25 kg
153 mm	30 kg



Model	Weight	Code
C38-O	1	038000001
C38-G	1	038000003
C38-R	1	038000002


C38L

side cab with 7 drawers

Main features:

- 7 drawers (410x313 mm), with ball bearing slides:
- 5 drawers, 74 mm high
- 2 drawers, 153 mm high.
- Drawer bases protected by foamed rubber mats.
- Front centralized safety lock.
- Antislip aluminium worktop.
- Can be hooked to both sides of roller cab C38.


45 kg



C38L-G

C38L-R

h	max
74 mm	25 kg
153 mm	30 kg



Model	Weight	Code
C38L-O	1	038000081
C38L-G	1	038000083
C38L-R	1	038000082

C38LA

side module with door
and interior shelf

Main features:


- Front lock.
- Vertically adjustable interior shelf.
- Document pocket inside door.
- Nonslip aluminium worktop.
- Can be hooked to both sides of mobile roller cab C38.

18 kg



C38LA-G

C38LA-R



Model	Weight	Code
C38LA O	1	038000071
C38LA G	1	038000073
C38LA R	1	038000072

C38C

mobile roller cab
with thirty three drawers,
comprising:

- 1 mobile roller cab C38
- 2 side cabs C38L
- 1 cab C38T with top chest

268 kg



C38C-O





C38C-G



C38C-R



h	max
74 mm	25 kg
153 mm	30 kg



C38C-O	1	038000201
C38C-G	1	038000203
C38C-R	1	038000202

C38T

top cab
with 8 drawers and tool compartment

Main features:

- 8 drawers with ball bearing slides:
3 drawers 570x410x74 mm
1 drawer 570x410x153 mm
3 drawers 313x410x74 mm
1 drawer 313x410x153 mm.
- Tool compartment.
- Drawer bases protected by foamed rubber mats.
- Front centralized safety lock.
- Can be placed on worktop or mobile roller cab C38.

64 kg



C38T-O




C38T-G



C38T-R

h	max
74 mm	25 kg
153 mm	30 kg



C38T-O	1	038000091
C38T-G	1	038000093
C38T-R	1	038000092

MOBILE ROLLER CAB C39


UPRIGHTS AND DRAWER FRONT MADE OF ALUMINIUM ALLOY + STURDINESS + LIGHTWEIGHTNESS



- Drawers with ball bearing slides
- Thermoplastic worktop, designed to support portable tool chest C39T
- Quick release system made of aluminium, opening throughout length of drawer
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 1200 kg
- Drawer bases protected by foamed rubber mats
- Front centralized safety lock
- Tote-trays and holes for accommodating screwdrivers
- Integrated side and rear bottle holders
- Integrated paper roll holder

Available models:

- C39/6 (6 drawers)
- C39/7 (7 drawers)
- C39/8 (8 drawers)

Available colours:

	
O	RAL 2011
G	RAL 7016
R	RAL 3000



C39/7

roller cab
with seven drawers

Main features:

- Seven drawers (588x367 mm) with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.

61 kg

1200 kg



C39-7/G



C39-7/R

C39-7/O

h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg



Model	QTY	Part No.
C39-7/O	1	039000001
C39-7/G	1	039000002
C39-7/R	1	039000003

C39/6

mobile roller cab with six drawers

Main features:

- Six drawers (588x367 mm) with ball bearing slides:
 - 4 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 280 mm high

59 kg

C39-6/O	1	039000031
C39-6/G	1	039000032
C39-6/R	1	039000033



C39-6/O



C39-6/G



C39-6/R



h	max
70 mm	30 kg
140 mm	35 kg
280 mm	40 kg



C39/8

mobile roller cab with eight drawers

Main features:

- Eight drawers (588x367 mm) with ball bearing slides:
 - 6 drawers, 70 mm high
 - 2 drawers, 140 mm high

64 kg

C39-8/O	1	039000041
C39-8/G	1	039000042
C39-8/R	1	039000043



C39-8/O



C39-8/G



C39-8/R



h	max
70 mm	30 kg



C39T

portable tool chest with four drawers

Main features:

- Four drawers (588x367 mm) with ball bearing slides:
 - 4 drawers, 70 mm high
- Front centralized safety lock.
- Uprights and drawer front made of aluminium.

29 kg

C39T-O	1	039000101
C39T-G	1	039000102
C39T-R	1	039000103



C39T-O



C39T-R





C39T-G



29 kg

h	max
70 mm	30 kg



2400-COVER RSC24

nylon cover for mobile roller cabs RSC24 - C39

2400-COVER RSC24

1 024000910



2400-COVER RSC24AXL

nylon cover for mobile roller cabs RSC24AXL, RSC24L, RSC24L-CAB

2400-COVER RSC24AXL

1 024000930



3700-COVER C37

Nylon cover for mobile roller cab item C37

3700-COVER C37

1 037000930



C39SM

special mobile roller cab, Racing SM type

Specifications

- Multi-ply wood worktop
- 4 castors, Ø 125 mm
- 2 fixed and 2 steering (one with brake), with exposed covering
- Static load capacity: 1200 kg

7-drawer module

- 588x367 mm, with ball bearing slides:
- 6 drawers, 70 mm high
 - 1 drawer, 240 mm high
 - Drawer bases protected by foamed rubber mats
 - Front centralized safety lock
 - Opening system throughout length of drawer
 - Drawer front made of aluminium

Service module

- Integrated wastepaper basket
- Paper roll compartment
- 1 large drawer (420x305x270 mm)

125 kg


C39SM-O	RAL 2011	1	039390001
C39SM-G	RAL 7016	1	039390002
C39SM-R	RAL 3000	1	039390003



C39SM-G



C39SM-R

C39SM-O



h	max
70 mm	30 kg
240 mm	40 kg

h	max
70 mm	30 kg
240 mm	40 kg



C39MD

special mobile roller cab, Racing MD type

Specifications

- Multi-ply wood worktop
- 4 castors, Ø 125 mm
- 2 fixed and 2 steering (one with brake), with exposed covering
- Static load capacity: 1200 kg

7-drawer module

- 588x367 mm, with ball bearing slides:
- 6 drawers, 70 mm high
 - 1 drawer, 240 mm high
 - Drawer bases protected by foamed rubber mats
 - Front centralized safety lock
 - Opening system throughout length of drawer
 - Drawer front made of aluminium

2-drawer module

- 588x367x270 mm and 588x367x380 mm, with ball bearing slides
- Drawer bases protected by foamed rubber mats
 - Front centralized lock
 - Opening system throughout length of drawers
 - Drawer front made of aluminium

123 kg

C39MD-O	RAL 2011	1	039390101
C39MD-G	RAL 7016	1	039390102
C39MD-R	RAL 3000	1	039390103



C39MD-G



C39MD-R

C39MD-O



h	max
70 mm	30 kg
240 mm	40 kg

h	max
70 mm	30 kg
240 mm	40 kg



C41S

two-module tool trolley

Main features:


- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
- 2 detachable modules:
 - 1 upper tool box,
 - 1 module with 2 drawers, 95 mm and 295 mm high respectively.
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps.
- Side centralized lock
- for closing drawers of lower module.
- Drawers with ball bearing slides and double closing hook.
- Telescopic aluminium handle.
- Small tool holder built into upper tool box.
- Lower drawer with double ballbearing slide

Recommended assortments: 5940/SBK and 5915VU/5

16 kg

C41S

1 041000001



C41H

two-module tool trolley

Main features:

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
- 2 detachable modules:
 - 1 upper tool box,
 - 1 module with 2 drawers 95 mm in height,
 - 1 pull-out case made of plastic, 66 mm high, and 1 drawer 295 mm in height.
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps.
- Side centralized lock for closing drawers of lower module.
- Drawers with ball bearing slides and double closing hook.
- Telescopic aluminium handle.
- Small tool holder built into upper tool box.
- Lower drawer with double ballbearing slide

Recommended assortments: 5941VU/M, 5940/SBK and 5915VU/5

* Colours available on request

21 kg

C41H-O	RAL 2011	1	041000002
C41H-N	RAL 9005	1	041000005
C41H-B	RAL 5002	1	041000006
C41H-R	RAL 3000	1	041000008
C41H-G	RAL 7016	1	041000010
C41H-Y	RAL 1023	1	041000012
C41H-W	RAL 9016	1	041000021
C41H-V	RAL 6016	1	041000024



C41H-O



C41H-W

C41H-Y


C41H-R

C41H-V

C41H-B

C41H-G

C41H-N



C41H/CE

tool chest
with removable partitions for small tools,
made from plastic material

1,3 kg

C41H/CE

1 041000916



C42H


three-module tool trolley

Main features:

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
- 3 detachable modules:
 - 1 upper tool box, 220 mm high
 - 1 central tool module, 180 mm high.
 - 1 lower tool module with castors, 330 mm high.
- Oversized castors (ø 160 mm).
- Telescopic handle, can be adjusted in 3 positions
- Quick module release system: easy, quick access to all tool compartments.
- Upper tool box with interior object compartment and 3 tool trays built into cover.
- Can be used with 2 modules.

Recommended assortments: 5940/SBK and 5915VU/5

14 kg



C42H



042000002

 **Beta**

CX49-G

multi-purpose trolley

can be used as a mobile workstation for diagnostic tools, laptops, testers and battery chargers.

Specifications:

- Painted sheet metal frame: unparalleled firmness and sturdiness
- Ergonomic handle
- 2-level top
- Pull-out drawer for housing a mini keyboard
- 2 central shelves with adjustable position and 1 fixed low shelf
- 4 useful side cable reels made of plastic - 2 useful side containers
- 2 fixed rear castors Ø 160 mm
- 2 steering front castors Ø 100 mm (one with brake)
- Weight: 43 kg

CX49



1 049000102

1000 mm
480 mm
435 mm



CA49-G

multi-purpose trolley with door

can be used as a mobile workstation for diagnostic tools, laptops, testers and battery chargers.

Specifications:

- Painted sheet metal frame: unparalleled firmness and sturdiness
- Ergonomic handle
- 2-level top
- Pull-out drawer for housing a mini keyboard
- 1 shelf with adjustable position, 1 fixed shelf and door
- 4 useful side cable reels made of plastic
- 2 useful side containers
- 2 fixed rear castors Ø 160 mm
- 2 steering front castors Ø 100 mm (one with frame)
- Weight: 36.5 kg

CA49 G



1 049000112



1000 mm
480 mm
435 mm

4900-COVER C49

nylon cover for multi-purpose tool trolley item C49

4900-COVER C49



1 049000930



C48M

electric platform cart, with panels

Compact dimensions and versatile use make the C48M platform cart the ideal solution for handling heavy loads (boxes, containers, bulky objects, parts of equipment) in the power-assisted mode in complete safety, including in hardly accessible areas and in work environments which cannot be accessed via conventional forklift trucks. This results in significantly reduced hazards for operators - e.g. musculoskeletal disorders caused by manual handling of loads.

Motorized platform, with 24V - 400W motor with 2x12V 33Ah battery supply and Curtis control card.

Loading floor made from sturdy steel, coated with non-slip rubber, with round tubular panels preventing objects from falling during transport. The panels can be removed, to cater to individual transportation requirements.

The control console is equipped with the following:

- ignition key
- speed adjusting knob
- side butterfly handles for traction control
- intermittent beep, which is activated when moving in reverse
- battery charge indicator
- electric brake cut-out button
- emergency mushroom head button.

Fitted with 2 pneumatic traction wheels (Ø 260 mm) and 2 swivelling rubber wheels (Ø 150mm), electromagnet brake and differential gear. Supplied with an external battery charger, 220V/50Hz - V/A 24/12

FUNCTIONAL SPECIFICATIONS

Carrying capacity: 400 kg
 Driving speed: 4-6 km/h (adjustable)
 Battery life: 4 hours
 Maximum permitted slope with a full load: 6%
 Maximum permitted slope with 100 kg load: 18%

Safety devices:

- Electronic brake
- Buzzer
- Anti-crushing guard
- Battery charge indicator
- Curtis control cart

TECHNICAL SPECIFICATIONS

Overall dimensions: 1280x630x1100h mm
 Useful dimensions of loading platform with panels: 1150x570 mm
 Useful dimensions of loading platform without panels: 1260x620 mm
 Height of loading platform from floor: 320 mm
 Height of battery compartment from floor: 65 mm
 Weight with batteries: 140 kg

Beta
BRUTUS

400
kg

CE



1100
630
1280

140 kg



C48M



1 048000230

C48P

folding tool trolley

Main features:

- Loading platform made of reinforced polypropylene (PP), with non-slip coating and TPV inserts for corner protection
- Retractable handle for quick, compact storage
- Four non-marking castors, Ø 125 mm: 2 fixed and 2 steering with brakes
- Maximum capacity: 300 kg.
- Loading platform working width: 705 mm
- Loading platform depth: 480 mm
- Loading platform height: 200 mm



300
kg



11 kg

C48P



1 048000030


C51

trolley

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm:
2 fixed and 2 steering (1 with brake)
- Static load capacity: 200 kg (distributed between 3 shelves)

📦 21 kg

C51 O	RAL 2011	1	051000001
C51 G	RAL 7016	1	051000002
C51 R	RAL 3000	1	051000003



RSC51

service tool trolley with 3 drawers

Main features:

- ABS reinforced worktop, solid and sturdy
- Multipurpose top with anti-fall edges and 8 holes for accommodating screwdrivers
- 3 drawers (588x367 mm) with ball bearing slides, 70 mm high
- Drawer bases protected by foamed rubber mats
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays
- Front centralized safety lock
- Convenient side screwdriver holder included
- Two built-in side spray can holders
- Large lower shelf protected by an anti-oil and anti-petrol rubber mat
- 4 castors, Ø 125 mm: 2 fixed castors and 2 swivel castors (one with brake)

- Static load capacity: 400 kg
- Capacity of each drawer: 15 kg, evenly distributed

Following accessories can be added:

- Wood worktop 2400 RSC24/PL
- Perforated tool panel 2400 RSC24/PF
- PC support 2400 RSC24/SPC
- Folding shelf 2400 RSC24/MP
- Paper roll holder 2400 RSC24/PC-A

📦 38 kg

RSC51-FO	RAL 2011	1	051000300
RSC51-R	RAL 3000	1	051000303
RSC51-A	RAL 7016	1	051000307




2400 RSC24/MP

folding shelf for items RSC24 - RSC24A - RSC51

- For use as additional worktop
- Worktop dimensions: 390x440 mm, protected by an anti-oil and anti-petrol rubber mat
- Load capacity: 20 kg

📦 3,4 kg

2400 RSC24/MP		1	024004900
---------------	--	---	-----------




CP51

high-grade trolley

- 2 tops covered with rubber mats
- Ergonomic handle
- Four high-grade castors Ø 125 mm:
2 fixed and 2 steering with brake
- Static load capacity: 750 kg (shared by 2 tops)

📦 37 kg



CP51 O	RAL 2011	1	051000501
CP51 G	RAL 7016	1	051000502
CP51 R	RAL 3000	1	051000503

CB52

gearbox/transmission trolley with liquid recovery system

Inclined plane and drain holes
allow liquids to be recovered in collection tank

Fitted with:

- 4 swivel castors, including 2 with brakes
- Tool drawer
- Pull-out liquid collection tank; capacity: 7 l
- 2 shelves

Features:

- Dimensions: 1200x640x870 mm
- Weight: 60 kg

📦 60 kg



CB52		1	052000201
------	--	---	-----------




C56P O

folding workbench

Compact and easy to carry.
Worktop (800x500mm, 30 mm thick) made of MDF and galvanized sheet iron, for use on both sides.
Handle with rubber cover, for easy transportation.
Feet with nonslip cover.
Static load capacity: 250 kg

1 25 kg



C56P O


1 056000011

C56PL O

folding workbench, Light version

Lightweight, compact, easy to carry.
Worktop (800x500mm) made galvanized sheet iron, for use on one side, protected by an anti-oil and anti-petrol rubber cover.
Handle with rubber cover, for easy transportation.
Feet with nonslip cover.
Static load capacity: 200 kg

1 18,5 kg



C56PL O

1 056000021

C54S

Cargo tool cabinets

These tool cabinets are designed according to detailed research and offer accurate, comfortable and rational solutions for end users.

Two perforated panels attached to the doors may be opened giving access to additional storage space.

Main features:

- 1 drawer, with slides.
- Easy tool layout according to users' needs.
- Easy wall mounting by means of two slots located at the back of the cabinet .
- Safety lock for both drawers and doors.
- Empty thermoformed tray for 1/2" sockets and accessories

37 kg




C54S-G



C54S-R



C54S-O



C54S-O	RAL 2011	1	054000301
C54S-G	RAL 7016	1	054000302
C54S-R	RAL 3000	1	054000303

Beta

C57SA

MasterCargo workbench

- Model with tool storage board (C57P) and one drawer cabinet.

Drawer cabinet: five drawers, 588x367 mm, 3 90 mm high 1 180 mm and 1 280 mm high, with ball bearing slides.

Can accommodate thermoformed trays. Centralized lock.

Panel tool holder with holes on back for wall mounting. Vertically operated aluminium shutter, with lock. Three removable perforated panels for supporting tools.

Multi-ply worktop, coated in plastic laminate with three holes for vice item 1599F/150, to be ordered separately.

📦 205 kg



1800 kg

C57S/A-O




C57S/A-G

C57S/A-R



h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg



Model	RAL	Weight	Code
C57S/A-O	RAL 2011	1	057001005
C57S/A-G	RAL 7016	1	057001205
C57S/A-R	RAL 3000	1	057001405

C57SD

MasterCargo workbench

- Model with one drawer cabinet

Drawer cabinet: five drawers, 588x367 mm, 3 90 mm high 1 180 mm and 1 280 mm high, with ball bearing slides.

Can accommodate thermoformed trays. Centralized lock.

Multi-ply worktop, coated in plastic laminate with three holes for vice item 1599F/150, to be ordered separately.

📦 158 kg




1800 kg

C57S/D-O



h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg



C57S/D-G

C57S/D-R

Model	RAL	Weight	Code
C57S/D-O	RAL 2011	1	057001004
C57S/D-G	RAL 7016	1	057001204
C57S/D-R	RAL 3000	1	057001404

C57SB

MasterCargo workbench

- Model with tool storage board (C57P) and two drawer cabinets.

Drawer cabinet: five drawers, 588x367 mm, 3 90 mm high, 1 180 mm and 1 280 mm high, with ball bearing slides. Can accommodate thermoformed trays. Centralized lock.

Panel tool holder with holes on back for wall mounting. Vertically operated aluminium shutter, with lock. Three removable perforated panels for supporting tools.

Multi-ply wood worktop, coated in plastic laminate with three holes for vice item 1599F/150, to be ordered separately.



C57S/B-O

243 kg




C57S/B-G



C57S/B-R



h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg



C57S/B-O	RAL 2011	1	057001006
C57S/B-G	RAL 7016	1	057001206
C57S/B-R	RAL 3000	1	057001406

C57SC

MasterCargo workbench

- Model with two drawer cabinets.

Drawer cabinet: five drawers, 588x367 mm, 3 90 mm high, 1 180 mm and 1 280 mm high, with ball bearing slides. Can accommodate thermoformed trays. Centralized lock.

Multi-ply wood worktop, coated in plastic laminate with three holes for vice item 1599F/150, to be ordered separately.



C57S/C-O



h	max
90 mm	30 kg
180 mm	40 kg
280 mm	40 kg



C57S/C-G



C57S/C-R

C57S/C-O	RAL 2011	1	057001003
C57S/C-G	RAL 7016	1	057001203
C57S/C-R	RAL 3000	1	057001403

196 kg

C57SP

panel tool holder

Panel tool holder with two holes on back for wall mounting.
Aluminium shutter, vertically adjustable, with lock.
Three removable perforated panels for tool holding.

46 kg

C57SP-O	RAL 2011	1	057001020
C57SP-G	RAL 7016	1	057001220
C57SP-R	RAL 3000	1	057001420



C57SP O

1700 mm

930 mm



C57SP G



C57SP R

5700LAMP

MasterCargo workbench lamp

- Sturdy sheet metal frame comprising four elements; provided with screws for assembling the lamp.
- Lamp holder with 1120-Lumen LED strip, 4000K, 14W.
- Power supply 230V.
- Provided without wire.

9 kg

5700LAMP		1	057000005
----------	--	---	-----------



5700LAMP + C57S/A-O

1900 mm

1030 mm

C58P

panel tool holder

- Security locked shutter made of painted aluminium.
- Two removable perforated panels for tool holding.

46,8 kg

C58P-O	RAL 2011	1	058000221
C58P-G	RAL 7016	1	058000222
C58P-R	RAL 3000	1	058000223



C58P-G



C58P-R



C58P-O

1360 mm

930 mm



PV

wall tool panel

	LxA mm		
PV1	1000x920	10,2	088880010
PV1,5	1500x920	14,2	088880015



C56W

workbench with wood top

- Multi-ply wood worktop with holes for a vice (1599F/125, to be ordered separately).
- Steel frame with 6 supporting legs
- Static load capacity: 1,200 kg
- Matches panel tool holder C57P; cannot be fixed to worktop.
- Two drawers with locks.
- Can be fixed to floor.

86 kg

C56W-O	RAL 2011	1	056000251
C56W-G	RAL 7016	1	056000252
C56W-R	RAL 3000	1	056000253



C56B

workbench with wood top

Main features:

- Multi-ply wood worktop with holes for a vice (1599F/125, to be ordered separately).
- Steel frame with 4 supporting legs.
- Static load capacity: 800 kg.
- Lower object shelf.
- Can be fixed to floor.

54,5 kg

C56B-O	RAL 2011	1	056000401
C56B-G	RAL 7016	1	056000402
C56B-R	RAL 3000	1	056000403



C56

workbench

- Worktop made of painted sheet metal with external edge
- Steel frame with 6 supporting legs
- Static load capacity: 1200 kg
- Matches panel toolholder C57P; cannot be fixed to worktop
- Two drawers with lock
- Can be fixed to floor

82 kg

C56-O	RAL 2011	1	056000201
C56-G	RAL 7016	1	056000202
C56-R	RAL 3000	1	056000203



C56M

workbench

- Worktop made from both slip-proof aluminium sheet and rubber mat.
- Load capacity: kg.800.
- Can match panel toolholder C57P.
- Three drawers with lock.
- Can be fixed to the floor.



📦 95 kg

C56M O	RAL 2011	1	056000050
C56M G	RAL 7016	1	056000053
C56M R	RAL 3000	1	056000054

C58B

workbench with wood top

Main features:

- Multi-ply wood worktop with holes for a vice (1599F/125, to be ordered separately).
- Steel frame with 4 supporting legs.
- Static load capacity: 800 kg.
- Lower object shelf.
- Can be fixed to floor.

📦 44 kg



C58B-O	RAL 2011	1	058000401
C58B-G	RAL 7016	1	058000402
C58B-R	RAL 3000	1	058000403

C58M

workbench

- Metal worktop fully covered with a removable antislip rubber mat.
- Lower shelf made from solid wood.
- Static load capacity: 800 kg.
- Matches panel tool holder C58P; cannot be fixed to worktop.
- 2 drawers with locks.
- Can be fixed to floor.
- Aluminium worktop C58M/PA available on request.

📦 65 kg



C58M-O	RAL 2011	1	058000300
C58M-G	RAL 7016	1	058000302
C58M-R	RAL 3000	1	058000303

C58M/PA

knurled aluminium worktop
for workbench item C58M

4,5 kg



C58M/PA



1



058000350


C59A

"Endurance" workbench with 1 cab with six drawers

Main features:

- Worktop made from multi-ply wood with holes for vice item 1599F/125 (to be ordered separately).
- 6 drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high.
- Drawers protected by foamed rubber mats.
- Hard-wearing nylon drawer front.
- Roller cabs can accommodate thermoformed trays.
- Front centralized safety lock.
- Lower object shelf.
- Can be fitted with paper roll holder (2400 RSC24/PC) and bottle holder (2400 RSC24/PF-), to be ordered separately.

115 kg



C59A O




C59A A

1500
kg



C59A R

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg



C59A-O	RAL 2011	1	059000011
C59A-A	RAL 7016	1	059000031
C59A-R	RAL 3000	1	059000051



C59B


"Endurance" workbench with 2 cabs with six drawers

Main features:

- Worktop made from multi-ply wood with holes for vice item 1599F/125 (to be ordered separately).
- 12 drawers (588x367 mm) with ball bearing slides:
 - 8 drawers, 70 mm high
 - 2 drawers, 140 mm high
 - 2 drawers, 280 mm high.
- Drawers protected by foamed rubber mats.
- Can accommodate thermoformed trays.
- Front centralized safety lock.
- Lower object shelf.
- Can be fitted with paper roll holder (2400 RSC24/PC) and bottle holder (2400 RSC24/PF-), to be ordered separately.

155 kg

Model	RAL	Qty	Code
C59B-O	RAL 2011	1	059000012
C59B-R	RAL 3000	1	059000052
C59B-A	RAL 7016	1	059000032



C59C

"Endurance" workbench with 1 cab with six drawers, short model

Main features:

- Worktop made from multi-ply wood with holes for vice item 1599F/125 (to be ordered separately).
- 6 drawers (588x367 mm) with ball bearing slides:
 - 4 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 280 mm high.
- Drawers protected by foamed rubber mats.
- Can accommodate thermoformed trays.
- Front centralized safety lock.
- Lower object shelf.
- Can be fitted with paper roller holder (2400 RSC24/PC) and bottle holder (2400 RSC24/PF-), to be ordered separately.

105 kg

Model	RAL	Qty	Code
C59C-O	RAL 2011	1	059000013
C59C-R	RAL 3000	1	059000053
C59C-A	RAL 7016	1	059000033



9562T2

workbench mat, 200x160 cm

- protects floor from oil and petrol leaks, environmentally friendly
- easy to clean, anti-skid, rubber-coated bottom

Model	L cm	Qty	Code
9562T2	200	1	095620200



ROLLER CABS & CONTAINERS

LOOSE TOOLS

TRAYS

		pieces	RSC22	RSC23	RSC23C	RSC23T	RSC24/5	RSC24/6	RSC24/7	RSC24/8	RSC24AXL/9	C25	C27S	RSC28	C30M
								RSC24A/6	RSC24A/7	RSC24A/8	RSC24AXL/8				
								C37/6	RSC24L/7	RSC24L-CAB	C39/8				
								C39/6	C37/7	C37A/7					
without supports	5902MT	Earth moving	106	☐ 477	☐ 477	☐ 477									
	5902MT/AS	Earth moving	99	☐ 478	☐ 478	☐ 478									
	5902VI	Industrial maintenance	107	☐ 443	☐ 443		☐ 443					☐ 443	☐ 443		
	5904VG/3	Car repair	132					☐ 481	☐ 481	☐ 481	☐ 481				
	5905VG/1	Car repair	94									☐ 484			
	5905VG/2	Car repair	118									☐ 485			
	5910VI/3	Industrial maintenance	297												☐ 447
	5954VG	Car repair	138												
	5954VI	Industrial maintenance	133												
	5957U-P	Industrial maintenance	133												
	5957VG	Car repair	174												
	5957VI	Industrial maintenance	162												
	5958U	Industrial maintenance	85												
soft modules	5904VG/2M	Car repair	170				☐ 479	☐ 479	☐ 479	☐ 479	☐ 479				☐ 479
	5904VU/1M	Industrial maintenance	90				☐ 452	☐ 452	☐ 452	☐ 452	☐ 452				☐ 452
	5904VU/2M	Industrial maintenance	144				☐ 453	☐ 453	☐ 453	☐ 453	☐ 453				☐ 453
	5927VU/M	Industrial maintenance	108	☐ 463	☐ 463	☐ 463							☐ 463		
	5935ET/1MB	Electrotechnical	96												
	5935VG/1MB	Car repair	98												
	5935VI/2MB	Industrial maintenance	133												
	5945VUM	Universal use	231												
	5988H/7M	Car repair	333								☐ 469	☐ 469			☐ 469
	5988L/4M	Car repair	273					☐ 470	☐ 470	☐ 470	☐ 470	☐ 470			
	5988U6/M	Universal use	214						☐ 471	☐ 471	☐ 471				☐ 471
	5988U/7M	Universal use	215				☐ 459	☐ 459	☐ 459	☐ 459	☐ 459	☐ 459			☐ 459
	5988VHB-MQ	Elettrotecnica	66				☐ 475	☐ 475	☐ 475	☐ 475	☐ 475	☐ 475			☐ 475
	5904VI/1T	Industrial maintenance	98				☐ 443	☐ 443	☐ 443	☐ 443	☐ 443	☐ 443			☐ 443
	5904VI/2T	Industrial maintenance	153				☐ 444			☐ 444	☐ 444	☐ 444			☐ 444
	5904VI/3T	Industrial maintenance	142								☐ 445	☐ 445			☐ 445
	5904VG/2T	Car repair	99				☐ 480	☐ 480	☐ 480	☐ 480	☐ 480	☐ 480			☐ 480
	5904VG/3T	Car repair	102				☐ 482	☐ 482	☐ 482	☐ 482	☐ 482	☐ 482			☐ 482
	5904VG/5T	Car repair	153				☐ 483		☐ 483	☐ 483	☐ 483	☐ 483			☐ 483
	5904VU/2T	Universal use	104				☐ 454	☐ 454	☐ 454	☐ 454	☐ 454	☐ 454			☐ 454
	5904VU/3T	Universal use	146				☐ 455	☐ 455	☐ 455	☐ 455	☐ 455	☐ 455			☐ 455
	5904VU/4T	Universal use	197				☐ 456	☐ 456	☐ 456	☐ 456	☐ 456	☐ 456			☐ 456
5908VG/2T	Car repair	214												☐ 486	
5908VI/2T	Industrial maintenance	232								☐ 446	☐ 446			☐ 446	
5908VU/2T	Universal use	161				☐ 457		☐ 457	☐ 457	☐ 457	☐ 457			☐ 457	
5910VG/3T	Car repair	202												☐ 487	
5910VI/3T	Industrial maintenance	261												☐ 448	
5938U/2T	Universal use	210													

ROLLER CABS & CONTAINERS

LOOSE TOOLS

TRAYS

			pieces	C35	C38	C39MD C39SM	C39T	C45PRO	RSC51	C54S RSC55C	RSC55	RSC55PS RSC55PSE	C57SA C57SD	C57SB C57SP	C58P	C45PRO PAS	C59A C59C	C59B
without supports	5902MT	Earth moving	106				▢ 477											
	5902MT/AS	Earth moving	99				▢ 478											
	5902VI	Industrial maintenance	107															
	5904VG/3	Car repair	132								▢ 482						▢ 482	▢ 482
	5905VG/1	Car repair	94															
	5905VG/2	Car repair	118															
	5910VI/3	Industrial maintenance	297															
	5954VG	Car repair	138							▢ 491								
	5954VI	Industrial maintenance	133							▢ 451	▢ 451							
	5957U-P	Universal use	133									▢ 465	▢ 465					
	5957VG	Car repair	174									▢ 492	▢ 492					
	5957VI	Industrial maintenance	162										▢ 450					
5958U	Universal use	85					▢ 466				▢ 466	▢ 466			▢ 466			
soft modules	5904VG/2M	Car repair	170			▢ 479	▢ 479				▢ 479						▢ 479	▢ 479
	5904VU/1M	Universal use	90			▢ 452	▢ 452	▢ 452			▢ 452						▢ 452	▢ 452
	5904VU/2M	Universal use	144			▢ 453	▢ 453				▢ 453						▢ 453	▢ 453
	5927VU/M	Universal use	108															
	5935ET/1MB	Elettrotecnica	96	▢ 472														
	5935VG/1MB	Car repair	98	▢ 488														
	5935VI/2MB	Industrial maintenance	133	▢ 449														
	5945VUM	Universal use	231		▢ 490			▢ 490										
	5988H/7M	Car repair	333								▢ 469							▢ 469
	5988L/4M	Car repair	273			▢ 470	▢ 470				▢ 470						▢ 470	▢ 470
	5988U6/M	Universal use	214			▢ 471					▢ 471							▢ 471
	5988U/7M	Universal use	215			▢ 459					▢ 459						▢ 459	▢ 459
	5988VHB-MQ	Electrotechnical	66			▢ 475	▢ 475	▢ 475			▢ 475						▢ 475	▢ 475
	5904VI/1T	Industrial maintenance	98			▢ 443	▢ 443	▢ 443			▢ 443						▢ 443	▢ 443
	5904VI/2T	Industrial maintenance	153			▢ 444					▢ 444						▢ 444	▢ 444
	5904VI/3T	Industrial maintenance	142			▢ 445					▢ 445							▢ 445
	5904VG/2T	Car repair	99			▢ 480	▢ 480	▢ 480			▢ 480						▢ 480	▢ 480
	5904VG/3T	Car repair	102			▢ 482	▢ 482				▢ 482						▢ 482	▢ 482
	5904VG/5T	Car repair	153			▢ 483					▢ 483						▢ 483	▢ 483
	5904VU/2T	Universal use	104			▢ 454	▢ 454				▢ 454						▢ 454	▢ 454
5904VU/3T	Universal use	146			▢ 455	▢ 455				▢ 455						▢ 455	▢ 455	
5904VU/4T	Universal use	197			▢ 456	▢ 456				▢ 456						▢ 456	▢ 456	
5908VG/2T	Car repair	214																
5908VI/2T	Industrial maintenance	232															▢ 446	
5908VU/2T	Universal use	161			▢ 457					▢ 457						▢ 457	▢ 457	
5910VG/3T	Car repair	202																
5910VI/3T	Industrial maintenance	261																
5938U/2T	Universal use	210		▢ 464														

5902VI

assortment of 107 tools

► Industrial maintenance

Quantity/Description

- 6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm
- 1 centre punch Ø 3 mm
- 1 flat chisels, ribbed type 200 mm
- 26 combination wrenches 6+32 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 30x32 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 Adjustable wrench 300 mm
- 13 1/2" square drive hexagon sockets with rail Ø 10÷22 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓞ
- 1 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ⚡ 160 mm
- 1 compound leverage shears, straight blades 250 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm
- 8 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm
- 4 screwdrivers for cross head Phillips® screws ⚡ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1 engineer's hammer 500 g
- 1 dead blow hammer Ø 40 mm
- 1 engineer's scribe
- 1 measuring tape 5 m
- 1 metric feeler gauge
- 5 Set of 5 second-cut files, with handles 200 mm
- 1 hacksaw frame, aluminium handle
- 1 Metal pressure oil can 300 cc
- 1 snap - off blade utility knife
- 1 magnetic, articulated lamp with high-brightness LEDs

Beta N.

- 31
- 32
- 35
- 42/S26
- 55/S12
- 96N/SC9
- 111E
- 920A/SB13
- 920/21
- 920/22
- 920/25
- 920/42
- 920/55
- 1048N
- 1052
- 1084GBM
- 1122
- 1128BMX
- 1150GBM
- 1166GBM
- 1260
- 1262
- 1370
- 1392
- 1688A
- 1692
- 1708/S0
- 1719BMA..S5
- 1726BM
- 1751N
- 1771BM
- 1837F

5902VI

059021060

Assortment recommended in combination with RSC22 - RSC23 - RSC23T - C25 - C27S

5904VI/1T

assortment of 98 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 19 1/2" square drive hexagon sockets Ø 10÷24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws Ø 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓞ
- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22-24-27-30-32 mm
- 1 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers ⚡ 160 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 circlip pliers straight, internal Ⓞ 180 mm
- 1 circlip pliers bent, internal Ⓞ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 5 second cut files 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches Ø 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 4 screwdrivers for slotted head screws ● 3x75 - 4x100 - 5,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⚡ PH0x60 - PH1x80 - PH2x100 mm
- 6 T-handle wrenches with hexagon male ends Ø 2,5 - 3 - 4 - 5 - 6 - 8 mm

Beta N.

TR

- 920A T80
- 920ME T80
- 920/21 T80
- 920/22 T80
- 920/25 T80
- 920/42 T80
- 920/55 T80
- 42 T05
- 42 T06
- 1048N T153
- 1052 T153
- 1084 T138
- 1150 T138
- 1166 T138
- 1032 T145
- 1034 T145
- 1036 T145
- 1038 T145
- 35 T234
- 1719BMA8/S5 T236
- 1370 T234
- 1390 T234
- 55 T33
- 96/SC9 T33
- 1260 T208
- 1262 T208
- 951 T68



T80 T05 T06



T153 T138 T145 T236



T234 T33 T208 T68

5904VI/1T

059041161

Assortment recommended in combination with RSC51 - RSC24 - RSC24A - RSC24XL - C37 - C39 with 6 - 7 - 8 drawers
RSC23T - C39T - RSC24L - RSC24L-CAB - C59 - RSC28 - C39MD - C39SM - RSC55

5904VI/2T

assortment of 153 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 double ended offset ring wrenches 6+29 mm
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 13 1/4" hexagon sockets \odot 4+14 mm
- 6 1/4" socket drivers for hexagon screws \odot 2,5+8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet \oplus
- 9 screwdrivers for slotted head screws \bullet 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm
- 1 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers \sphericalangle 160 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 6 T-handle wrenches with hexagon male ends \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 5 second cut files 200 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 riveting pliers
- 100 aluminium rivets 2,9x6 mm
- 100 aluminium rivets 3,2x8 mm
- 100 aluminium rivets 3,8x10 mm
- 100 aluminium rivets 4x12 mm
- 100 aluminium rivets 4,8x12 mm
- 1 measuring tape
- 1 mini hacksaw frame
- 1 plastic oil bottle
- 1 snap - off blade utility knife

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
90	T40
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1260	T167
1260N	T167
1262	T168
1262N	T168
1048N	T153
1052	T153
1084	T138
1166	T138
1150	T138
1032	T145
1034	T145
1036	T145
1038	T145
951	T68
1719BMA8/S5	T236
35	T234
1370	T234
1390	T234
1741B	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1741RV...K	T281
1692	T289
1725CR	T289
1755	T289
1771	T289



T05 T06 T31



T40 T83 T91



T167 T168



T153 T138 T145 T68



T236 T234 T281 T289

5904VI/3T

assortment of 142 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 9 screwdrivers for slotted head screws \bullet 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm
- 6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 7 drivers for Torx® head screws \odot T6-T7-T8-T9-T10-T15-T20
- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊗
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 8 double ended bi-hex tubular socket wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 mm
- 1 tommy bars for tubular wrenches
- 1 tommy bars for tubular wrenches
- 6 T-handle wrenches with hexagon male ends \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers \llcorner 160 mm
- 1 250 mm
- 1 self - locking pliers 240 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 circlip pliers straight, internal \odot 140 mm
- 1 circlip pliers bent, internal \odot 225 mm
- 1 circlip pliers straight, external \bullet 140 mm
- 1 circlip pliers bent, external \bullet 225 mm
- 1 engineer's hammer 400 g
- 1 soft face hammer Ø 35 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 digital vernier
- 1 flexible graduated rule 300 mm
- 1 measuring tape 5 m
- 1 riveting pliers 250 mm
- 100 aluminium rivets 2,9x6 mm
- 100 aluminium rivets 3,2x8 mm
- 100 aluminium rivets 3,8x10 mm
- 100 aluminium rivets 4x12 mm
- 100 aluminium rivets 4,8x12 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 hacksaw frame, aluminium handle
- (5) blades for hacksaw
- 1 Plastic pressure oil can 200 cc
- empty thermoformed tray

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
1260	T167
1260N	T167
1262	T202
1267TX	T205
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
930	T73
940/1	T73
940/2	T73
951	T68
1150BM	T137
1166BM	T137
1084BM	T137
1048N	T153
1052	T153
1032	T145
1034	T145
1036	T145
1038	T145
1032	T146
1034	T146
1036	T146
1038	T146
1370	T231
1390	T231
1719BMA8/T	T231
1719BMA8/P	T231
1719BMA8/M	T231
1651DGT	T297
1682	T297
1691BM	T297
1741B	T281
1741RV..K	T281
1741RV..K	T281
1741RV..K	T281
1741RV..K	T281
1741RV..K	T281
1112	T285
1128BM	T285
1726	T285
1728BM	T285
1753	T285
VP6	VP6



T05 T06 T31



T167 T202 T205



T80 T73 T68



T137 T153 T145 T146



T231 T297 T281



T285 VP6

5904VI/3T

059041168

Assortment recommended in combination with RSC24 with 8 drawers- RSC24/A with 8 drawers - C37 with 8 drawers - C39 with 8 drawers RSC24XL with 8-9 drawers - RSC28 -C39MO - C39SM RSC55 - C59B

5908VI/2T

assortment of 232 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description

Quantity/Description	Beta N.	TR
5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1 1/2" drive extension bar 125 mm	920/21	T80
1 1/2" drive extension bar 255 mm	920/22	T80
1 1/2" drive universal joint	920/25	T80
1 1/2" drive sliding T-handle	920/42	T80
1 1/2" drive reversible ratchet \oplus	920/55	T80
19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm	920A	T80
16 combination wrenches 6+21 mm	42	T05
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T06
13 1/4" hexagon sockets \odot 4+14 mm	900	T91
6 1/4" socket drivers for hexagon screws \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm	900ME	T91
1 1/4" drive extension bar 50 mm	900/20	T91
1 1/4" drive extension bar 150 mm	900/21	T91
1 1/4" drive spinner handle	900BG/30	T91
1 1/4" drive universal joint	900/25	T91
1 1/4" drive swivel T-handle	900/42	T91
1 1/4" reversible ratchet \oplus	900/55	T91
6 T-handle wrenches with hexagon male ends \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	90	T40
5 double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm	90	T41
7 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm	1260	T199
6 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm	1262	T202
3 screwdrivers for slotted head screws \bullet 8x200 - 10x150 - 10x200 mm	1260	T201
2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm	1260N	T201
2 screwdrivers for cross head Phillips® screws \oplus PH3x150 - PH4x200 mm	1262	T204
2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm	1262N	T204
2 flat chisels, ribbed type 100 - 200 mm	35	T234
1 engineer's hammer 300 g	1370	T234
1 soft face hammer \varnothing 35 mm	1390	T234
1 riveting pliers 250 mm	1741B	T281
100 aluminium rivets 2,9x6 mm	1741RV...K	T281
100 aluminium rivets 3,2x8 mm	1741RV...K	T281
100 aluminium rivets 3,8x10 mm	1741RV...K	T281
100 aluminium rivets 4x12 mm	1741RV...K	T281
100 aluminium rivets 4,8x12 mm	1741RV...K	T281
1 250 mm	1048N	T153
1 self - locking pliers 240 mm	1052	T153
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5	T236
1 circlip pliers straight, internal \odot 180 mm	1032	T145
1 circlip pliers bent, internal \odot 170 mm	1034	T145
1 circlip pliers straight, external \bullet 175 mm	1036	T145
1 circlip pliers bent, external \bullet 175 mm	1038	T145
1 half-round needle nose pliers \equiv 180 mm	1150BM	T137
1 Extra-long needle nose pliers \bullet 160 mm	1166BM	T137
1 Heavy-duty diagonal cutting nippers \nless 160 mm	1084BM	T137
5 pin punches \varnothing 2 - 3 - 4 - 5 - 6 mm	31	T31
1 centre punch \varnothing 4 mm	32	T31
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
1 tin snips 250 mm	1112	T285
1 electrician's scissors, straight blades	1128BM	T285
1 hacksaw frame, aluminium handle	1726	T285
5 blades for hacksaw	1728BM	T285
1 Plastic pressure oil can 200 cc	1753	T285
1 empty thermoformed tray	VP5	VP5
1 adjustable tap wrench M3+M12	435/1,5	T273
1 adjustable tap wrench M5+M21	435/3	T273
1 reversible ratcheting tap wrench 2,0+5,0 mm (M3+M8)	436/1	T273
1 reversible ratcheting tap wrench 4,6+8,0 mm (M5+M12)	436/2	T273
1 die stock 25,4 mm	444/1	T273
1 die stock 38,1 mm	444/2	T273
1 screw pitch gauge 0,25+6 W 62+4x1"	1707	T273
26 coarse pitch hand taps M3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 16 - 18 - 20	430	T270
14 fine pitch hand taps M6x0,75 - M8x1 - M10x1,25 - M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5	433	T270
7 round dies, coarse pitch M3 - 4 - 5 - 6 - 7 - 8 - 9	440	T270
6 round dies, coarse pitch M10 - 12 - 14 - 16 - 18 - 20	440A	T270
2 round dies, fine pitch M6x0,75 - M8x0,75	441	T270
5 round dies, fine pitch M10x1,25 - M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5	441A	T270



T80 T05 T06



T91 T68 T40 T41



T199 T202 T201 T204



T234 T281 T153 T236



T145 T137 T31



T285 VP5



T273 T270

5908VI/2T

059081105

Assortment recommended in combination with RSC28 - RSC24XL with 8 and 9 drawers - RSC24A with 8 and 9 drawers - RSC24 with 8 drawers - C37 with 8 drawers - C39 with 8 drawers



5910VI/3

assortment of 297 tools

► Industrial maintenance

Quantity/Description	Beta N.
6 Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6N
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 125 - 250 mm	35
1 cape chisel, ribbed type 200 mm	37
30 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-35-36-38-41 mm	42
14 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 - 36x41 mm	55
13 double ended offset ring wrenches 6x7+30x32 mm	90
14 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	96N
1 Adjustable wrench 250 mm	111E
1 heavy duty pipe wrench 300 mm	362
25 twist drills with cylindrical shanks, short series 1=13x0,5 mm	412/SP25
37 assortment of HSS taps and dies, metric thread	447/C37
1 click-type torque wrenches with reversible ratchets \odot 1/2", 40÷200 Nm	666N/20
1 1/2" drive swivel T-handle	920/40
4 1/2" drive, socket drivers for hexagon screws \odot 10-12-14-17 mm	920ME
25 20 sockets and 5 accessories	920A/C20X
17 assortment of 12 sockets and 5 accessories 3/4"	928A/C12
12 double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 13 - 14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm	932
14 T-handle wrenches with hexagon male ends 2÷14 mm	951/S14
5 T handle wrenches with swivelling hexagon male ends \odot 3 - 4 - 5 - 6 - 8 mm	953
3 circlip pliers straight, internal \odot 180 - 225 - 300 mm	1032
3 circlip pliers bent, internal \odot 170 - 210 - 290 mm	1034
3 circlip pliers straight, external \bullet 140x1,3 - 175 - 225 mm	1036
3 circlip pliers bent, external \bullet 135x1,3 - 175 - 220 mm	1038
2 250 - 300 mm	1048N
1 self locking pliers, double adjustment	1051
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish \nless 160 mm	1084GBM
1 toggle lever assisted end cutting nippers \nless 180 mm	1092V
1 tin snips 300 mm	1112
1 tin snip, straight narrow blades 250 mm	1114
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish \nless 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm	1166GBM
1 extra-long bent needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm	1168GBM
9 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x150 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 - 12x250 mm	1260
2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm	1260N
5 screwdrivers for cross head Phillips® screws \oplus PH0x100 - PH1x120 - PH2x150 - PH3x150 - PH4x200 mm	1262
2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm	1262N
7 drivers for Torx® head screws \odot T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
2 engineer's hammer 300 - 600 g	1370
2 soft face hammer Ø 35 - 60 mm	1390
5 tapered extractors M3÷M18	1430/S5
1 two - leg universal puller 23÷70 mm	1500N/1
1 two - leg universal puller 23÷100 mm	1500N/2
1 sliding gauge	1650
1 semirigid stainless steel rule 300 mm	1683
1 engineer's scriber	1688A
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/13
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1726BM
1 riveting pliers	1741B
1 Metal pressure oil can 200 cc	1751N

5910VI/3T

assortment of 261 tools in ABS thermoformed trays

► Industrial maintenance

Quantity/Description



Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
90	T41
90	T40
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
1260	T167
1260N	T167
1262	T168
1262N	T168
96N	T168
1112	T285
1128BM	T285
1726	T285
1728BM	T285
1753	T285
1150BM	T137
1166BM	T137
1084BM	T137
1032	T145
1034	T145
1036	T145
1038	T145
35	T234
1370	T234
1390	T234
1719BMA8/55	T236
42	
55	
111E	
362	
412/SP25	
447/C37	
666N/20	
928A/C12	
951/S14	
953	
1032	
1034	
1036	
1038	
1048N	
1051	
1092V	
1370	
1390	
1430/S5	
1500/3	
1650	
1683	
1688	
1692	
1708/13	
1712E/2	

5910VI/3T

059101063

Assortment recommended for use with item C30M

5935VI/2MB

assortment of 133 tools for tool chest C35, in EVA foam trays

► Industrial maintenance

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 250 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17
18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 150 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 1 Adjustable wrench 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers < 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" reversible ratchet Ⓢ
- 1 1/4" drive swivel T-handle
- 7 screwdrivers for slotted head screws
● 2,5x50-3x75-3,5x100-4x100-5,5x125-6,5x150-8x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30-6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws Ⓢ PH0x60-PH0x100-PH1x80-PH1x120-
PH2x100-PH2x150-PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series Ⓢ PH1x30-PH2x30 mm
- 1 mains testing screwdriver ● 4x30-6,5x30 mm
- 9 ball head offset hexagon key wrenches ○
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 5 pin punches Ø 2-3-4-5-6 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels, ribbed type 200 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 45 mm
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 hacksaw frame, aluminium handle 440 mm

Beta N.	TR
42	MB12
55	MB12
1048N	MB12
920A	MB37
920AN/125	MB37
920AN/250	MB37
920/25	MB37
920/42	MB37
920/55	MB37
111E	MB37
1052	MB37
1084BM	MB37
1150BM	MB37
1166BM	MB37
1032	MB37
1034	MB37
1036	MB37
1038	MB37
900	MB37
900/20	MB37
900/21	MB37
900/25	MB37
900BG/30	MB37
900/55	MB37
900/42	MB37
1260	MB44
1260N	MB44
1262	MB44
1262N	MB44
1253	MB44
96BPC/SC9	MB44
951	MB44
31	MB55
32	MB55
35	MB55
1112	MB55
1128BMX	MB55
1370	MB55
1390	MB55
1719BMA...Q	MB55
1719BMA...T	MB55
1719BMA...P	MB55
1719BMA...M	MB55
1719BMA...R	MB55
1726	MB55



MB12



MB37



MB44



MB55



5957VI

Assortment of 162 tools

► Industrial maintenance

Quantity/Description	Beta N.
6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
18 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-21-22-24-27-30-32 mm	42
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96T/S8
8 offset key wrenches, for Torx® head screws Ⓢ T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/SC8
1 Adjustable wrench 250 mm	111E
13 1/2" square drive bi-hex sockets with rail ○ 10÷22 mm	920B/SB13
8 1/2" square drive bi-hex sockets with rail ○ 23÷32 mm	920B/SB8
4 1/2" socket drivers for slotted head screws ● 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3 1/2" socket drivers for Phillips® screws Ⓢ PH2 - 3 - 4	920PH
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet Ⓢ	920/55
1 pry bar	963
2 circlip pliers straight, internal ○ 140 - 180 mm	1032
2 circlip pliers bent, internal ○ 130 - 170 mm	1034
2 circlip pliers straight, external ● 140 - 175 mm	1036
2 circlip pliers bent, external ● 135 - 175 mm	1038
1 250 mm	1048N
1 self locking pliers, double adjustment	1051
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 tin snips 250 mm	1112
1 tin snip, straight narrow blades 250 mm	1114
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers ≡ 180 mm	1150BM
1 Extra-long needle nose pliers ● 160 mm	1166BM
1 Extra-long bent needle nose pliers ● 160 mm	1168BM
7 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 4x100 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
4 screwdrivers for cross head Phillips® screws Ⓢ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
3 engineer's hammer 300 - 600 - 1000 g	1370
1 soft face hammer Ø 35 mm	1390
1 measuring tape 5 m	1692
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
1 two cutting edges scraper 200 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1725
1 metal oil can 200 cc	1751
1 flat chisels, ribbed type 200 mm	35
1 cape chisel, ribbed type 200 mm	37
11 double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 19 - 22 - 24 mm	932
1 self - locking pliers 240 mm	1052
1 self - locking pliers 280 mm	1060
1 self - locking pliers 290 mm	1062
1 dead blow hammer Ø 50 mm	1392
1 two - leg universal puller 25÷130 mm	1500N/2
1 sliding gauge	1650
1 semirigid stainless steel rule 300 mm	1683
1 engineer's scribe	1688A
1 metric feeler gauge	1708/13
1 fold - away knife	1777BM
1 snap - off blade utility knife 170 mm	1771BM
1 Diagonal cutting nippers ⚡ 160 mm	1082BM

5954VI

Assortment of 133 tools

► Industrial maintenance

Quantity/Description	Beta N.
5 pin punches Ø 2-3-4-5-6 mm	31
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 200-250 mm	35
18 combination wrenches 6÷14 - 16 - 17 - 18 19 - 21 - 22 - 24 - 27 - 30 mm	42
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55
12 offset hexagon key wrenches \odot 2÷10 mm	96/SC12
1 Adjustable wrench 250 mm	111E
1 pipe wrench Swedish pattern 320 mm	374
20 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
6 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 - 14 mm	920ME
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive swivel T-handle	920/40
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \otimes	920/55
6 T-handle wrenches with hexagon male ends \odot 2,5 - 3 - 4 - 5 - 6 - 8 mm	951
2 circlip pliers straight, internal \odot 140 - 180 mm	1032
1 circlip pliers bent, internal \odot 170 mm	1034
2 circlip pliers straight, external \bullet 140x1,3 - 175 mm	1036
1 circlip pliers bent, external \bullet 175 mm	1038
1 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 Heavy-duty diagonal cutting nippers \nless 160 mm	1084BM
1 toggle lever assisted end cutting nippers \nless 180 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers \equiv 180 mm	1150BM
1 Extra-long needle nose pliers \bullet 160 mm	1166BM
1 mains testing screwdriver \bullet	1253
2 screwdrivers for slotted head screws \bullet 8x150 - 10x200 mm	1260
2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm	1262
2 screwdrivers for cross head Phillips® screws \oplus PH3x150 - PH4x200 mm	1262N
2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm	1262N
8 set of screwdrivers	1263/D8
2 engineer's hammer 300 - 500 g	1370
1 soft face hammer Ø 45 mm	1390
1 measuring tape 5 m	1692
1 flexible magnetic pick-up tool 0,5 kg	1712E/1
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1726BM
1 plastic oil can 250 cc	1754



5954VI

059541053

Assortment recommended in combination with C54S-C55C

5904VU/1M

assortment of 90 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 drivers for Torx® head screws \odot T8-T10-T15-T20-T25-T30
- 3 screwdrivers for slotted head screws \bullet 3x75-4x100-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \odot
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm

Beta N.	TR
42	M05
55	M33
96/SC9	M33
1267TX	M204
1260	M201
1262	M201
96T	M50
920AN/125	M83
920AN/250	M83
920/25	M83
920/42	M83
920/55	M83
920A	M83
1084	M137
1150	M137
1166	M137
1048N	M153
1052	M153
35	M234
1370	M234
1390	M234
1032	M145
1034	M145
1036	M145
1038	M145



5904VU/1M

059041201

Assortment recommended in combination with RSC51 - RSC24 - RSC24A - RSC24XL - C37 - C39 with 6 - 7 - 8 drawers
RSC23T - C39T - RSC24L - RSC24L-CAB - C59 RSC55 - RSC28 - C39SM - C39MD

5904VU/2M

assortment of 144 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 3 screwdrivers for slotted head screws \bullet 3x75-4x100-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100 mm
- 6 drivers for Torx® head screws \odot T8-T10-T15-T20-T25-T30
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 mechanic's hammers 300 g
- 1 nylon face hammers, wooden shafts \varnothing 35 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 measuring tape 5 m
- 1 mini hacksaw frame
- 1 plastic oil bottle 30 cc
- 1 snap - off blade utility knife
- 5 bits for slotted head screws, coloured \bullet 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
- 8 hexagon bits for power drivers, coloured \odot 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 bits for cross head Phillips® screws, coloured \oplus PH0 - PH1 - PH2 - PH3 - PH4
- 4 bits for cross head Pozidriv® - Supadriv® screws, coloured \oplus PZ1 - PZ2 - PZ3 - PZ4
- 11 bits for Torx® head screws, coloured \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 8 bits for Tamper Resistant Torx® head screws, coloured \oplus T9-T10-T15-T20-T25-T27-T30-T40
- 1 magnetic bit holder with handle 230 mm
- 1 reversible bit ratchet 100 mm
- 5 second cut files 200 mm
- 1 adaptors for drivers
- 1 magnetic bit holder extension bar

Beta N.	TR
42	M05
55	M33
96/SC9	M33
1260	M201
1262	M201
1267TX	M204
96T	M50
920AN/125	M83
920AN/250	M83
920/25	M83
920/42	M83
920/55	M83
920A	M83
1084	M137
1150	M137
1166	M137
1048N	M153
1052	M153
35	M237
1370T	M237
1390N	M237
1032	M145
1034	M145
1036	M145
1038	M145
VPM3	VPM3
1692	M289
1725CR	M289
1755	M289
1771	M289
860LP	M85
860PE	M85
860PH	M85
860PZ	M85
860TX	M85
860RTX	M85
851SR	M85
860/55	M85
1719BMA8/S5	M236
892/0	M85
882P	M85



5904VU/2T

assortment of 104 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 7 screwdrivers for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125
5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws ⊕ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19
20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet ⊗
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers † 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches ○ 1,5+10 mm
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17
18-19-20-21 mm
- 5 combination wrenches 22-24-27-30-32 mm
- 1 electrician's scissors, straight blades
- 1 Multiuse scissors
- 1 second-cut square files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 hacksaw frame, aluminium handle
- 1 blades for hacksaw
- 1 snap - off blade utility knife 170 mm
- 1 foldaway knife 185 mm

Beta N.	TR
1260	T199
1262	T202
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
1032	T145
1034	T145
1036	T145
1038	T145
1048N	T153
1052	T153
1084	T138
1150	T138
1166	T138
35	T234
1370	T234
1390	T234
951	T68
55	T33
96/SC9	T33
42	T05
42	T06
1128BMX	T284
1130BMX	T284
1719BMA...Q	T284
1719BMA...P	T284
1719BMA...T	T284
1719BMA...M	T284
1719BMA...R	T284
1726BM	T284
1728BM	T284
1771BM	T284
1778	T284



T199 T202 T83



T145 T153 T138 T234



T68 T33 T05 T06



T284

5904VU/2T

059041070

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39
RSC24L - RSC24L-CAB - C59 - RSC23T - RSC28 - C39SM - C39MD - C39T RSC55

5904VU/3T

assortment of 146 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 offset hexagon key wrenches \odot 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 6 drivers for Torx® head screws, with handles \odot T10-T15-T20-T25-T27-T30
- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws \odot 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet \oplus
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers \angle 160 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 4 screwdrivers for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Pozidriv®-Supadriv® screws \oplus PZ0 - PZ1 - PZ2
- 7 drivers for Torx® head screws \odot T6-T7-T8-T9-T10-T15-T20
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 5 second cut files 200 mm

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
96T	T52
97TTX	T55
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1032	T145
1034	T145
1036	T145
1038	T145
1150	T138
1166	T138
1084	T138
1048N	T153
1052	T153
1260	T198
1269PZ	T198
1267TX	T205
35	T234
1370	T234
1390	T234
1719BMA&S5	T236



T05 T06 T31



T52 T55 T80



T91 T145 T138 T153



T198 T205 T234 T236

5904VU/3T

059041203

Assortment recommended in combination with RSC24 - RSC24A - C37 - C39
RSC24L - RSC24L-CAB - C59 - C39T - C39SM - C39MD - RSC23T - RSC28 RSC55

5904VU/4T

assortment of 197 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 1 drift punches Ø 4 mm
- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 54 assortment of 52 hexagon bits, 10 mm, and 2 accessories
- 17 combination wrenches 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet Ⓢ
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet Ⓢ
- 1 Diagonal cutting nippers † 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Slip joint pliers boxed joints 250 mm
- 7 screwdriver for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdriver for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 7 screwdrivers for Torx® head screws, with handles ⊕ T6-T7-T8-T9-T10-T15-T20
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 7 ball head offset hexagon key wrenches burnished ○ 2,5-3-4-5-6-8-10 mm
- 1 offset hexagon key wrenches ○ 12 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 socket holder

Beta N.	TR
	30
	31
	32
867/C52	
42	T01
90	T40
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900B/G/30	T91
900/42	T91
900/55	T91
1082	T156
1150	T156
1048	T156
1201E	T211
1202E	T213
1207E/TX	T216
35	T234
1370	T234
1390	T234
96BP	T259
96N	T259
860MX/A31	T259
895/1	T259



T01 T83



T91 T156 T40 T211



T213 T216 T234 T259



5908VU/2T

assortment of 161 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 6 offset hexagon key wrenches ○ 2-2,5-3-4-5-6 mm
- 6 drivers for Torx® head screws, with handles ○ T10-T15-T20-T25-T27-T30
- 19 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 5 1/2" drive, socket drivers for hexagon screws ○ 5-6-8-10-12 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet Ⓢ
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 6 1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet Ⓢ
- 1 Heavy-duty diagonal cutting nippers < 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 7 screwdrivers for cross head Phillips® screws ● 2,5x50-3x75-3,5x100-4x125-5,5x100-5,5x150-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ● 8x150-8x200-10x200 mm
- 2 screwdriver for slotted head screws, extra-short series ● 4x30-6,5x30 mm
- 6 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH0x100-PH1x80-PH1x120-PH2x100-PH2x150 mm
- 2 screwdrivers for cross head Phillips® screws ⊕ PH3x150-PH4x200 mm
- 2 screwdriver for cross head Phillips® screws, extra-short series ⊕ PH1x30-PH2x30 mm
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
90	T40
96T	T52
97TTX	T55
920A	T82
920ME	T82
920AN/125	T82
920AN/250	T82
920/25	T82
920/42	T82
920/55	T82
900	T91
900ME	T91
900/20	T91
900/21	T91
900/25	T91
900BG/30	T91
900/42	T91
900/55	T91
1084	T138
1150	T138
1166	T138
1032	T145
1034	T145
1036	T145
1038	T145
1048N	T153
1052	T153
1290	T170
1290	T171
1290N	T171
1292	T172
1292	T173
1292N	T173
35	T234
1370	T234
1390	T234
1719BMA...Q	T236
1719BMA...T	T236
1719BMA...P	T236
1719BMA...M	T236
1719BMA...R	T236
VP4	



T05 T06 T31



T40 T52 T55 T91



T82 T138 T153



T145 T170 T171 T172



T173 T234 T236 VP4

5914VU/M

assortment of 109 tools for trolley C14, in EVA foam trays

► Universal use

Quantity/Description

- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 socket holder
- 13 1/4" hexagon sockets ○ 4-4,5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 16 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 9 offset hexagon key wrenches ○
- 1 Adjustable wrench 250 mm
- 1 electrician's scissors, straight blades
- 1 measuring tape 5 mt
- 1 snap - off blade utility knife
- 1 slip joint pliers 250 mm
- 1 Diagonal cutting nippers 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 3 screwdrivers for slotted head screws ● 3,5x100-5,5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH1x80-PH2x100 mm

Beta N.	TR
860MIX/A31	MCT1
895/1	MCT1
900	MCT1
900/...	MCT1
900/25	MCT1
900BG/30C	MCT1
900/42	MCT1
900/55	MCT1
920A	MCT1
920/25	MCT1
920AN/125	MCT1
920/42	MCT1
920/55	MCT1
42	MCT2
96/SC9	MCT2
111E	MCT2
1128BMX	MCT2
1692/5	MCT2
1771	MCT2
1048N	MCT3
1082BM	MCT3
1150BM	MCT3
1166BM	MCT3
1260	MCT3
1262	MCT3



MC T1



MC T2



MC T3

5988U/7M


assortment of 215 tools in EVA foam trays

► Universal use

Quantity/Description



M01



M100



M213



M33

M86

M136

M234

- 22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches \varnothing 1,5+10 mm
- 7 hexagon bits \varnothing 4-5-6-7-8-10-12 mm
- 7 hexagon bits \varnothing 4-5-6-7-8-10-12 mm
- 5 bits with XZN® profile \varnothing 5-6-8-10-12 mm
- 5 bits with XZN® profile \varnothing 5-6-8-10-12 mm
- 7 bits for Torx® head screws \odot T20-T25-T30-T40-T45-T50-T55
- 6 bits for Torx® head screws \odot T25-T30-T40-T45-T50-T55
- 7 bits for Tamper Resistant Torx® head screws \odot T20-T25-T30-T40-T45-T50-T55
- 1 bit holder sockets for item 867
- 1 bit holder sockets for item 867
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 13 1/4" hexagon sockets \varnothing 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series \varnothing 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws \varnothing 3-4-5-6-7 mm
- 4 socket drivers for slotted head screws \bullet 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 4 socket drivers for cross head Phillips® screws \oplus PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws \odot T10-T15-T20-T25-T27-T30-T40
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet \oplus
- 21 1/2" square drive hexagon sockets \varnothing 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 8 1/2" sockets for Torx® head screws \odot 10-12-14-16-18-20-22-24 mm
- 11 hexagon hand sockets \varnothing 10-12-13-14-15-16-17-18-19-21-22
- 1 Heavy-duty diagonal cutting nippers \angle 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 6 screwdriver for slotted head screws \bullet 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1 screwdriver for slotted head screws, extra-short series \bullet 4x30 mm
- 4 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series \oplus PH1X30 mm
- 12 screwdrivers for Torx® head screws, with handles \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver \bullet
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm

Beta N.	TR
42	M01
55	M33
96/SC9	M33
867PE	M86
867PE/L	M86
867XZN	M86
867XZNL	M86
867TX	M86
867TXL	M86
867RTX	M86
867/1	M86
867/2	M86
895/1	M100
895/3	M100
895/6	M100
900	M100
900L	M100
900ME	M100
900LP	M100
900PH	M100
900TX	M100
900/20	M100
900/20L	M100
900/21	M100
900/25	M100
900BG/30	M100
900/42	M100
900/55	M100
920A	M100
920/15	M100
920/25	M100
920AN/125	M100
920AN/250	M100
920/42	M100
920/55	M100
920/55	M100
920FTX	M100
920AL	M100
1084BM	M136
1150BM	M136
1166BM	M136
1201E	M213
1201EN	M213
1202E	M213
1202EN	M213
1207E/TX	M213
1253	M213
35	M234
1370	M234
1390	M234



5915VU/0

Assortment of 35 tools

► Universal use

Quantity/Description

- 1 centre punch 4 mm
- 1 flat chisels, ribbed type 125 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 7 Offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6 mm
- 1 Adjustable wrench 150 mm
- 1 slip joint pliers 250 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish \ddagger 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75-4x100-5,5x100-6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 3 m
- 1 snap - off blade utility knife 18 mm
- 1 car service knife
- 1 high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens

Beta N.

- 32
- 35
- 55
- 96/BGS7
- 111E
- 1048N
- 1082G
- 1128BMX
- 1150G
- 1166G
- 1201E
- 1202E
- 1370
- 1692/3
- 1771
- 1778SOS
- 1833S

5915VU/0

059151021

Assortment recommended in combination with C4 - C5 - C5S - C6T



5915VU/1

Assortment of 45 tools

► Universal use

Quantity/Description

- 2 drift punches \varnothing 2-3 mm
- 1 centre punch \varnothing 4 mm
- 2 flat chisels 125-150 mm
- 1 cape chisels, standard type 150 mm
- 14 combination wrenches 6-14 - 17 - 19 - 21 - 22 - 24 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 Adjustable wrench 250 mm
- 1 slip joint pliers 250 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish \ddagger 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 5 m
- 1 snap - off blade utility knife

Beta N.

- 30
- 32
- 34
- 36
- 42
- 96/SC9
- 111E
- 1048N
- 1082G
- 1128BMX
- 1150G
- 1166G
- 1201E
- 1202E
- 1370
- 1692
- 1771

5915VU/1

059151024

Assortment recommended in combination with C8 - C9 - C10 - C10S - C11 - CP15 - CP15L - C16 - CP17 - CP17L - C18



5915VU/2

Assortment of 49 tools

► Universal use

Quantity/Description

- 8 6x7 - 8x9 - 10x11 - 12x13 - 14x15
16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 13 1/4" hexagon sockets \odot 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet \odot
- 1 slip joint pliers 250 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish \equiv 180 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 3 m
- 1 plastic oil bottle 30 cc
- 1 snap - off blade utility knife 18 mm

- | Beta N. |
|----------|
| 55/B8N |
| 96/SC9 |
| 900 |
| 900/21 |
| 900/25 |
| 900BG/30 |
| 900/42 |
| 900/55 |
| 1048N |
| 1128BMX |
| 1150G |
| 1201E |
| 1202E |
| 1370 |
| 1692 |
| 1755 |
| 1771 |

5915VU/2

059151027

Assortment recommended in combination with C7 - CP15 - C20 - C20L



5915VU/3

assortment of 74 tools

► Universal use

Quantity/Description

- 1 pin punches \varnothing 4 mm
- 1 centre punch \varnothing 4 mm
- 1 flat chisels 150 mm
- 14 combination wrenches 6-7-8-10-11-12-13-14-15-16-17-19-22-24 mm
- 9 offset hexagon key wrenches \odot 1,5+10 mm
- 3 offset hexagon key wrenches \odot 4 - 5 - 6 mm
- 1 Adjustable wrench 250 mm
- 13 1/2" square drive hexagon sockets \odot 8+17 - 19 - 22 - 24 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \odot
- 8 double ended hexagon tubular socket wrenches, light series
6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 2 tommy bars for tubular wrenches
- 1 Slip joint pliers, boxed joints 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish \neq 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers,
slip-proof double layer PVC coated handles,
industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 400 g
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil bottle 150 cc
- 1 snap - off blade utility knife

- | Beta N. |
|---------|
| 31 |
| 32 |
| 34 |
| 42 |
| 96/SC9 |
| 96T |
| 111E |
| 920A |
| 920/21 |
| 920/22 |
| 920/25 |
| 920/42 |
| 920/55 |
| 935 |
| 940 |
| 1048VN |
| 1052 |
| 1084G |
| 1128BMX |
| 1150G |
| 1166G |
| - |
| 1201E |
| 1202E |
| 1370 |
| 1692 |
| 1726 |
| 1755 |
| 1771 |

5915VU/3

059151028

Assortment recommended in combination with C7 - C9 - C10 - C10S - C11 - CP15L - C16 - CP17 - CP17L - C19 - C19L - C20 - C20L



5915VU/4

Assortment of 80 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 15 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-19-22-24 mm
- 9 offset hexagon key wrenches \odot 1,5+10 mm
- 1 Adjustable wrench 250 mm
- 13 1/2" square drive hexagon sockets \odot 8+17 - 19 - 22 - 24 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \otimes
- 17 double ended hexagon/bi - hex offset socket wrenches 6+22 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish \ddagger 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 riveting hammer 32 mm
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil bottle 150 cc
- 1 snap - off blade utility knife

Beta N.

- 31
- 32
- 34
- 42
- 96/SC9
- 111E
- 920A
- 920/22
- 920/25
- 920/42
- 920/55
- 932/S17
- 1048N
- 1052
- 1084GBM
- 1128BMX
- 1150GBM
- 1166GBM
- 1201E
- 1202E
- 1370F
- 1692
- 1726
- 1755
- 1771

5915VU/4

059151045

Assortment recommended in combination with C20 - C20L



5915VU/5

assortment of 111 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 17 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
- 9 ball head offset hexagon key wrenches \odot
- 1 Adjustable wrench 250 mm
- 39 11 hexagon sockets, 20 bits and 8 accessories
- 13 11 sockets and 2 accessories
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish \ddagger 160 mm
- 1 construction worker's pincers 220 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish \equiv 180 mm
- 1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish \bullet 160 mm
- 4 screwdriver for slotted head screws \bullet 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 3 m
- 1 second cut files
- 1 hacksaw frame, aluminium handle 440 mm
- 1 snap - off blade utility knife 18 mm
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.

- 31
- 32
- 34
- 42
- 55/S8
- 96BPC/SC9
- 111E
- 900/C11
- 920A/C11
- 1048N
- 1052
- 1082G
- 1098
- 1128BMX
- 1150G
- 1166G
- 1201E
- 1202E
- 1370
- 1390
- 1692/3
- 1719BMA8/M
- 1726
- 1771BM
- 1833XS/2

5915VU/5

059151046

Assortment recommended in combination with C12 - C41S - C41H - C42S - C42H

5915VU/AS

assortment of 68 tools

► Universal use

Quantity/Description

- 1 pin punches Ø 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 13 combination wrenches 1/4 - 5/16 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"
- 8 double ended offset ring wrenches 1/4"+1"
- 9 offset hexagon key wrenches, burnished ○ 3/64"+3/8"
- 1 Adjustable wrench 250 mm
- 11 1/2" square drive bi - hex sockets ○ 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ≡ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm
- 4 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⊕ PH0x60 - PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape 5 m
- 1 hacksaw frame, aluminium handle
- 1 plastic oil bottle 150 cc
- 1 snap - off blade utility knife

Beta N.

- 31
- 32
- 34
- 42AS
- 90AS/8
- 96AS/SC9
- 111E
- 920AS
- 920/21
- 920/22
- 920/25
- 920/42
- 920/55
- 1048N
- 1052
- 1084GBM
- 1128BMX
- 1150GBM
- 1166GBM
- 1201E
- 1202E
- 1370
- 1692
- 1726
- 1755
- 1771

5915VU/AS

059151032

Assortment recommended in combination with C10 - C20 - C20L

5927VU/M

assortment of 108 tools in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 1 Heavy-duty diagonal cutting nippers ≡ 160 mm
- 9 offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 3 screwdriver for slotted head screws ● 3,5x100-5,5x150-6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ⊕ PH0x3x60-PH1x4,5x80-PH2x6x100 mm
- 31 bits with magnetic quick release bit holder in plastic case ○ ● ⊕ ⊕ ⊕ ⊕
- 1 slip joint pliers 250 mm
- 1 engineer's hammer 300 mm
- 1 centre punch 4 mm
- 1 cape chisels, standard type 4 mm
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 16 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/4" drive swivel T-handle
- 1 1/2" drive reversible ratchet ⊕
- 1 socket holder

Beta N. TR

- 42 MC10
- 1084BM MC10
- 96SC9 MC10
- 1150BM MC10
- 1166BM MC10
- 1201E MC10
- 1202E MC10
- 860MIX/A31 MC20
- 1048N MC20
- 1370 MC20
- 32 MC20
- 36 MC20
- 900 MC20
- 900/21 MC20
- 900/25 MC20
- 900BG/30C MC20
- 900/42 MC20
- 900/55 MC20
- 920A MC20
- 920/25 MC20
- 920AN/125 MC20
- 900/42 MC20
- 920/55 MC20
- 895/1 MC20

5927VU/M

059271021

Assortment recommended in combination with RSC22 - C27S - RSC23 - RSC23C

5938U/2T

assortment of 210 tools in ABS thermoformed trays

► Universal use

Quantity/Description

- 7 screwdriver for slotted head screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125
5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdriver for cross head Phillips® screws ⊕ PH0x60-PH1x80-PH1x120-PH2x100-PH2x150-
PH3x150 mm
- 7 screwdrivers
for Torx® head screws, with handles ⊖ T6-T7-T8-T9-T10-T15-T20
- 1 circlip pliers straight, internal ⊙ 180 mm
- 1 circlip pliers bent, internal ⊙ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers ⚡ 160 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 reversible ratcheting wrench for bits 1/4x5/16
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 1 1/4" reversible ratchet ⊕ 125 mm
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" drive spinner handle 176 mm
- 1 1/4" drive universal joint 41 mm
- 1 1/4" drive extension bar 150 mm
- 1 magnetic bit holder with handle 230 mm
- 5 bits for Spanner screws ⊕ 4-6-8-10-12 mm
- 8 bits for Torq-Set® head screws ⊕ 0-1-2-3-4-5-6-8 mm
- 6 bits for Tri-Wing® head screws ● 1-2-3-4-5-6 mm
- 8 bits for Tamper Resistant Torx® head screws ⊕ T9-T10-T15-T20-T25-T27-T30-T40
- 11 bits for Torx® head screws ⊖ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 3 bits for cross head Pozidriv®-Supadriv® screws ⊕ PZ1 - PZ2 - PZ3
- 4 bits for cross head Phillips® screws ⊕ PH0 - PH1 - PH2 - PH3
- 8 hexagon bits for power drivers ○ 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 7 bits for slotted head screws ● 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x8 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 mini hacksaw frame
- 1 plastic oil bottle
- 1 snap - off blade utility knife
- 19 1/2" square drive hexagon sockets
○ 10 - 11 - 12-19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 1 centre punch Ø 4 mm
- 6 pin punches with handles 2-3-4-5-6-8 mm
- 17 combination wrenches 6-7-8-10-11-12-13-14-16-17-18-19-21-22-24-27-30 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches ○
- 6 T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm
- 5 second cut files 200 mm
- 11 offset hexagon key wrenches ○ 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 - 6 mm
- 4 thermoformed trays, empty
- 4 thermoformed trays, empty
- 4 thermoformed trays, empty

Beta N.	TR
1201E	T211
1202E	T213
1207E/TX	T216
1032	T145
1034	T145
1036	T145
1038	T145
1048N	T153
1052	T153
1084BM	T137
1150BM	T137
1166BM	T137
194	T85
900	T85
900/55	T85
900/42	T85
900BG/30	T85
900/25	T85
900/21	T85
851SR	T85
861SP	T85
861TQS	T85
861TRW	T85
861RTX	T85
861TX	T85
861PZ	T85
861PH	T85
861PE	T85
861LP	T85
35	T234
1370	T234
1390	T234
1692	T289
1725CR	T289
1755	T289
1771	T289
920A	T80
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
32	T239
31BM	T239
42	T01
55	T33
96/SC9	T33
951	T68
1719BMA8/S5	T236
96T	T50
VP-3SC	VP-3SC
VP-LS	VP-LS
VP-LD	VP-LD



5938U/2T

059381062

Assortment recommended in combination with C38



5957U-P

assortment of 133 tools

► Universal use

Quantity/Description

Beta N.

6	pin punches 2 ÷ 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17	combination wrenches 6÷22 - 24 - 27 - 30 - 32 mm	42/S17X
12	double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8	offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
8	offset key wrenches, for Torx® head screws ⚙ T9 ÷ T40	97TX/SC8
1	Adjustable wrench 250 mm	111E
13	1/2" square drive hexagon sockets with rail ⌀ 10 ÷ 22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ⌀ 23 ÷ 32 mm	920A/SB8
7	socket drivers for cross head Phillips® screws ●	920LH/SB7
	⚙ 1,2x65 - 1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3	
1	circlip pliers straight, internal ⌀ 180 mm	1032
1	circlip pliers bent, internal ⌀ 170 mm	1034
1	circlip pliers straight, external ● 175 mm	1036
1	circlip pliers bent, external ● 175 mm	1038
1	slip joint pliers 250 mm	1048N
1	self - locking pliers 240 mm	1052
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
8	set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - PH0 - PH1 - PH2	1263/D8
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer 35	1390
1	measuring tape 5 m	1692/5
1	flexible magnetic pick-up tool	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA8/S5
1	Metal pressure oil can 200 cc	1751N
1	snap - off blade utility knife	1771BM
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 250 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⚙	920/55
1	pry bar	963
1	Diagonal cutting nippers ⚡ 160 mm	1082BM
1	Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1	toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1	half-round needle nose pliers = 180 mm	1150BM
1	Extra-long needle nose pliers ● 160 mm	1166BM
1	Extra-long bent needle nose pliers ● 160 mm	1168BM
2	screwdrivers for slotted head screws ● 8x200 - 10x200 mm	1260
1	screwdrivers for cross head Phillips® screws ⚙ PH3 8x150mm	1262
1	sliding gauge	1650
1	hacksaw frame, aluminium handle 420 mm	1725

5957U-P

059571004

Assortment recommended in combination with C57S A - C57S B - C57SP - C55PS - C55PSE - RSC55



5958U

Assortment of 85 tools

► Universal use

Quantity/Description	Beta N.
17 combination wrenches 6÷22 mm	42
12 offset hexagon key wrenches \varnothing 2÷10 mm	96N/SC12
13 1/2" square drive hexagon sockets with rail \varnothing 10÷22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail \varnothing 23÷32 mm	920A/SB8
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \oplus	920/55
1 circlip pliers straight, internal \varnothing 180 mm	1032
1 circlip pliers straight, external \bullet 175 mm	1036
1 slip joint pliers 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 Heavy-duty diagonal cutting nippers ∇ 160 mm	1084BM
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers \equiv 180 mm	1150BM
1 Extra-long needle nose pliers \bullet 160 mm	1166BM
7 screwdrivers for slotted head screws \bullet 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	1260
4 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262/S4
1 engineer's hammer 300 g	1370
1 soft face hammer \varnothing 35 mm	1390
1 measuring tape 5 m	1692
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1725
1 plastic oil can 150 cc	1754
1 snap - off blade utility knife	1771

5958U

059581008

Assortment recommended in combination with C58P - C45PRO RSC55



5990V1

assortment of 44 tools for tool case COMBO C99V1, in EVA foam tray

► Universal use

Quantity/Description

- 9 ball head offset hexagon key wrenches ○
- 1 snap - off blade utility knife 18 mm
- 1 slip joint pliers 250 mm
- 6 set of 2 drift punches, 1 centre punch, 2 flat chisels and 1 cape chisel in roll-up wallet made of polyester
- 3 screwdrivers for slotted head screws ● 3,5x100-5,5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ⊕ PH0x60-PH1x80-PH2x100 mm
- 1 electrician's scissors, straight blades
- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 1 measuring tape 5 mt
- 1 engineer's hammer 300 g
- 1 diagonal cutting nippers, bi-material handles, industrial finish ✂ 160 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm

Beta N.
96BPC/SC9
1771
1048N
38/B6N
1260
1262
1128BMX
42
1692/5
1370
1082GBM
1150GBM

5990V1

059900001

Assortment recommended in combination with C99V1



5990V3

assortment of 116 tools for tool case COMBO C99V3/2C, in EVA foam tray

► Car repairs

Quantity/Description

- 5 offset hexagon key wrenches
- 1 Adjustable wrench 250 mm
- 1 1/4" drive spinner handle
- 1 mains testing screwdriver ●
- 1 Pocket spirit level with magnetic V-shaped base
- 1 LED inspection torch, made of sturdy anodized aluminium
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 socket holder
- 12 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive swivel T-handle
- 1 1/4" drive reversible ratchet, 72 tooth mechanism ⊗
- 38 microscrewdriver with 36 interchangeable 4-mm bits and magnetic extension
- 1 soft face hammer Ø 35mm
- 1 1/4" drive universal joint
- 13 1/2" square drive hexagon sockets ○ 10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊗

Beta N.
96T/S5P
111E
900BG/30
1253
1695XS
1833XS/2
860MIX/A31
895
900
900/20
900/20L
900/42
900/55Z
1256/C36-2
1390
900/25
920A
920/21
920/22
920/25
920/42
920/55

5990V3

059900003

Assortment recommended in combination with C99V3/2C





5980U/BIKE

assortment of 90 tools

► Bicycle repairs

Quantity/Description	Beta N.
5 combination wrenches 8-9-10-13-14 mm	42
9 ball head offset hexagon key wrenches burnished ○ 1,5-2-2,5-3-4-5-6-8-10 mm	96BP/SC9
8 offset hexagon key wrenches 2-2,5-3-4-5-6-8-10 mm	96T/S8
8 drivers for Torx® head screws, with handles ⊕ T8-T10-T15-T20-T25-T27-T30-T40	97TTX/S8
1 Wide opening adjustable wrenches, chrome-plated, short series 170 mm	111CM
1 pipe cutter for copper and light alloy pipes	334
1 click-type torque wrenches with reversible ratchets 2÷10 Nm	605E
13 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900/SB13
1 1/4" drive extension bar	900/21
1 1/4" drive universal joint	900/25
1 1/4" reversible ratchet ⊕	900/55
1 diagonal cutting nippers, slip-proof double layer PVC coated handles, industrial finish ▽ 160 mm	1082G
1 electrician's scissors, straight blades 145 mm	1128BM
1 heavy duty combination pliers, slip-proof double layer PVC coated handles, industrial finish ≡ 180 mm	1150G
1 extra-long needle knurled nose pliers, slip-proof double layer PVC coated handles, industrial finish ● 180 mm	1166G
7 3x75-4x125-5,5x150-6,5x150-PH0x60-PH1x80-PH2x100 mm	1203E/D
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 sliding gauge 150 mm	1650
1 measuring tape 3 m	1692/3
1 second-cut flat files 200 mm	1719BMA...P
1 second-cut half-round files 200 mm	1719BMA...M
1 second-cut round files 200 mm	1719BMA...R
1 hacksaw frame, aluminium handle 300 mm	1725
1 snap - off blade utility knife	1771
1 chain wear indicator 120 mm	3935
1 missing link pliers 170 mm	3937
7 set of 7 simple cone wrenches 13-14-15-16-17-18-19 mm	3952/S7
1 pedal wrench 15 mm	3953
1 spoke wrench, black, 3.2 mm □	3961 3,2
1 spoke wrench, green, 3.3 mm □	3961 3,3
1 spoke wrench, red, 3.5 mm □ 3	3961 3,5
1 professional spoke wrench, 3.2 - 4.0 mm □ 3,2 - 4,0 mm	3961U
1 sprocket removal wrench with chain whip 289 mm	3967
1 tyre lever 200 mm	3969
3 kit with 3 tyre levers, made of plastic 113 mm	3969K3
1 lever for pushing back disc brake pads 222 mm	3991
1 disc brake straightener 234 mm	3992

5988H/7M

assortment of 333 tools in EVA foam trays

► Car repairs

Quantity/Description

- 13 hexagon hand sockets ○ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 16 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
- 7 1/2" sockets for Torx® head screws ○ E12-E14-E16-E18-E20-E22-E24
- 10 socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm
- 13 1/2" drive, socket drivers for Torx® head screws ○ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 8 socket drivers with XZN® profile ○ 5-6-6L-8-8L-10-10L-12L mm
- 18 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 quick release adaptor, 1/4", for 10 mm ratcheting wrenches
- 1 quick release adaptor, 3/8", for 13 mm ratcheting wrenches
- 1 quick release adaptor, 1/2", for 19 mm ratcheting wrenches
- 12 reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 socket holder ○ 1/4-□1/4
- 1 socket holder ○ 1/4-□3/8
- 1 socket holder ○ 5/16-□1/2
- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm
- 4 socket drivers for slotted head screws ● 0,8x4-1x5,5-1,2x6,51,2x8 mm
- 1 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm
- 4 socket drivers for cross head Phillips® screws ● PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ○ T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives □1/4-■3/8
- 3 1/4" drive extension bar 50-100-150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⊕
- 1 1/4" drive spinner handle
- 17 hexagon hand sockets 3/8" ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drivers □3/8-■1/4
- 1 adaptor, 1/2" female and 3/8" male drives □3/8-■1/2
- 1 extension bar - 3/8" 125 mm
- 1 extension bar - 3/8" 250 mm
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle
- 1 3/8" drive reversible ratchet ⊕
- 21 1/2" square drive hexagon sockets ○ 8-10-11-12-13-4-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 2 1/2" wobble extension bar 125-250 mm
- 1 adaptor, 1/2" female and 3/8" male drives □1/2-■3/8
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 3 3/8" square drive spark plug sockets ○ 16-17,8-20,8 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 slip joint pliers 250 mm
- 1 Diagonal cutting nippers ✂ 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long flat knurled nose pliers = 160 mm
- 5 screwdrivers for cross head Phillips® screws ● 3x75-4x100-5,5x100-6,5x150-8x150 mm
- 1 screwdriver for slotted head screws, extra-short series ● 6,5x30 mm
- 3 screwdrivers for cross head Phillips® screws ● PH1-PH2-PH3
- 1 screwdriver for cross head Phillips® screws, extra-short series ● PH2
- 4 drivers for Torx® head screws, with handles ○ T20-T25-T27-T30
- 6 pin punches 2-3-4-5-6-8 mm
- 1 centre punch 4 mm
- 3 flat chisels 125-150-75 mm
- 1 cape chisels, standard type 125 mm
- 2 engineer's hammer 500-1000 g
- 1 telescopic magnet with flexible head
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 smooth half - round long needle nose pliers ● 140 mm
- 1 diagonal cutting nippers ✂ 125 mm
- 4 micro-screwdrivers for slotted head screws ● 2,0-2,5-3,0-3,5 mm
- 2 micro-screwdrivers for cross-head Phillips® screws ○ 0-00
- 9 drivers for Torx® head screws, with handles ○ T10-T15-T20-T25-T27-T30-T40-T45-T50
- 1 self - locking pliers 240 mm
- 1 adjustable self locking pliers, long jaws 175 mm
- 1 plastic hose pliers
- 1 plastic hose pliers
- 1 plastic hose pliers
- 1 sliding gauge
- 1 metric feeler gauge
- 1 packing scraper
- 7 double swivel end socket wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 1/2" drive swivel handle
- 1 pry bar with handle 450 mm
- 1 telescopic joint inspection mirror 670 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 Steel wire brush

Beta N.	TR
910AL	M125
920AL	M125
920FTX	M125
920PE	M125
920TX	M125
920XZN	M125
42	M25
90	M25
123Q1/4	M25
123Q3/8	M25
123Q1/2	M25
142	M25
96BPC/SC9	M105
895/1	M105
895/3	M105
895/6	M105
900	M105
900L	M105
900LP	M105
900ME	M105
900PH	M105
900TX	M105
900/16	M105
900/...	M105
900/25	M105
900/42	M105
900/55	M105
900BG/30	M105
910A	M105
910/15	M105
910/16	M105
910/21	M105
910/22	M105
910/25	M105
910/42	M105
910/55	M105
920A	M105
920AN	M105
920/15	M105
920/25	M105
920/42	M105
920/55	M105
956E	M105
860MIX/A31	M166
1048N	M166
1082BM	M166
1150BM	M166
1162BM	M166
1290	M166
1290N	M166
1292	M166
1292N	M166
1297TX	M166
31	M231
32	M231
34	M231
36	M231
1370	M231
1712TF	M231
1390	M231
1692	M125
1032	M62
1034	M62
1036	M62
1038	M62
1177BM	M62
1188BM	M62
1257LP	M62
1257PH	M62
977TX	M62
1052	M78
1058	M78
1481PL/A	M78
1481PL/B	M78
1481PL/C	M78
1650	M78
1708/20	M78
1716P	M78
80	M78
920/36A	M78
965	M78
1715	M231
1719BMA8/M	M231
1719BMA8/P	M231
1719BMA8/Q	M231
1719BMA8/R	M231
1719BMA8/T	M231
1737NX	M231



M125



M25



M105



M166



M231



M62



M78

5988H/7M

059881087

Assortment recommended in combination with RSC24/8 - RSC24A/8 - RSC24XL - C37/8 - C39/8 - RSC28 - C59B - C55C8 - C55M8

5988L/4M

assortment of 273 tools in EVA foam trays

► Car repairs

Quantity/Description

- 13 1/4" hexagon sockets ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series ○ 5-6-7-8-9-10-11-12-13 mm
- 9 ball head offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6-8-10 mm
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 5 1/4" socket drivers for hexagon screws ○ 3-4-5-6-7 mm
- 4 socket drivers for slotted head screws ● 0,8x4-1x5,5-1,2x6,5-2x8 mm
- 4 socket drivers for cross head Phillips® screws ⚙ PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws ⚙ T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives □ 1/4 - ■ 3/8
- 3 1/4" drive extension bar 50-100-150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet ⚙
- 17 hexagon hand sockets 3/8" ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drivers □ 3/8 - ■ 1/4
- 1 adaptor, 1/2" female and 3/8" male drives □ 3/8 - ■ 1/2
- 1 extension bar - 3/8" 125 mm
- 1 extension bar - 3/8" 250 mm
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle
- 1 3/8" drive reversible ratchet ⚙
- 17 1/2" square drive hexagon sockets ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives □ 1/2 - ■ 3/8
- 1 3/8" drive universal joint
- 2 1/2" wobble extension bar 125 - 250 mm
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⚙
- 3 3/8" square drive spark plug sockets ○ 16-17,8-20,8 mm
- 13 hexagon hand sockets ○ 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 10 socket drivers for hexagon screws ○ 5-6-6L-7-8-8L-10-10L-12-12L mm
- 7 1/2" sockets for Torx® head screws ⚙ E12-E14-E16-E18-E20-E22-E24
- 13 1/2" drive, socket drivers for Torx® head screws ⚙ T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 8 socket drivers with XZN® profile ○ 5-6-6L-8-8L-10-10L-12L mm
- 16 hexagon hand sockets ○ 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
- 1 measuring tape 5 m
- 18 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
- 7 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
- 1 quick release adaptor, 1/4", for 10 mm ratcheting wrenches
- 1 quick release adaptor, 3/8", for 13 mm ratcheting wrenches
- 1 quick release adaptor, 1/2", for 19 mm ratcheting wrenches
- 12 reversible ratcheting combination wrenches 8-9-10-11-12-13-14-15-16-17-18-19 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⚙ ⚙ ⚙
- 1 slip joint pliers 250 mm
- 1 Diagonal cutting nippers ⚗ 160 mm
- 1 half-round needle nose pliers ⚗ 180 mm
- 1 Extra-long flat knurled nose pliers ⚗ 160 mm
- 5 screwdrivers for cross head Phillips® screws ● 3x75-4x100-5,5x100-6,5x150-8x150 mm
- 1 screwdriver for slotted head screws, extra-short series ● 6,5x30 mm
- 3 screwdrivers for cross head Phillips® screws ⚙ 4,5x80-6x100-8x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series ⚙ 6x30 mm
- 4 drivers for Torx® head screws, with handles ⚙ T20-T25-T27-T30

Beta N.	TR
900	M105
900L	M105
96BPC/SC9	M105
895/1	M105
895/3	M105
895/6	M105
900ME	M105
900LP	M105
900PH	M105
900TX	M105
900/16	M105
900/...	M105
900/25	M105
900B/G/30	M105
900/42	M105
900/55	M105
910A	M105
910/15	M105
910/16	M105
910/21	M105
910/22	M105
910/25	M105
910/42	M105
910/45	M105
910/55	M105
920A	M105
920/15	M105
910/25	M105
920AN	M105
920/42	M105
920/55	M105
956E	M105
910AL	M125
920PE	M125
920FTX	M125
920TX	M125
920XZN	M125
920AL	M125
1692/5	M125
42	M25
90	M25
123Q/14	M25
123Q/3/8	M25
123Q/1/2	M25
142	M25
860MIX/A31	M166
1048N	M166
1082BM	M166
1150BM	M166
1162BM	M166
1290	M166
1290N	M166
1292	M166
1292N	M166
1297TX	M166



M105



M125



M25



M166

5988U6/M

assortment of 214 tools in EVA foam trays

► Universal use

Quantity/Description



M01



M30




M213



M230



M129



M100

- 22 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm
- 11 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17
18x19-20x22-21x23-24x27-30x32 mm
- 11 double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-
24x27-30x32 mm
- 9 ball head offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6-8-10 mm
- 6 screwdriver for slotted head screws \bullet 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
- 1 screwdriver for slotted head screws,
extra-short series \bullet 4x30 mm
- 4 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1 screwdriver for cross head Phillips®
screws, extra-short series \oplus PH1x30 mm
- 12 screwdrivers
for Torx® head screws, with handles \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver \bullet
- 3 drift punches \varnothing 2-3-4 mm
- 6 pin punches \varnothing 2-3-4-5-6-8 mm
- 1 centre punch \varnothing 4 mm
- 1 flat chisels 150 mm
- 2 flat chisels, ribbed type 200-250 mm
- 1 cape chisels, standard type 125 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer \varnothing 35 mm
- 1 measuring tape 3 m
- 1 telescopic magnet with flexible head
- 1 second-cut square files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 Steel wire brush
- 1 snap - off blade utility knife 18 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 Diagonal cutting nippers ∇ 160 mm
- 1 construction worker's pincers 220 mm
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Extra-long bent needle nose pliers \bullet 160 mm
- 1 socket holder
- 1 socket holder
- 1 socket holder
- 13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series \odot 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws \odot 3-4-5-6-7 mm
- 4 socket drivers for slotted head screws \bullet 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- 4 socket drivers for cross head Phillips® screws \oplus PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws \odot T10-T15-T20-T25-T27-T30-T40
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle
- 1 1/4" drive swivel T-handle
- 1 1/4" reversible ratchet \oplus
- 21 1/2" square drive hexagon sockets \odot 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-
27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives 125 mm
- 1 1/2" drive universal joint 250 mm
- 1 1/2" wobble extension bar
- 1 1/2" wobble extension bar
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 8 1/2" sockets for Torx® head screws \odot 10-12-14-16-18-20-22-24 mm
- 11 hexagon hand sockets \odot 10-12-13-14-15-16-17-18-19-21-22 mm

Beta N.	TR
42	M01
55	M30
90	M30
96BPC/SC9	M30
1201E	M213
1201EN	M213
1202E	M213
1202EN	M213
1207E/TX	M213
1253	M213
30	M230
31	M230
32	M230
34	M230
35	M230
36	M230
1370	M230
1390	M230
1692	M230
1712TF	M230
1719BMA..Q	M230
1719BMA..T	M230
1719BMA..P	M230
1719BMA..M	M230
1719BMA..R	M230
1737NX	M230
1771	M230
1032	M129
1034	M129
1036	M129
1038	M129
1048N	M129
1052	M129
1082BM	M129
1098	M129
1112	M129
1128BM	M129
1150BM	M129
1166BM	M129
1168BM	M129
895/1	M100
895/3	M100
895/6	M100
900	M100
900L	M100
900ME	M100
900LP	M100
900PH	M100
900TX	M100
900/20	M100
900/20L	M100
900/21	M100
900/25	M100
900BG/30	M100
900/42	M100
900/55	M100
920A	M100
920/15	M100
920/25	M100
920AN/125	M100
920AN/250	M100
920/42	M100
920/55	M100
920FTX	M100
920AL	M100

5988U6/M

059881430

Assortment recommended in combination with RSC24 with 8 drawers - RSC24/A with 8 drawers - C37 with 8 drawers - C39 with 8 drawers RSC24XL - RSC28 - C39SM - C39MO - C59B - RSC55

5935ET/1MB

assortment of 96 tools for tool chest C35, in EVA foam trays

► Electrotechnical maintenance

Quantity/Description

- 1 self - locking pliers 240 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer Ø 35 mm
- 1 second-cut square files 200 mm
- 1 second-cut flat files 200 mm
- 1 second-cut triangular files 200 mm
- 1 second-cut half-round files 200 mm
- 1 second-cut round files 200 mm
- 1 flat chisels, ribbed type 200 mm
- 1 circlip pliers straight, internal ⌀ 180 mm
- 1 circlip pliers bent, internal ⌀ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 Heavy-duty diagonal cutting nippers 160 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 9 ball head offset hexagon key wrenches ○
- 1 screwholding screwdriver for slotted head screws ●
- 1 screwholding screwdriver for cross head Phillips® screws ⊕
- 1 mains testing screwdriver ●
- 6 hexagon nut spinners with handles ○ 5,5-6-7-8-10-13 mm
- 4 screwdrivers for cross head Phillips® screws, 1000V
⊕ PH0x60-PH1x80-PH2x100-PH3x150 mm
- 6 screwdrivers for headless slotted screws, 1000V
● 2,5x75-3x100-4x100-5,5x125-6x150-8x175 mm
- 31 bits with magnetic quick release bit holder in plastic case ● ○ ⊕ ⊕ ⊕ ⊕
- 1 magnetic bit holder, insulated ⊕
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V 140 mm
- 1 electrician's scissors, straight blades, with countersink
- 1 cable cutter 230 mm
- 1 wire stripping pliers 160 mm
- 1 combination pliers 1000V = 180 mm
- 1 extra long needle nose pliers, 1000V, ● 160 mm
- 1 extra long bent needle nose pliers ● 160 mm
- 1 adjustable wrench, 1000V 250 mm
- 1 utility knife, 1000V
- 1 bent knurled point spring tweezers, 1000V
- 1 crimping pliers for insulated terminals

Beta N.	TR
1052	MB65
1370	MB65
1390	MB65
1719BMA...Q	MB65
1719BMA...P	MB65
1719BMA...T	MB65
1719BMA...M	MB65
1719BMA...R	MB65
35	MB65
1032	MB65
1034	MB65
1036	MB65
1038	MB65
1084BM	MB65
1150BM	MB65
1166BM	MB65
96BPC/SC9	MB63
1250	MB63
1251	MB63
1253	MB63
943MQ	MB63
1272MQ	MB63
1274MQ	MB63
860MX/A31	MB63
850MQ	MB63
55	MB64
1048MQ	MB64
1082MQ	MB64
1128BSX	MB64
1132MQ	MB64
1142MQ	MB64
1150MQ	MB64
1166MQ	MB64
1168MQ	MB64
110MQ	MB64
1777MQ	MB64
993MQ	MB64
1602	MB64



MB65



MB64



MB63

5980ET/A

assortment of 70 tools

► Electrotechnical maintenance

Quantity/Description	Beta N.
1 centre punch Ø 4 mm	32
1 flat chisels, ribbed type 150 mm	35
8 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55/BN
8 offset hexagon key wrenches, long series O 2+10 mm	96LC/SC8
1 Adjustable wrench 200 mm	111E
1 magnetic bit holder, insulated	850MQ
10 bits with magnetic bit holder in plastic case	860MIX/A10
1 slip joint pliers, boxed joint 250 mm	1048MQ
1 Diagonal cutting nippers 160 mm	1082BM
1 electrician's scissors, straight blades, with countersink	1128BSX
1 cable cutter 170 mm	1132BM
1 half-round needle nose pliers 180 mm	1150BM
1 Extra-long needle nose pliers 160 mm	1166BM
1 Extra-long bent needle nose pliers 160 mm	1168BM
1 screwholding screwdriver for slotted head screws 4x125 mm	1250
1 screwholding screwdriver for cross head Phillips® screws ➤ PH1x125 mm	1251
1 mains testing screwdriver	1253
5 screwdriver for slotted head screws 2,5x75 - 3,5x100 - 5,5x125 - 6,5x150 mm	1201E
1 screwdriver for slotted head screws, extra-short series 4x30 mm	1201EN
4 screwdriver for cross head Phillips® screws ➤ PH0x60 - PH1x120 - PH2x150 - PH3x150 mm	1202E
1 screwdriver for cross head Phillips® screws, extra-short series ➤ PH2x30 mm	1202EN
4 screwdrivers for cross head Phillips® screws, 1000V ➤ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ
5 screwdrivers for headless slotted screws, 1000V 5,5x125 - 3x100 - 4x100 - 6,5x150 - 8x175 mm	1274MQ
1 flat chisel with side cutter	1343
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 crimping pliers for insulated terminals	1602
1 PVC electrical tape 25 mm	BMESB1925NE
1 measuring tape 5 m	1692
1 second-cut half-round files 200 mm	1719BMA...M
1 second-cut round files 200 mm	1719BMA...R
1 hacksaw frame, aluminium handle	1725
1 fold - away knife	1777BM



5980ET/A

059801083

Assortment recommended in combination with C12 - 2028VV - 2032TV - 2032VV

5980ET/B

assortment of 64 tools

► Electrotechnical maintenance

Quantity/Description

- 3 pin punches Ø 2 - 3 - 4 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 150 mm
- 8 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 ball head offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 deburrer 150 mm
- 6 hexagon nut spinners with handles 1000V \odot 5,5 - 6 - 7 - 8 - 10 - 13 mm
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nless 160 mm
- 1 electrician's scissors, straight blades, with countersink
- 1 cable cutter 230 mm
- 1 wire stripping pliers \nless 160 mm
- 1 combination pliers 1000V \nless 180 mm
- 1 extra long needle nose pliers, 1000V, \bullet 160 mm
- 1 mains testing screwdriver \bullet
- 3 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 mm
- 4 screwdrivers for headless slotted screws, 1000V \bullet 3x100 - 4x100 - 5,5x125 - 6,5x150 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 crimping pliers for insulated terminals
- 1 flexible graduated rule 250 mm
- 1 engineer's scribe 250 mm
- 1 measuring tape 5 m
- 1 spirit level, made of aluminium 200 mm
- 1 electrician's chisel 10x200 mm
- 1 chalk line reel
- 1 square flexible inspection mirror 600 mm
- 1 second cut files 200 mm
- 1 second cut files 200 mm
- 1 spring puller
- 1 hacksaw frame, aluminium handle
- 1 bristle brush
- 1 fitting tool for nylon ties
- 1 plastic oil bottle 80 cc
- 100 nylon cable ties, black UV resistant 3,6x200 mm
- 100 nylon cable ties, black UV resistant 4,8x300 mm
- 1 snap - off blade utility knife
- 1 soldering iron 30 W
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.

- 31
- 32
- 34
- 55/B8N
- 96BPC/SC9
- 345SB
- 943MQ/S6
- 1048MQ
- 1082MQ
- 1128BSX
- 1132MQ
- 1142MQ
- 1150MQ
- 1166MQ
- 1253
- 1272MQ
- 1274MQ
- 1370
- 1390
- 1602
- 1682
- 1688
- 1692
- 1696
- 1701NE3
- 1705
- 1715FL/A
- 1719BMA8/M
- 1719BMA8/R
- 1723
- 1726BM
- 1738
- 1743
- 1755
- 1748N
- 1748N
- 1771BM
- 1814M
- 1833XS/2

5980ET/B

059801084

Assortment recommended in combination with C12 - 2029/VV - 2033P/VV - 2036TV

5980MQ

assortment of 46 tools

► Electrotechnical maintenance

Quantity/Description

- 7 single open end wrenches, 1000V 10 - 12 - 13 - 14 - 17 - 19 - 22 mm
- 1 adjustable wrench, 1000V 250 mm
- 6 hexagon nut spinners with handles \odot 5,5 - 6 - 7 - 8 - 10 - 13 mm
- 4 T-handle wrenches with hexagon male ends \odot 4 - 5 - 6 - 8 mm
- 1 bent knurled point spring tweezers, 1000V
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \nless 160 mm
- 1 electrician's scissors
- 1 wire stripping pliers \nless 160 mm
- 1 combination pliers 1000V \nless 180 mm
- 1 extra-long bent flat nose pliers \nless 160 mm
- 1 extra long needle nose pliers, 1000V, \bullet 160 mm
- 1 mains testing screwdriver \bullet
- 4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 5 screwdrivers for headless slotted screws, 1000V \bullet 3x100 - 4x100 - 5,5x125 - 6,5x150 - 8x175 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 measuring tape 5 m
- 1 200 mm
- 1 mini - hacksaw frame, 1000V
- 2 utility knife, 1000V
- 1 soldering iron 30 W
- 1 high-brightness LED torch, made of sturdy anodized aluminium, up to 500 lumens
- 1 combination voltage and continuity tester


Beta N.

- 52MQ
- 110MQ
- 943MQ
- 951MQ
- 993MQ
- 1048MQ
- 1082MQ
- 1128MQ
- 1142MQ
- 1150MQ
- 1164MQ
- 1166MQ
- 1253
- 1272MQ
- 1274MQ
- 1370
- 1390
- 1692
- 1701NE/3
- 1725MQ
- 1777MQ
- 1814M
- 1833S
- 1847P


5980MQ

059801257

Assortment recommended in combination with 2029/VV



M49



M108



M161

5988 VHB-MQ

assortment of 66 tools in EVA foam trays

► Electrotechnical maintenance

Quantity/Description

- 12 single open end wrenches, 1000V 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 12 single ring wrenches 7-8-10-11-12-13-14-15-16-17-19-22 mm
- 4 socket drivers for hexagon screws \odot 4-5-6-8 mm
- 11 bi-hex sockets \odot 7-8-10-11-12-13-14-15-16-17-19 mm
- 6 socket drivers for Torx® head screws \odot T15-T20-T25-T27-T30-T40
- 2 socket drivers with XZN® profile \odot 8-10 mm
- 1 3/8" drive extension 125 mm
- 1 3/8" drive extension 250 mm
- 1 3/8" drive, T-handle
- 1 3/8" drive reversible ratchet
- 1 electrician's scissors
- 1 slip joint pliers, boxed joint 250 mm
- 1 diagonal cutting nippers 1000V \sphericalangle 160 mm
- 1 combination pliers 1000V \equiv 180 mm
- 1 extra long flat nose pliers \equiv 160 mm
- 1 extra-long bent flat nose pliers \equiv 160 mm
- 4 screwdrivers for cross head Phillips® screws, 1000V \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 4 screwdrivers for headless slotted screws, 1000V \bullet 2,5x75 - 3x100 - 4x100 - 5,5x125 mm
- 1 cable stripping knife, insulated

Beta N.	TR
52MQ	M49
89MQ	M49
910MQ/PE	M108
910MQ/B	M108
910MQ/TX	M108
910MQ/XZN	M108
910MQ/21	M108
910MQ/22	M108
910MQ/T	M108
910MQ/55	M108
1128MQ	M161
1048MQ	M161
1082MQ	M161
1150MQ	M161
1162MQ	M161
1164MQ	M161
1272MQ	M161
1274MQ	M161
1777MQU	M161

5988 VHB-MQ

059880300

Assortment recommended in combination with items RSC51 - RSC23T - RSC24 - RSC24A - RSC24XL - RSC24L - RSC24L-CAB RSC28 - C37 - C39 - C39SM - C39MD - C39T - RSC55 - C59

5980EL/A

assortment of 57 tools

► Electronics

Quantity/Description

- 13 4÷14 mm
- 9 offset hexagon key wrenches \odot 1,5÷10 mm
- 1 bent point tweezers 130 mm
- 1 straight thin knurled point pin spring tweezers 150 mm
- 1 cross tweezers 155 mm
- 1 electrician's scissors, straight blades
- 1 wire stripping pliers \sphericalangle 160 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 flat nose pliers \equiv
- 1 smooth half - round long bent needle nose pliers \bullet
- 1 combination pliers \bullet
- 1 diagonal flush cutting nippers \sphericalangle
- 1 diagonal cutting nippers \sphericalangle
- 1 screwholding screwdriver for slotted head screws \bullet 4x125 mm
- 1 screwholding screwdriver for cross head Phillips® screws \oplus PH0x125 mm
- 8 micro-screwdrivers
- 1 engineer's hammer 200 g
- 1 measuring tape 5 m
- 1 telescopic joint inspection mirror
- 3 needle files
- 1 spring puller
- 1 bristle brush
- 1 Pen oiler
- 1 snap - off blade utility knife
- 1 self-locking round end knurled tool made of stainless steel
- 1 soldering iron 25 W
- 1 de - soldering pump
- 1 LED inspection torch, made of sturdy anodized aluminium

Beta N.
73/B13N
96N/SC9
991
992
998
1128BMX
1142BM
1166BM
1172BM
1178BM/P
1178BM
1185BM
1188BM
1250
1251
1257LPH/S8
1370
1692
1715
1720/S3
1723
1738
1756
1771
1002
1814M
1830T
1833XS/2

5980EL/A

059801081

Assortment recommended in combination with 2032TV - 2028/VV - 2033P/VV

5980EL/B

assortment of 98 tools

► Electronics

Quantity/Description	Beta N.
13 4÷14 mm	73/B13N
9 offset hexagon key wrenches \odot 1,5÷10 mm	96/SC9
8 offset key wrenches for Torx® head screws \odot T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/BG8
1 Adjustable wrench 150 mm	111E
18 set of 13 hexagon sockets and 5 accessories, 1/4" square drive	900/C13-5
1 straight thin knurled point spring tweezers 130 mm	990
1 bent point tweezers 130 mm	991
1 extra slim short end spring tweezers 120 mm	999A
1 electrician's scissors, straight blades	1128BMX
1 front wire stripping pliers, self - adjusting 170 mm	1149F
1 half-round needle nose pliers \equiv 180 mm	1150BM
1 flat nose pliers \equiv 140 mm	1172BM
1 smooth half - round long needle nose pliers \bullet 140 mm	1177BM
1 smooth half - round long bent needle nose pliers \bullet 140 mm	1178BM/P
1 diagonal flush cutting nippers, rounded tips ζ 120 mm	1184BM
1 diagonal flush cutting nippers, slim tips ζ 120 mm	1186BM
1 end flush oblique cutting nippers ζ	1191BM
8 micro-screwdrivers	1257LPH/S8
1 mains testing screwdriver \bullet	1253
1 screwdriver for slotted head screws, extra-short series \bullet 6,5x30 mm	1290N
3 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm	1292
2 screwdriver for cross head Phillips® screws, extra-short series \oplus PH1x30 - PH2x30 mm	1292N
5 screwdrivers for headless slotted screws \bullet 2,5x60 - 3x75 - 4x100 - 5x125 - 6,5x150 mm	1294
1 engineer's hammer 200 g	1370
1 flexible graduated rule 150 mm	1682
1 engineer's scribe 220 mm	1688
1 measuring tape 5 m	1692
1 telescopic joint inspection mirror 670 mm	1715
1 Needle files \bullet	1720R
1 Needle files \blacktriangle	1720T
1 Needle files \blacksquare	1720P
1 spring puller	1723
1 bristle brush	1738
1 Pen oiler	1756
1 snap - off blade utility knife	1771BM
1 fold - away knife	1777BM
1 self-locking round end knurled tool made of stainless steel	1002
1 soldering iron 25W	1814M
1 de - soldering pump	1830T
1 LED inspection torch, made of sturdy anodized aluminium	1833XS/2



5980ID

assortment of 35 tools

► Plumbing maintenance

Quantity/Description

- 1 flat chisels 150 mm
- 1 flat chisels, ribbed type 200 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm
- 1 Adjustable wrench 250 mm
- 1 pipe cutter for copper and light alloy pipes Ø 3÷30 mm
- 1 pipe wrench Swedish pattern 320 mm
- 1 self - locking pliers 240 mm
- 1 tin snips 300 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm
- 4 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x150 - 8x150 mm
- 2 screwdriver for cross head Phillips® screws ⊕ PH1x80 - PH2x100 mm
- 1 engineer's hammer 300 g
- 1 measuring tape, made of fibre 2 m
- 1 measuring tape 5 m
- 1 spirit level, made of aluminium 200 mm
- 1 second-cut half-round files 200 mm
- 1 hacksaw frame, aluminium handle
- 1 Steel wire brush
- 1 250 mm

Beta N.

- 34
- 35
- 55/S12X
- 111E
- 334
- 374
- 1052
- 1112
- 1128BMX
- 1150GBM
- 1201E
- 1202E
- 1370
- 1690F
- 1692
- 1696
- 1719BMA...M
- 1725
- 1737NX
- 1048N

5980ID

059801085

Assortment recommended in combination with 2009N/VV

5902MT

assortment of 106 tools for agricultural, building and earth-moving machinery

► Earth-moving

Quantity/Description

- 2 drift punches Ø 3 - 4 mm
- 2 pin punches Ø 6 - 8 mm
- 1 centre punch Ø 4 mm
- 2 flat chisels, ribbed type 150 - 200 mm
- 18 combination wrenches 6÷14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 - 36 - 41 mm
- 10 double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 mm
- 10 offset hexagon key wrenches ○ 1,5÷12 mm
- 17 1/2" square drive hexagon sockets ○ 10÷22 - 24 - 27 - 30 - 32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive push-through square ratchet ⊗
- 11 3/4" square drive hexagon socket ○ 22 - 24 - 27 - 30 - 32 - 36 - 41 - 46 - 50 - 55 - 60 mm
- 1 3/4" drive extension bar 200 mm
- 1 3/4" drive swivel handle
- 1 3/4" drive sliding T - handle
- 1 3/4" drive reversible ratchet ⊗
- 1 pry bar
- 1 250 mm
- 1 adjustable self locking pliers, curved jaws
- 1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ≡ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm
- 4 screwdrivers for slotted head screws with hexagon bolsters ● 6,5x150 - 8x175 - 10x200 - 12x250 mm
- 3 screwdrivers for cross head Phillips® screws with hexagon bolsters
 - ⊕ PH2x150 - PH3x175 - PH4x200 mm
- 1 ball pein hammer 900 g
- 1 soft face hammer Ø 35 mm
- 1 metric feeler gauge
- 1 three - cutting edges scraper 200 mm
- 5 Set of 5 second-cut files, with handles 200 mm
- 1 hacksaw frame, aluminium handle

Beta N.

- 30
- 31
- 32
- 35
- 42
- 90
- 96N/B10
- 920A
- 920/21
- 920/22
- 920/25
- 920/42
- 920/50
- 928A
- 928/21
- 928/36A
- 928/42
- 928/55
- 964
- 1048N
- 1055
- 1084GBM
- 1128BMX
- 1150GBM
- 1166GBM
- 1260E
- 1262E
- 1377
- 1390
- 1708/20
- 1717B
- 1719BMA...S5
- 1725

5902MT

059021053

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5902MT/AS

assortment of 99 tools for earth-moving machinery (CATERPILLAR)

► Earth-moving

Quantity/Description	Beta N.
2 drift punches Ø 3 - 4 mm	30
2 pin punches Ø 6 - 8 mm	31
1 centre punch Ø 4 mm	32
2 flat chisels, ribbed type 150 - 200 mm	35
20 combination wrenches 1/4+1.1/2"	42AS
6 double ended offset ring wrenches 1/4x5/16 - 3/8x7/16 - 1/2x9/16 5/8x3/4 - 11/16x13/16 - 7/8x15/16"	90AS
11 offset hexagon key wrenches ○ 3/64+3/8"	96AS/B11
10 1/2" square drive bi - hex sockets ○ 7/16 - 1/2 - 9/16 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1"	920AS
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive push-through square ratchet ⊕	920/50
12 hexagon hand sockets 1/4" ○ □ 3/4", 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 - 1.1/4 - 1.5/16 1.1/2 - 1.5/8 - 1.11/16 - 1.7/8 - 2"	928AS
1 3/4" drive extension bar 200 mm	928/21
1 3/4" drive swivel handle	928/36A
1 3/4" drive sliding T - handle	928/42
1 3/4" drive reversible ratchet ⊕	928/55
1 pry bar	964
1 slip joint pliers 250 mm	1048N
1 adjustable self locking pliers, curved jaws	1055
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish † 160 mm	1084GBM
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish = 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish ● 160 mm	1166GBM
4 screwdrivers for slotted head screws with hexagon bolsters ● 6,5x150 - 8x175 - 10x200 - 12x250 mm	1260E
3 screwdrivers for cross head Phillips® screws with hexagon bolsters ⊕ PH2x150 - PH3x175 - PH4x200 mm	1262E
1 ball pein hammer 900 g	1377
1 soft face hammer Ø 35 mm	1390
1 metric feeler gauge 150 - 200 mm	1708/20
1 three - cutting edges scraper 200 mm	1717B
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1725



5902MT/AS

059021054

Assortment recommended in combination with RSC22 - RSC23 - RSC23C - C39T

5904VG/2M

assortment of 170 tools in EVA foam trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 5 drivers for Torx® head screws, with handles \odot T10-T15-T20-T25-T30
- 7 hexagon bits \odot 4-5-6-7-8-10-12 mm
- 7 hexagon bits \odot 4-5-6-7-8-10-12 mm
- 5 bits with XZN® profile \odot 5-6-8-10-12 mm
- 5 bits with XZN® profile \odot 5-6-8-10-12 mm
- 7 bits for Torx® head screws \odot T20-T25-T30-T40-T45-T50-T55
- 6 bits for Torx® head screws \odot T25-T30-T40-T45-T50-T55
- 7 bits for Tamper Resistant Torx® head screws \odot T20-T25-T30-T40-T45-T50-T55
- 1 bit holder sockets for item 867
- 1 bit holder sockets for item 867
- 5 screwdrivers for slotted head screws \bullet 3x75 - 3,5x100 - 4x125 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 mm
- 1 screwdriver for slotted head screws, extra-short series \bullet 4x30 mm
- 1 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 mm
- 5 bits for slotted head screws, coloured \bullet 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
- 8 hexagon bits for power drivers, coloured \odot 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 bits for cross head Phillips® screws, coloured \oplus PH0 - PH1 - PH2 - PH3 - PH4
- 4 bits for cross head Pozidriv® - Supadriv® screws, coloured \oplus PZ1 - PZ2 - PZ3 - PZ4
- 11 bits for Torx® head screws, coloured \odot T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- 8 bits for Tamper Resistant Torx® head screws, coloured \odot T9-T10-T15-T20-T25-T27-T30-T40
- 1 magnetic bit holder with handle 230 mm
- 1 reversible bit ratchet 100 mm
- 1 magnetic bit holder extension bar 80 mm
- 1 adaptors for drivers \blacksquare 1/4 - \square 1/4
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 30 - 32 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers \sphericalangle 160 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm

Beta N.	TR
	42
	42
	96T
	97TTX
	867PE
	867PEL
	867XZN
	867XZNL
	867TX
	867TXL
	867RTX
	867T1
	867T2
	1260
	1262
	1260N
	1262N
	860LP
	860PE
	860PH
	860PZ
	860TX
	860RTX
	851SR
	860/55
	882P
	892/0
	35
	1370
	1390
	920AN/125
	920AN/250
	920/25
	920/42
	920/55
	920A
	1150BM
	1166BM
	1084BM
	1032
	1034
	1036
	1038



M05 M06 VPM3



M50 M55 M86



M208 M85 M234



M83 M136 M145

5904VG/2T

assortment of 99 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm
- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \odot
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 4 screwdrivers for slotted head screws \bullet 3x75 - 4x100 - 5,5x150 - 6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws \bullet PH0x60 - PH1x80 - PH2x100 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 6 offset hexagon key wrenches \odot 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 6 drivers for Torx® head screws, with handles \odot T10 - T15 - T20 - T25 - T27 - T30

Beta N.	TR
	42
	T05
	42
	T06
	920A
	T80
	920ME
	T80
	920/21
	T80
	920/22
	T80
	920/25
	T80
	920/42
	T80
	920/55
	T80
	1048N
	T153
	1052
	T153
	1084
	T138
	1166
	T138
	1150
	T138
	1032
	T145
	1036
	T145
	1034
	T145
	1038
	T145
	35
	T234
	1370
	T234
	1390
	T234
	1260
	T208
	1262
	T208
	55
	T33
	96/SC9
	T33
	96T
	T52
	97TTX
	T55



T05 T06 T80



T153 T138 T145 T234



T208 T33 T52 T55



5904VG/3

assortment of 132 tools

► Car repairs

Quantity/Description	Beta N.
6 Ø 2÷8 mm	31/B6N
1 centre punch Ø 5 mm	32
1 flat chisels, ribbed type 200 mm	35
17 combination wrenches 6÷22 mm	42
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9
11 offset hexagon key wrenches ○ 2÷10 mm	96T/SP11
13 offset key wrenches for Torx® head screws ○ T6÷T50	97TX/B13
1 Adjustable wrench 300 mm	111E
13 1/2" square drive hexagon sockets with rail ○ 10÷22 mm	920A/SB13
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive push-through square ratchet ⊕	920/50
6 T - handle wrenches with swivelling socket ○ 8 - 10 - 12 - 13 - 17 - 19 mm	952
1 pry bar with handle 450 mm	965
2 circlip pliers straight, internal ○ 180 - 225 mm	1032
2 circlip pliers bent, internal ○ 170 - 210 mm	1034
2 circlip pliers straight, external ● 175 - 225 mm	1036
2 circlip pliers bent, external ● 175 - 220 mm	1038
1 slip joint pliers 250 mm	1048N
1 self - locking pliers 240 mm	1057A
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ≡ 200 mm	1084GBM
1 toggle lever assisted end cutting nippers ≡ 200 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish ≡ 180 mm	1150GBM
4 screwdrivers for slotted head screws ● 3x75 - 4x100 - 5,5x125 - 6,5x150 mm	1260
1 screwdrivers for slotted head screws, extra-short series ● 6,5x30 mm	1260N
2 screwdrivers for slotted head screws with hexagon bolsters ● 8x175 - 10x200 mm	1260E
3 screwdrivers for cross head Phillips® screws ⊕ PH0x100 - PH1x120 - PH2x100 mm	1262
1 screwdrivers for cross head Phillips® screws, extra - short series ⊕ PH2x30 mm	1262N
1 screwdrivers for cross head Phillips® screws with hexagon bolsters ⊕ PH3x175mm	1262E
1 screwdriver for cross head Phillips® screws, long series ⊕ PH2x400 mm	1262L
1 screwdriver for headless slotted screws, long series ● 6,5x400 mm	1264L
1 engineer's hammer 500 g	1370
1 soft face hammer Ø 45 mm	1390
1 adjustable oil filter wrench	1491
1 metric feeler gauge	1708/20
5 Set of 5 second-cut files, with handles 200 mm	1719BMA...S5
1 hacksaw frame, aluminium handle	1726BM
1 Metal pressure oil can 200 cc	1751N

5904VG/3

059041062

Assortment recommended in combination with RSC24 - RSC24A - RSC24XL - C37 - C39 with 7 - 8 drawers
RSC24L - RSC24L-CAB - C59 RSC55

5904VG/3T

assortment of 102 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17
18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 9 offset hexagon key wrenches \odot 1,5+10 mm
- 6 offset hexagon key wrenches \odot 2-2,5-3-4-5-6 mm
- 8 T - handle wrenches with swivelling socket \odot 7-8-10-12-13-14-17-19 mm
- 19 1/2" square drive hexagon sockets \odot 10-11-12-13-14-15-16-17-18-19
20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet ⊗
- 1 Heavy-duty diagonal cutting nippers \nless 160 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 self - locking pliers 240 mm
- 1 slip joint pliers 250 mm
- 7 screwdrivers for slotted head screws
 \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 6 screwdrivers for cross head Phillips® screws ⊕ PH0x60 - PH0x100 - PH1x80
PH1x120 - PH2x100 - PH2x150 mm
- 2 flat chisels, ribbed type 100-200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35 mm
- 1 empty thermoformed tray

Beta N.	TR
42T05-T06	
55	T33
96/SC9	T33
96T	T52
952	T63
920A	T83
920/21	T83
920/22	T83
920/25	T83
920/42	T83
920/55	T83
1084BM	T137
1150BM	T137
1166BM	T137
1032	T145
1034	T145
1036	T145
1038	T145
1052	T153
1048N	T153
1260	T199
1262	T202
35	T234
1370	T234
1390	T234
VP5	



T199 T202 T83



T145 T153 T137 T234



T52 T33 T05 T06



T63 VP5

5904VG/3T

059041510

Assortment recommended in combination with C24S - C24SA - C37 - C39
C24SL - C24SL/CAB - C59 - C23ST - C39T - C28 - C39SM - C39MD RSC55

5904VG/5T

assortment of 153 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm
- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 8 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 1 empty thermoformed tray
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 7 screwdrivers for cross head Phillips® screws ● 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm
- 5 drivers for Torx® head screws, with handles ⚡ T25 - T27 - T30 - T40 - T45
- 6 offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm
- 8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
- 9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 3 screwdrivers for cross head Phillips® screws ● 8x150 - 8x200 - 10x200 mm
- 2 screwdriver for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 6 screwdrivers for cross head Phillips® screws Ⓢ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm
- 2 screwdrivers for cross head Phillips® screws Ⓢ PH3x150 - PH4x200 mm
- 2 screwdriver for cross head Phillips® screws, extra-short series Ⓢ PH1x30 - PH2x30 mm
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers ⚡ 160 mm
- 6 bits for Torx® head screws ⚡ T6÷T15
- 8 bits for Torx® head screws ⚡ T20÷T55
- 1 socket holder
- 1 socket holder
- 6 1/4" sockets for Torx® head screws ○ E4÷E10
- 7 1/2" sockets for Torx® head screws ○ E12÷E24
- 3 1/2" drive, socket drivers for Torx® head screws ⚡ T55L - T60 - T70L
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm

Beta N.	TR
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
42	T05
42	T06
952	T63
VP6	VP6
1032	T145
1034	T145
1036	T145
1038	T145
1290	T170
1297TX	T176
96T	T52
55	T33
96N/SC9	T33
1290	T171
1290N	T171
1292	T172
1292	T173
1292N	T173
35	T234
1370	T234
1390	T234
1150BM	T137
1166BM	T137
1084BM	T137
861TX	T112
866TX	T112
895/1	T112
895/6	T112
900FTX	T112
920FTX	T112
920TX	T112
1048N	T153
1052	T153



T80 T05 T06



T63 VP6



T145 T170 T176 T52



T33 T171 T172 T173



T234 T137 T112 T153



5905VG/1

assortment of 94 tools for car body repair shops

► Car repairs

Quantity/Description	Beta N.
1 drift punches Ø 4 mm	30
6 Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6N
1 centre punch Ø 4 mm	32
1 flat chisels 150 mm	34
1 cape chisels, standard type 150 mm	36
17 combination wrenches 6÷22 mm	42
10 offset hexagon key wrenches Ø 1,5÷12 mm	96/B10
1 Adjustable wrenches with scales, phosphated 300 mm	111EN
12 hi-torque hexagon nut spinners, long series Ø 4÷14 mm	943BX
1 pry bar with handle 450 mm	965
1 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 adjustable self locking pliers, aluminium jaws 280 mm	1060AL
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish 160 mm	1084GBM
1 construction worker's pincers 250 mm	1098PL
1 compound leverage shears, straight blades	1122
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish 180 mm	1150GBM
1 screwdriver for Dzus® head screws ●	1201E/DZ
4 screwdrivers for slotted head screws	1260
● 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	
1 screwdrivers for slotted head screws, extra-short series ● 4x30 mm	1260N
2 screwdrivers for slotted head screws with hexagon bolsters	1260E
● 10x175 - 12x200 mm	
3 screwdrivers for cross head Phillips® screws	1262
● PH0x60 - PH1x80 - PH2x100 mm	
1 screwdrivers for cross head Phillips® screws, extra - short series ● PH1x30 mm	1262N
1 screwdrivers for cross head Phillips® screws with hexagon bolsters ● PH3x175 mm	1262E
7 drivers for Torx® head screws ○ T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
1 curved dolly 1350 g	1303
1 toe dolly	1305
1 heel dolly	1306
1 general purpose dolly	1310
1 double end dolly, convex, flat head	1314
1 curved angle spoon	1326
1 heavy duty spoon	1327
1 long double-ended spoon	1330
1 body blade holder, with blade 9"	1338A
1 extra flat chisel with hand guard	1342PM
1 body hammer	1345
1 body hammer Ø 40 mm	1357Z/45
1 engineer's hammer 300 g	1370
1 soft face hammer Ø 35 mm	1390
1 measuring tape 5 m	1692

5905VG/2

assortment of 118 tools

► Car repairs

Quantity/Description	Beta N.
6 set of 2 drift punches, 1 centre punch, 2 flat chisels and 1 cape chisel in roll-up wallet made of polyester	38/BN
13 combination wrenches 6÷14 - 17 - 19 - 22 - 24 mm	42
13 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 mm	55
3 half - moon ring wrenches 11x13 - 14x17 - 19x22 mm	83
10 offset hexagon key wrenches \odot 1,5÷12 mm	96N/B10
6 drivers for Torx® head screws, with handles \odot T10 - T15 - T20 - T25 - T30 - T40	97TTX
2 1/2" drive impact sockets \odot 17 - 19 mm	720
20 1/2" square drive hexagon sockets \odot 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet \oplus	920/55
8 T - handle wrenches with swivelling socket \odot 7 - 8 - 10 - 11 - 13 - 14 - 17 - 19 mm	952
1 T - handle swivel spark plug wrenches	959
1 wheel nut wrench \odot 17x19x22x \blacksquare 1/2"	979
1 circlip pliers straight, internal \odot 180 mm	1032
1 circlip pliers bent, internal \odot 170 mm	1034
1 circlip pliers straight, external \bullet 175 mm	1036
1 circlip pliers bent, external \bullet 175 mm	1038
1 slip joint pliers 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 heavy duty diagonal cutting nippers, bi-material handles, industrial finish ∇ 160 mm	1084GBM
1 compound leverage shears, straight blades 250 mm	1122
1 electrician's scissors, straight blades	1128BMX
1 heavy duty combination pliers, bi-material handles, industrial finish \equiv 180 mm	1150GBM
1 extra-long needle knurled nose pliers, bi-material handles, industrial finish \bullet 160 mm	1166GBM
8 screwdrivers for slotted head screws \bullet 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
2 screwdrivers for slotted head screws with hexagon bolsters \bullet 10x200 - 12x250 mm	1260E
1 screwdrivers for slotted head screws, extra-short series \bullet 6,5x30 mm	1260N
4 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
1 engineer's hammer 400 g	1370
1 soft face hammer \varnothing 35 mm	1390
1 adjustable oil filter wrench	1491
1 circuit tester 3÷48 V	1498



5905VG/2

059051044

Assortment recommended in combination with C25

5908VG/2T

assortment of 214 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6+21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm
- 1 centre punch Ø 4 mm
- 12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17
18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm
- 9 offset hexagon key wrenches \odot 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 5 1/2" drive, socket drivers for hexagon screws \odot 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet \oplus
- 19 1/2" square drive hexagon sockets \odot 10+24 - 26 - 27 - 30 - 32 mm
- 1 circlip pliers straight, internal \odot 180 mm
- 1 circlip pliers bent, internal \odot 170 mm
- 1 circlip pliers straight, external \bullet 175 mm
- 1 circlip pliers bent, external \bullet 175 mm
- 1 circlip pliers straight, internal \odot 140 mm
- 1 circlip pliers straight, internal \odot 225 mm
- 1 circlip pliers straight, external \bullet 140 mm
- 1 circlip pliers straight, external \bullet 225 mm
- 9 screwdrivers for slotted head screws \bullet 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series \bullet 4x30 - 6,5x30 mm
- 7 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series \oplus PH1x30 - PH2x30 mm
- 8 T - handle wrenches with swivelling socket \odot 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 2 screwdriver for cross head Phillips® screws, long series \oplus PH1x400 - PH2x400 mm
- 3 screwdriver for headless slotted screws, long series \bullet 3x300 - 4x400 - 5x400 mm
- 6 drivers for Torx® head screws, with handles \oplus T10-T15-T20-T25-T27-T30
- 12 1/2" drive impact sockets \odot 10-13-17-18-19-21-22-24-27-30-32 mm
- 1 1/2" drive impact extension bar 125 mm
- 3 \odot 17-19-21
- 5 socket drivers for hexagon screws \odot 5L - 6L - 7L - 8L - 10L
- 4 1/2" drive, socket drivers for Torx® head screws \oplus T40L - T45L - T55L - T70L
- 3 socket drivers with XZN® profile \odot M6L - M8L - M12L
- 5 second cut files 200 mm
- 1 adjustable oil filter wrench 110 mm
- 1 square oil drain plug socket \blacksquare 10 mm
- 7 male hexagon oil drain plug sockets \odot 8-9-10-11-12-14-17 mm
- 4 male square oil drain plug sockets \odot 8-9,5-12-13 mm
- 1 male triangular oil drain plug socket Δ
- 1 male oil drain plug socket with XZN® profile \odot
- 1 oil plug wrenches
- 2 flat chisels, ribbed type 100 - 200 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer Ø 35 mm
- 1 slip joint pliers 250 mm
- 1 self - locking pliers 240 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 Heavy-duty diagonal cutting nippers ∇ 160 mm
- 11 3/4" square drive hexagon socket \odot 22-24-27-30-32-34-36-38-41-46-50 mm
- 1 3/4" drive extension bar 200 mm
- 1 3/4" drive extension bar 380 mm
- 1 3/4" drive sliding T - handle 450 mm
- 1 3/4" drive reversible ratchet \oplus
- 1 empty thermoformed tray
- 4 offset hexagon key wrenches \odot 13-14-17-19 mm
- 1 Adjustable wrench 300 mm
- 1 pry bar with handle
- 1 tin snips 250 mm
- 1 electrician's scissors, straight blades
- 1 engineer's hammer 1000 g
- 1 metric feeler gauge
- 1 telescopic magnet with flexible head
- 1 telescopic joint inspection mirror
- 1 three - cutting edges scraper 200 mm
- 1 hacksaw frame, aluminium handle 440 mm
- 1 Steel wire brush
- 1 Metal pressure oil can 200 cl
- 1 snap - off blade utility knife

Beta N.	TR
42	T05
42	T06
31	T31
32	T31
55	T31
96N/SC9	T31
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
1032	T145
1034	T145
1036	T145
1038	T145
1032	T146
1032	T146
1036	T146
1036	T146
1260	T167
1262	T168
1262N	T168
952	T63
1262L	T209
1264L	T209
97TTX	T55
720	T111
720/21	T111
720LC	T111
920PE	T113
920TX	T113
920XZN	T113
1719BMA8/S5	T236
1491	T264
1494	T264
1494E	T264
1494Q	T264
1494T	T264
1494XZN	T264
1496C	T264
35	T234
1370	T234
1390	T234
1048N	T153
1052	T153
1150	T138
1166	T138
1084	T138
928A	T105
928/21	T106
928/22	T106
928/42	T106
928/55	T106
VP6	VP6
96N	VP6
111E	VP6
965	VP6
1112	VP6
1128BMX	VP6
1370	VP6
1708/20	VP6
1712	VP6
1715	VP6
1717B	VP6
1726	VP6
1737NX	VP6
1751N	VP6
1771	VP6



5908VG/2T

059081017

Assortment recommended in combination with RSC28

5910VG/3T

assortment of 202 tools in ABS thermoformed trays

► Car repairs

Quantity/Description

- 16 combination wrenches 6÷21 mm
- 5 combination wrenches 22 - 24 - 27 - 30 - 32 mm
- 6 double swivel end socket wrenches 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm
- 1 adjustable oil filter wrench 110 mm
- 1 square oil drain plug socket ■ 10 mm
- 7 male hexagon oil drain plug sockets ○ 8-9-10-11-12-14-17 mm
- 4 male square oil drain plug sockets □ 8-9,5-12-13 mm
- 1 male triangular oil drain plug socket Δ
- 1 male oil drain plug socket with XZN® profile ○
- 1 oil plug wrenches
- 5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 255 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet Ⓢ
- 19 1/2" square drive hexagon sockets ○ 10÷24 - 26 - 27 - 30 - 32 mm
- 1 circlip pliers straight, internal ○ 180 mm
- 1 circlip pliers bent, internal ○ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 circlip pliers straight, internal ○ 140 mm
- 1 circlip pliers bent, internal ○ 225 mm
- 1 circlip pliers straight, external ● 140 mm
- 1 circlip pliers bent, external ● 225 mm
- 6 drivers for Torx® head screws, with handles ○ T10-T15-T20-T25-T27-T30
- 12 swivel end ratcheting combination wrenches
8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
- 1 half-round needle nose pliers = 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 Heavy-duty diagonal cutting nippers ⊥ 160 mm
- 1 slip joint pliers, push button alignment 240 mm
- 1 self - locking pliers 240 mm
- 8 T - handle wrenches with swivelling socket ○ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
- 9 screwdrivers for slotted head screws ● 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm
- 2 screwdrivers for slotted head screws, extra-short series ● 4x30 - 6,5x30 mm
- 6 pin punches
- 7 screwdrivers for cross head Phillips® screws ⊕ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 - PH3x150 mm
- 2 screwdrivers for cross head Phillips® screws, extra - short series ⊕ PH1x30 - PH2x30 mm
- 1 Adjustable wrench 250 mm
- 1 1/2" drive swivel T-handle
- 6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm
- 4 T handle wrenches with swivelling hexagon male ends ○ 4-5-6-8 mm
- 2 engineer's hammer 300-500 g
- 2 screwdriver for cross head Phillips® screws, long series ⊕ PH1x400 - PH2x400 mm
- 3 screwdriver for headless slotted screws, long series ● 3x300 - 4x400 - 5x400 mm
- 9 ball head offset hexagon key wrenches ○
- 1 click-type torque wrenches with reversible ratchets Ⓢ 8 ÷ 60 Nm
- 1 click-type torque wrenches with reversible ratchets Ⓢ 60 ÷ 330 Nm
- 12 impact sockets
- 1 adaptor, 1/2" female and 3/8" male drives
- 1 assortment of 12 sockets and 5 accessories 3/4"
- 3 lever with articulated, flat, curved head
- 1 dead blow hammer Ø 50 mm
- 1 Reversible impact wrench, made from composite material 12

Beta N.	TR
42	T05
42	T06
80	T79
1491	T264
1494	T264
1494E	T264
1494Q	T264
1494T	T264
1494XZN	T264
1496/C	T264
920ME	T80
920/21	T80
920/22	T80
920/25	T80
920/42	T80
920/55	T80
920A	T80
1032	T145
1034	T145
1036	T145
1038	T145
1032	T146
1034	T146
1036	T146
1038	T146
97TTX	T55
142SN	T46
1150BM	T137
1166BM	T137
1084BM	T137
1047	T151
1057A	T151
952	T63
1260	T167
1260N	T167
31/B6N	T168
1262	T168
1262N	T168
111E	T59
920/40	T59
951	T59
953	T59
1370	T59
1262L	T209
1264L	T209
96BPC/SC9	T209
666N/5	T209
666N/30	T209
720/C12	T209
910/16	T209
928A/C12	T209
966/C3	T209
1392	T209
1927P	T209



T05 T06 T79 T264



T80 T145 T146



T55 T46 T137 T151

T63



T167 T168

+ 96BPC/SC9
+ 31/B6N

T59



T209



5910VG/3T

059101068

Assortment recommended for use with item C30M

5935VG/1MB

assortment of 98 tools for tool chest C35, in EVA foam trays



MB12



MB39



MB46

► Car repairs

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 8 double open end wrenches 6x7-8x9-10x11-12x13-14x15
16x17-18x19-20x22 mm
- 1 slip joint pliers 250 mm
- 4 screwdrivers for slotted head screws ● 3x75-4x100-5x125-6,5x150 mm
- 3 screwdrivers for cross head Phillips® screws ● PH0x60-PH1x80--PH2x100 mm
- 6 drivers for Torx® head screws ⊙ T8-T10-T15-T20-T25-T30
- 9 ball head offset hexagon key wrenches ⊙
- 6 offset hexagon key wrenches ⊙ 2-2,5-3-4-5-6
- 1 self - locking pliers 240 mm
- 19 1/2" square drive hexagon sockets
⊙ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive extension bar 125 mm
- 1 1/2" drive extension bar 250 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet ⊕
- 5 socket drivers for hexagon screws ⊙ 5-6-8-10-12 mm
- 1 circlip pliers straight, internal ⊙ 180 mm
- 1 circlip pliers bent, internal ⊙ 170 mm
- 1 circlip pliers straight, external ● 175 mm
- 1 circlip pliers bent, external ● 175 mm
- 1 flat chisels, ribbed type 200 mm
- 1 Heavy-duty diagonal cutting nippers ✂ 160 mm
- 1 half-round needle nose pliers ≡ 180 mm
- 1 Extra-long needle nose pliers ● 160 mm
- 1 engineer's hammer 500 g
- 1 soft face hammer 35 mm

Beta N.	TR
42	MB12
55	MB12
1048N	MB12
1260	MB46
1262	MB46
1267TX	MB46
96BPC/SC9	MB46
96T	MB46
1052	MB46
920A	MB39
920/21	MB39
920/22	MB39
920/25	MB39
920/42	MB39
920/55	MB39
920PE	MB39
1032	MB39
1034	MB39
1036	MB39
1038	MB39
35	MB39
1084BM	MB39
1150BM	MB39
1166BM	MB39
1370	MB39
1390	MB39

5935VG/1MB

059351321

Assortment recommended in combination with C35

5940SBK

assortment of 125 tools

► Motorcycle repairs

Quantity/Description

- 1 drift punches Ø 2 mm
- 1 centre punch Ø 4 mm
- 1 flat chisels 125 mm
- 10 combination wrenches 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm
- 6 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
- 9 offset hexagon key wrenches ⊙ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- 1 click-type torque wrenches with reversible ratchets ⊕ 3/8", 8+60 Nm
- 54 assortment of 52 hexagon bits, 10 mm, and 2 accessories
- 17 assortment of 12 sockets and 5 accessories
- 1 adaptor, 1/2" female and 3/8" male drives
- 2 spark plug socket ⊙ 14 - 16 mm
- 1 extra - long nose pliers ● 283 mm
- 2 circlip pliers straight, internal ⊙ 140 - 180 mm
- 1 circlip pliers straight, external ● 140x1,3 mm
- 1 diagonal cutting nippers,
slip-proof double layer PVC coated handles,
industrial finish ✂ 160 mm
- 1 electrician's scissors, straight blades
- 1 heavy duty combination pliers,
slip-proof double layer PVC coated handles,
industrial finish ≡ 180 mm
- 1 screwdriver for Dzus® head screws ●
- 4 screwdriver for slotted head screws ● 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
- 3 screwdriver for cross head Phillips® screws ● PH0x60 - PH1x80 - PH2x100 mm
- 1 circuit testing screwdriver ●
- 1 engineer's hammer 300 g
- 1 adjustable oil filter wrench
- 1 metric feeler gauge
- 1 mini hacksaw frame
- 1 Brass wire brush
- 1 plastic oil can 250 cc

Beta N.	TR
30	
32	
34	
42	
55	
96/SC9	
666N/5	
867/C52	
920A/C12X	
910/16	
956C	
1009L/A	
1032	
1036	
1082G	
1128BM	
1150G	
1201E/DZ	
1201E	
1202E	
1254	
1370	
1491	
1708/13	
1725CR	
1737	
1754	

5940SBK

059401082

Assortment recommended for use with items C41S - C41H - C42S - C42H - C42S - C41S

5941VU/M

assortment of 64 tools for trolley C41H, in EVA foam trays

► Universal use

Quantity/Description

- 16 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 9 offset hexagon key wrenches
- 1 measuring tape 5 m
- 19 1/2" square drive hexagon sockets 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 1 1/2" drive universal joint
- 1 1/2" drive sliding T-handle
- 1 1/2" drive reversible ratchet
- 2 1/2" wobble extension bar 125-250 mm
- 1 Adjustable wrench 250 mm
- 1 slip joint pliers 250 mm
- 1 diagonal cutting nippers, bi-material handles, industrial finish $\nless 160$ mm
- 1 electrician's scissors, straight blades 145 mm
- 1 heavy duty combination pliers, bi-material handles, industrial finish $\nless 180$ mm
- 1 extra-long needle knurled nose pliers, bi-material handles, industrial finish $\bullet 160$ mm
- 3 screwdrivers for slotted head screws $\bullet 3,5 \times 100$ - $5,5 \times 125$ - $6,5 \times 150$ mm
- 3 screwdrivers for cross head Phillips® screws \oplus PH0-PH1-PH2
- 1 engineer's hammer 300 g
- 1 snap - off blade utility knife 18 mm

Beta N.	TR
42	MC12
96/SC9	MC12
1692/5	MC12
920A	MC21
920/25	MC21
920/42	MC21
920/55	MC21
920AN	MC21
111E	
1048N	
1082GBM	
1128BMX	
1150GBM	
1166GBM	
1260	
1262	
1370	
1771	



MC21



MC12



5941VU/M

059411002

Assortment recommended in combination with C41H

5945VUM

assortment of 231 tools in EVA foam trays

► Universal use

Quantity/Description

- 21 combination wrenches 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 9 ball head offset hexagon key wrenches \odot 1,5-2-2,5-3-4-5-6-8-10 mm
- 8 offset hexagon key wrenches \odot 2-2,5-3-4-5-6-7-8 mm
- 1 engineer's hammer 300 g
- 1 soft face hammer \varnothing 35
- 2 flat chisels, ribbed type 100-200 mm
- 5 second cut files 200 mm
- 1 socket holder \odot 1/4 - \square 1/4
- 1 socket holder \odot 1/4 - \square 3/8
- 1 socket holder \odot 5/16 - \square 1/2
- 13 1/4" hexagon sockets \odot 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 9 hexagon hand sockets, long series \odot 5-6-7-8-9-10-11-12-13 mm
- 5 1/4" socket drivers for hexagon screws \odot 3-4-5-6-7 mm
- 4 socket drivers for slotted head screws \bullet 0,8x4-1x5,5x1,2x6,5-1,2x8 mm
- 4 socket drivers for cross head Phillips® screws \oplus PH1-PH2-PH3-PH4
- 7 socket drivers for Torx® head screws \odot T10-T15-T20-T25-T27-T30-T40
- 1 adaptor, 1/4" female and 3/8" male drives \square 1/4 - \blacksquare 3/8
- 1 1/4" drive extension bar 50 mm
- 1 1/4" drive extension bar 100 mm
- 1 1/4" drive extension bar 150 mm
- 1 1/4" drive universal joint
- 1 1/4" drive spinner handle 176 mm
- 1 1/4" drive swivel T-handle 115 mm
- 1 1/4" reversible ratchet \oplus 125 mm
- 17 hexagon hand sockets 3/8" \odot 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 1 adaptor, 3/8" female and 1/4" male drives \square 3/8 - \blacksquare 1/4
- 1 adaptor, 1/2" female and 3/8" male drives \square 3/8 - \blacksquare 1/2
- 1 extension bar - 3/8" 125 mm
- 1 extension bar - 3/8" 250
- 1 3/8" drive universal joint
- 1 3/8" drive sliding T - handle 210 mm
- 1 3/8" drive reversible ratchet \oplus 200 mm
- 21 1/2" square drive hexagon sockets \odot 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 1 adaptor, 1/2" female and 3/8" male drives \square 1/2 - \blacksquare 3/8
- 1 1/2" drive universal joint
- 1 1/2" wobble extension bar 125 mm
- 1 1/2" wobble extension bar 250 mm
- 1 1/2" drive sliding T-handle 305 mm
- 1 1/2" drive reversible ratchet \oplus 275 mm
- 3 3/8" square drive spark plug sockets \odot 16 mm (5/8")-17,8 (11/16")-20,8 (13/16")
- 5 drivers for Torx® head screws, with handles \odot T10-T15-T20-T25-T30
- 1 Heavy-duty diagonal cutting nippers \angle 160 mm
- 1 half-round needle nose pliers \equiv 180 mm
- 1 Extra-long needle nose pliers \bullet 160 mm
- 1 circlip pliers straight, internal \odot 19÷60 mm
- 1 circlip pliers bent, internal \odot 19÷60 mm
- 1 circlip pliers straight, external \bullet 19÷60 mm
- 1 circlip pliers bent, external \bullet 19÷60 mm
- 1 250 mm
- 1 self - locking pliers 240 mm
- 38 microscrewdriver with 36 interchangeable 4-mm bits and magnetic extension
- 6 screwdriver for slotted head screws \bullet 04x2,5x50-0,5x3x75-0,8x4x100-1,0x5,5x125-1,2x6,5x150-1,2x8x200 mm
- 1 screwdriver for slotted head screws, extra-short series \bullet 0,8x4x30 mm
- 4 screwdriver for cross head Phillips® screws \oplus PH0x60-PH1x80PH2x100PH3x150 mm
- 1 screwdriver for cross head Phillips® screws, extra-short series \oplus PH1x30 mm
- 12 screwdrivers
- for Torx® head screws, with handles \odot T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
- 1 mains testing screwdriver \bullet 0,5x3,5x100 mm

Beta N.	TR
42	MM11
96BPC/SC9	MM11
96T	MM61
1370	MM61
1390	MM61
35	MM61
1719BMA8/S5	MM61
895/1	MM105
895/3	MM105
895/6	MM105
900	MM105
900L	MM105
900ME	MM105
900LP	MM105
900PH	MM105
900TX	MM105
900/16	MM105
900/20	MM105
900/20L	MM105
900/21	MM105
900/25	MM105
900BG/30	MM105
900/42	MM105
900/55	MM105
910A	MM105
910/15	MM105
910/16	MM105
910/21	MM105
910/22	MM105
910/25	MM105
910/42	MM105
910/55	MM105
920A	MM105
920/15	MM105
920/25	MM105
920AN	MM105
920AN	MM105
920/42	MM105
920/55	MM105
956E	MM105
97TTX	MM140
1084BM	MM140
1150BM	MM140
1166BM	MM140
1032	MM140
1034	MM140
1036	MM140
1038	MM140
1048N	MM140
1052	MM140
1256/IC36-2	MM140
1201E	MM210
1201EN	MM210
1202E	MM210
1202EN	MM210
1207E/TX	MM210
1253	MM210



MM11



MM61



MM105



MM140



MM210



5954VG

assortment of 138 tools

► Car repairs

Quantity/Description	Beta N.
5 pin punches Ø 2-3-4-5-6 mm	31
1 centre punch Ø 4 mm	32
1 flat chisels 125 mm	34
18 combination wrenches 6÷22 - 24 mm	42
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
3 double ended offset ring wrenches 12x13 - 14x15 - 17x19 mm	90
13 offset hexagon key wrenches ⌀ 2÷10 - 12 mm	96
4 1/2" drive impact sockets ⌀ 17 - 19 - 21 - 22 mm	720
20 1/2" square drive hexagon sockets ⌀ 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	920A
1 1/2" drive extension bar	920/21
1 1/2" drive extension bar	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet	920/55
3 hi-torque hexagon nut spinners, long series ⌀ 8 - 10 - 13 mm	943BX
10 T - handle wrenches with swivelling socket ⌀ 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	952
3 spark plug socket ⌀ 16 - 17,8 - 20,8 mm	956C
1 pry bar	964
1 circlip pliers straight, internal	1032
1 circlip pliers bent, internal	1034
1 circlip pliers straight, external	1036
1 circlip pliers bent, external	1038
1 slip joint pliers 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 adjustable self locking pliers, long jaws 175 mm	1058
1 Diagonal cutting nippers 160 mm	1082BM
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers 180 mm	1150BM
1 Extra-long needle nose pliers 160 mm	1166BM
1 circuit testing screwdriver 6÷24V	1254
1 screwdrivers for slotted head screws 8 x 200 mm	1260
1 screwdrivers for slotted head screws, extra-short series 6,5x30 mm	1260N
1 screwdrivers for cross head Phillips® screws 8 x 150 mm	1262
1 screwdrivers for cross head Phillips® screws, extra - short series PH2x30 mm	1262N
5 drivers for Torx® head screws T8 - T10 - T15 - T20 - T25	1267TX
8 set of screwdrivers	1263/D8
1 engineer's hammer 300 g	1370
1 dead blow hammer Ø 35 mm	1392
1 brake spring pliers 210 mm	1470
1 crimping pliers for non insulated terminals	1603
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/20
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
6 needle files 160 mm	1720/B6
1 plastic oil can 150 cc	1754

5954VG

059541054

Assortment recommended in combination with C54VG



5957VG

assortment of 174 tools

► Car repairs


Quantity/Description	Beta N.
6 pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
17 combination wrenches 6-7-8-10-11-12-13-14-15 16-17-19-21-22-24-27-30 mm	42
12 double open end wrenches 6x7 ÷ 30x32 mm	55/S12X
8 offset hexagon key wrenches 2 ÷ 10 mm	96T/S8
1 offset hexagon key wrenches Ø 2,5 ÷ 12 mm	96N/G7
8 offset key wrenches, for Torx® head screws ⚙ T9 ÷ T40	97TX/SC8
5 offset key wrenches with XZN® profile Ø M5 ÷ M12	98XZN/B5
1 Adjustable wrench 250 mm	111E
1 click-type torque wrenches with reversible ratchets ⚙ 1/2", 40÷200 Nm	666N/20
13 1/2" square drive hexagon sockets with rail Ø 10÷22 mm	920A/SB13
8 1/2" square drive hexagon sockets with rail Ø 23÷32 mm	920A/SB8
4 1/2" socket drivers for slotted head screws ⚙ 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3 1/2" socket drivers for Phillips® screws ⚙ PH2 - 3 - 4	920PH
1 1/2" drive extension bar 125 mm	920/21
1 1/2" drive extension bar 255 mm	920/22
1 1/2" drive universal joint	920/25
1 1/2" drive sliding T-handle	920/42
1 1/2" drive reversible ratchet ⚙	920/55
2 1/2" drive impact sockets ⚙ 17 - 19 mm	720
10 T - handle wrenches with swivelling socket Ø 7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm	952
3 T - handle swivel spark plug wrenches 14 - 16 - 20,8 mm	959
1 pry bar	963
1 wheel nut wrench ⚙ 1/2" - 17 - 19 - 22 mm	979
2 circlip pliers straight, internal Ø 140 - 180 mm	1032
2 circlip pliers bent, internal Ø 130 - 170 mm	1034
2 circlip pliers straight, external ⚙ 140x1,3 - 175 mm	1036
2 circlip pliers bent, external ⚙ 135x1,3 - 175 mm	1038
1 slip joint pliers 250 mm	1048N
1 self - locking pliers 240 mm	1052
1 Diagonal cutting nippers ⚡ 160 mm	1082BM
1 Heavy-duty diagonal cutting nippers ⚡ 160 mm	1084BM
1 toggle lever assisted end cutting nippers ⚡ 180 mm	1092V
1 tin snips 250 mm	1112
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers ⚡ 180 mm	1150BM
1 Extra-long needle nose pliers ⚙ 160 mm	1166BM
1 Extra-long bent needle nose pliers ⚙ 200 mm	1168BM
2 screwdrivers for slotted head screws ⚙ 8x200 - 10x200 mm	1260
1 screwdrivers for cross head Phillips® screws ⚙ PH3x150 mm	1262
8 set of screwdrivers	1263/D8
2 engineer's hammer 300 - 600 g	1370
1 soft face hammer Ø 35 mm	1390
11 roller stud extractors M5÷M16 mm	1433/C11
1 adjustable oil filter wrench	1491
1 circuit tester	1498
1 measuring tape 5 m	1692
1 metric feeler gauge	1708/20
1 flexible magnetic pick-up tool 1,8 kg	1712E/2
1 two cutting edges scraper 200 mm	1717A
1 three - cutting edges scraper 200 mm	1717B
5 second cut files 200 mm	1719BMA8/S5
1 hacksaw frame, aluminium handle	1725
1 metal oil can 200 cc	1751
1 snap - off blade utility knife	1771
1 sliding gauge	1650

SOFT MODULES

Assortment of tools in thermoformed trays, designed for roller cabs




RSC23T
RSC24
RSC24A
RSC24AXL
RSC24L/7
RSC24L-CAB
RSC28
C30M
C37
C37A
C39
C39T
C39MD
C39SM
RSC51
C57S
C59
RSC55



493÷503
508÷518



M01



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32-36 mm

4,5 kg



M01 1 024500001
MV10 1 024510010

M02



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm

6,3 kg



M02 1 024500002
MV02 1 024510002

M05



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21 mm

1,5 kg



M05 1 024500005
MV15 1 024510015

M06



42 22-24-27-30-32 mm

2,1 kg



M06 1 024500006
MV16 1 024510016

M13



42SLIM 8-10-11-12-13-14-15-16-17-18-19 mm

1,2 kg



M13 1 024500013
MV13 1 024510013

M25



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
123Q1/4
123Q3/8
123Q1/2
142 8-9-10-11-12-13-14-15-16-17-18-19 mm

5,1 kg



M25 1 024500025
MV25 1 024510873

M30



55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

4,2 kg



M30 1 024500030
MV30 1 024510030



M31

27



42AS 1/4-9/32-5/16-3/8-7/16-1/2-9/16-19/32-5/8-11/16-3/4-13/16-7/8-15/16-1-1.1/16-1.1/8-1.1/4

○ 96BP/AS-SC9 1/16-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8

4,5 kg

M31 1 024500031
MV31 1 024510031

M33

17



55 6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22 mm
○ 96/SC9 1,5+10 mm

1,1 kg

M33 1 024500033
MV33 1 024510033

M38

4



55 21x23-24x26
27x29-30x32 mm

1,7 kg

M38 1 024500038
MV38 1 024510038

M39

36



31 2-3-4-5-6-8 mm
32 4 mm
55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x26-25x28-27x29-30x32 mm
○ 96/SC12 2-2,5-3-3,5-4-4,5-5-6-7-8-9-10 mm
○ 96 12-14-17-19 mm

5,7 kg

M39 1 024500039
MV39 1 024510039

M40

7



90 6x7-8x9-10x11
12x13-14x15
16x17-18x19 mm

810 g

M40 1 024500040
MV40 1 024510040

M44

12



141 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,3 kg

M44 1 024500044
MV44 1 024510044

M45

12



142 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,3 kg

M45 1 024500045
MV45 1 024510045

M46

12




142SN 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,4 kg

M46 1 024500046
MV46 1 024510046

M49

24



52MQ 7-8-10-11-12-13-14-15-16-17-19-22 mm
89MQ 7-8-10-11-12-13-14-15-16-17-19-22 mm

3,3 kg

M49 1 024500049
MV49 1 024510049

M50

8



○ 96T 2-2,5-3-4-5
6-7-8 mm

1,1 kg

M50 1 024500050
MV50 1 024510051

M52



○96T 2,5-3-4-5-6 mm

5

330 g



M52	1	024500052
MV52	1	024510052

M53



○96TBP 2,5-3-4-5-6 mm

5

350 g



M53	1	024500053
MV52	1	024510052


M55



○97TTX T10-T15-T20-T25-T30

5

330 g



M55	1	024500055
MV55	1	024510055



M60



○96T 2-2,5-3-4-5-6-7-8-10 mm
 ○97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40
 ○944BX 5-6-7-8-10-13 mm

23

1,9 Kg



M60	1	024500060
MV60	1	024510060

M62



97TTX T10-T15-T20-T25-T27-T30-T40-T45-T50
 1032 180 mm
 1034 170 mm
 1036 175 mm
 1038 175 mm
 1177BM 140 mm
 1188BM 125 mm
 1257LP 2-2,5-3-3,5 mm
 1257PH 0-00

21

2,3 kg



M62	1	024500875
MV62	1	024510875

M63



○952 7-8-10-12-13-14-17-19 mm


8

3,4 kg



M63	1	024500063
MV63	1	024510063

M65



950 8-10-12-13-14-17-19 mm
 951 2,5-3-4-5-6-8-10-12-14 mm

16

3,6 Kg



M65	1	024500065
MV65	1	024510065

M67



○950 7-8-10-12-13-17 mm

6

1,8 kg



M67	1	024500067
MV67	1	024510067

M69



○951 2,5-3-4-5-6-8-10-12-14 mm

9

1,8 kg



M69	1	024500069
MV69	1	024510069

M75



○933 7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm

16

5,5 kg



M75	1	024500075
MV75	1	024510075



M78



80	6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
920/36A	
965	450 mm
1052	240 mm
1058	175 mm
1481PL/A	
1481PL/B	
1481PL/C	
1650	150 mm
1708/20	
1716P	

4,4 kg

M78 1 024500878
MV77 1 024510876

M79



80	8x9 - 10x11-12x13 -14x15 16x17-18x19 mm
----	---

1,3 kg

M79 1 024500079
MV79 1 024510079

M82



○ 920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
○ 920ME	5-6-8-10-12 mm
○ 920AN/125	125 mm
○ 920AN/250	250 mm
○ 920/25	
○ 920/42	305 mm
⊕ 920/55	

4,1 kg

M82 1 024500082
MV82 1 024510082

M83



○ 920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
○ 920AN/125	125 mm
○ 920AN/250	250 mm
○ 920/25	255 mm
○ 920/42	305 mm
⊕ 920/55	

3,7 kg

M83 1 024500083
MV83 1 024510083

M85



851SR	230 mm
● 860LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
○ 860PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
⊕ 860PH	PH0 - PH1 - PH2 - PH3 - PH4
⊕ 860PZ	PZ1 - PZ2 - PZ3 - PZ4
● 860TX	T6-T7-T8-T9-T10-T15- T20-T25-T27-T30-T40
⊕ 860RTX	T9-T10-T15-T20-T25- T27-T30-T40
860/55	100 mm
882P	80 mm
892	■ 1/4 - □ 1/4

450 g

M85 1 024500085
MV85 1 024510085

M86



○ 867PE	4-5-6-7-8-10-12 mm
○ 867PE/L	4-5-6-7-8-10-12 mm
○ 867XZN	5-6-8-10-12 mm
○ 867XZN/L	5-6-8-10-12 mm
● 867TX	T20-T25-T30-T40- T45-T50-T55
● 867TX/L	T25-T30-T40-T45- T50-T55
⊕ 867RTX	T20-T25-T30-T40- T45-T50-T55
867/1	
867/2	

1,4 kg

M86 1 024500086
MV86 1 024510086

M91



○ 900	4-4,5-5-5,5-6-7-8-9- 10-11-12-13-14 mm
○ 900ME	2,5-3-4-5-6-8 mm
○ 900/20	50 mm
○ 900/21	150 mm
○ 900/25	□ 1/4 - ■ 1/4
○ 900BG/30	
○ 900/42	
⊕ 900/55	

560 g

M91 1 024500091
MV90 1 024510090

M92



○ 910A	6-7-8-9-10-11-12-13- 14-15-16-17-18-19-20- 21-22 mm
○ 910/21	125 mm
○ 910/22	250 mm
○ 910/25	
○ 910/42	
⊕ 910/55	

1,5 kg

M92 1 024500092
MV92 1 024510092

M94



○ 900AS/L	3/16-7/32-1/4-9/32- 5/16-11/32-3/8-7/16- 1/2-9/16
○ 900AS	3/16-7/32-5/32-1/4- 9/32-5/16-11/32-3/8- 7/16-1/2-9/16
○ 900AN	50-100mm
○ 900/25	
⊕ 900/55	
○ 900/42	

930 g

M94 1 024500094
MV94 1 024510094

M96




○ 920A/AS	3/8-7/16-1/2-9/16- 19/32-5/8-11/16-3/4- 25/32-13/16-7/8- 15/16-1-1.1/16-1.1/18- 1.3/16-1.1/4
○ 920/25	
○ 920AN	125-250mm
○ 920/42	
⊕ 920/55	

3,8 kg

M96 1 024500096
MV96 1 024510096

M100

98



- 895/1
- 895/3
- 895/6
- 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
- ⊕ 900PH PH1-PH2-PH3-PH4
- ⊕ 900TX T10-T15-T20-T25-T27-T30-T40
- 900/20 50 mm
- 900/20L 100 mm
- 900/21 150 mm
- 900/25
- 900BG/30
- 900/42
- ⊕ 900/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20
21-22-23-24-26-27-28-30-32 mm
- 920/15
- 920/25
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/42
- ⊕ 920/55
- 920FTX 10-12-14-16-18-20-22-24 mm
- 920AL 10-12-13-14-15-16-17-18-19-21-22

6,7 Kg

14" 12"



M100	1	024500100
MV100	1	024510100

M105

116



- 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
- 895/1
- 895/3
- 895/6
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4-1x5,5-1,2x6,5-2x8 mm
- ⊕ 900PH PH1-PH2-PH3-PH4
- ⊕ 900TX T10-T15-T20-T25-T27-T30-T40
- 900/16 □ 1/4 - ■ 3/8
- 900/... 50-100-150 mm
- 900/25
- 900BG/30
- 900/42
- ⊕ 900/55
- 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-
20-21-22 mm
- 910/15 □ 3/8 - ■ 1/4
- 910/16 □ 3/8 - ■ 1/2
- 910/21 125 mm
- 910/22 250 mm
- 910/25
- 910/42
- ⊕ 910/55
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-
22-23-24-26-27-28-30-32 mm
- 920/15 □ 1/2 - ■ 3/8
- 920/25
- 920AN 125 - 250 mm
- 920/42
- ⊕ 920/55
- 956E 16-17,8-20,8 mm

7,7 kg


14" 38" 12"



M105	1	024500871
MV105	1	024510871

M108

27



- 910MQ/PE 4-5-6-8 mm
- 910MQ/B 7-8-10-11-12-13-14-15-16-17-19 mm
- ⊕ 910MQ/TX T15-T20-T25-T27-T30-T40
- 910MQ/XZN 8-10 mm
- 910MQ/21 125 mm
- 910MQ/22 250 mm
- 910MQ/T
- 910MQ/55

2,7 kg



M108	1	024500108
MV108	1	024510108

M110

36



- ⊕ 850MQ
- ⊕ 860TX/A10
- 920MQ/A 8-9-10-11-12-13-14-15-16-17-18-19-20
mm
- 920MQ/PE 5-6-8-10-12 mm
- 920MQ/21 125 mm
- 920MQ/22 250 mm
- 920MQ/55A
- 943MQ 6-7-8-10 mm

3,1 kg



M110	1	024500110
MV110	1	024510110

M112

32



- ⊕ 861TX ● 1/4-T6+T15
- ⊕ 866TX ● 5/16-T20+T55
- 895/1 ○ 1/4x□1/4
- 895/6 ○ 5/16x□1/2
- 900FTX □ 1/4-E4+E10
- 920FTX □ 1/2-E12+E24
- 920TX □ 1/2-T55L-T60-T70L

1,3 kg

14" 12"



M112	1	024500112
MV112	1	024510112

M115

54



- ⊕ 666N/20 40-200 Nm
- 920A 13-14-15-16-17-18-19-20-21-22-24-26-
27-30-32 mm
- 920FTX 12-14-16-18-20-22-24 mm
- 920PE 6-7-8-8L-10-10L-12-12L-14-14L
- ⊕ 920TX T20-T25-T27-T30-T40-T45-T50-T55-T60-
T20L-T25L-T27L-T30L-T40L-T45L-T50L
- 920/21 125 mm
- 920/22 255 mm
- 920/25
- 920/42 305 mm
- ⊕ 920/55

7,8 Kg

12"



M115	1	024500115
MV115	1	024510115



M120

75



- 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-24-26-27-30-32 mm
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/25
- 920/42
- 920AL 10-12-13-14-15-16-17-18-19-22-24-27-30-32 mm
- 920FTX 10-12-14-16-18-20-22-24 mm
- ⊕ 920/55
- 920PE 5-5L-6-6L-7-7L-8-8L-10-10L-12-12L-14-14L
- ⊕ 920TX T20-T25-T27-T30-T40-T45-T50-T55-T60-T20L-T25L-T27L-T30L-T40L-T45L-T50L

6,9 Kg

12"



M120	1	024500120
MV120	1	024510120

M121

46



- 920BP 5L-6L-8L-10L-5XL-6XL-8XL mm
- ⊕ 920TX T20-T25-T27-T30-T40L-T45L-T50L-T55L-T60L-T70L
- 920XZN 4-5-6-6L-8-8L-10-10L-12-12L-14-14L-16-18 mm
- ⊕ 920ES 7-9-10-11-12L-14L-16L-7XL-9XL-10XL-11XL-12XL-14XL-16XL mm
- 920/36A

6,3 Kg

12"



M121	1	024500121
MV121	1	024510121

M125

68



- 910AL 8-9-10-11-12-13-14-15-16-17-19-21-22 mm
- 920PE 5-6-6L-7-8-8L-10-10L-12L mm
- 920FTX E12-E14-E16-E18-E20-E22-E24
- ⊕ 920TX T20-T25-T27-T30-T30L-T40-T40L-T45-T50-T50L-T55-T60-T60L
- 920XZN 5-6-6L-8-8L-10-10L-12L mm
- 920AL 10-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm
- 1692/5 5 m

7,9 kg

3/8" 12"



M125	1	024500872
MV125	1	024510872

M126

26



- 928A 19-21-22-24-26-27-28-30-32-34-35-36-38-41-46 mm
- 928ME 14-17-19-22 mm
- 928/15 □ 3/4 - ■ 1/2
- 928/16 □ 3/4 - ■ 1
- 928/21 200 mm
- 928/22 380 mm
- 928/25
- 928/42 450 mm
- ⊕ 928/55

12,4 kg

3/4"



M126	1	024500126
MV126	1	024510126

M127

23



- 728 19-21-22-24-27-30-32-33-34-35-36-38-40-41-46
- ⊕ 728FTX 20-22-24 mm
- 728/15 □ 3/4 - ■ 1/2
- 728/16 □ 3/4 - ■ 1
- 728/21 175 mm
- 728/22 250 mm
- 728/25

12,5 kg

3/4"



M127	1	024500127
MV127	1	024510127

M128

50



- 720 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 720L 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- ⊕ 720TX T30-T40-T45-T50-T55
- 720ME 5-6-8-10-12-14-17-19 mm
- 720LC 17-19-21 mm
- 720/21 125 mm
- 720/25

8,9 kg

12"



M128	1	024500128
MV128	1	024510128

M129

13



- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm
- 1048N 250 mm
- 1052 240 mm
- ⊕ 1082BM 160 mm
- 1098 220 mm
- 1112 250 mm
- 1128BM
- ≡ 1150BM 180 mm
- 1166BM 160 mm
- 1168BM 160 mm

3,4 Kg



M129	1	024500129
MV138	1	024510138

M133

3



- ⊕ 1082G 160 mm
- ≡ 1150G 180 mm
- 1166G 160 mm

650 g



M133	1	024500133
MV133	1	024510133

M134

3



- ⊕ 1082GBM 160 mm
- ≡ 1150GBM 180 mm
- 1166GBM 160 mm

750 g



M134	1	024500134
MV134	1	024510134

M135



- 1082MQ 160 mm
- 1150MQ 180 mm
- 1166MQ 160 mm

750 g




M135	1	024500135
MV135	1	024510135

M136



- 1084BM 160 mm
- 1150BM 180 mm
- 1166BM 160 mm

750 g




M136	1	024500136
MV131	1	024510131

M137



- 1084 160 mm
- 1150 180 mm
- 1166 160 mm

650 g



M137	1	024500137
MV132	1	024510132

M145



- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm

640 g



M145	1	024500145
MV145	1	024510145

M153



- 1048N 250 mm
- 1052 240 mm

1 kg



M153	1	024500153
MV154	1	024510154

M161



- 1128MQ
- 1048MQ 250 mm
- 1082MQ 160 mm
- 1150MQ 180 mm
- 1162MQ 160 mm
- 1164MQ 160 mm
- 1272MQ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm
- 1274MQ 2,5x75 - 3x100 - 4x100 - 5,5x125 mm
- 1777MQ/U

3,0 kg



M161	1	024500161
MV161	1	024510161

M162



- 1241 5,5x100-6,5x125-8x150-10x200 mm
- 1242 PH1x100-PH2x100-PH3x150-PH4x200 mm

1,4 kg



M162	1	024500162
MV162	1	024510162



M166



- 860MIX/A31

- 1048N 250 mm
- 1082BM 160 mm
- 1150BM 180 mm
- 1162BM 160 mm
- 1290 3x75-4x100-5,5x100-6,5x150-8x150 mm
- 1290N 6,5x30 mm
- 1292 4,5x80-6x100-8x150 mm
- 1292N 6x30 mm
- 1297TX T20-T25-T27-T30

2,9 kg



M166	1	024500879
MV880	1	024510880

M170



- 1290 2,5x50
- 3x75
- 3,5x100
- 4x125
- 5,5x100
- 5,5x150
- 6,5x150 mm

500 g



M170	1	024500170
MV170	1	024510170

M172



- 1292 PH0x60
- PH0x100
- PH1x80
- PH1x120
- PH2x100
- PH2x150 mm

450 g



M172	1	024500172
MV172	1	024510172



M174



6

1297TX T8-T10-T15-T20-T25-T30

450 g



M174 1 024500174
MV174 1 024510174

M180



7


1290 3x75
4x100
5,5x150
6,5x150 mm
1292 PH0x60
PH1x80
PH2x100 mm

500 g



M180 1 024500180
MV180 1 024510180

M195



25

1260 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1260N 4x30 mm
1262 PH0x60-PH1x80-PH2x100-PH3x150 mm
1262N PH1X30 mm
1267TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
1253 3,5x100 mm

2,3 kg



M195 1 024500195
MV195 1 024510195

M201



6

1260 3x75-4x100-6,5x150 mm
1262 PH0x60-PH1x80-PH2x100 mm

500 g



M201 1 024500201
MV201 1 024510201

M204



6

1267TX T8-T10-T15-T20-T25-T30

450 g



M204 1 024500204
MV204 1 024510204

M208



10

1260 3x75
3,5x100
4x125
5,5x150
6,5x150 mm
1262 PH0x60
PH1x80
PH2x100 mm
1260N 4x30 mm
1262N PH1x30 mm

750 g



M208 1 024500208
MV208 1 024510208

M209



10


1260N 4x30 mm
1264 2,5x60 - 3x100
- 4x125 - 5x150 -
6,5x150 mm
1262 PH0x60 - PH1x80 -
PH2x100 mm
1262N PH1x30 mm

820 g



M209 1 024500209
MV208 1 024510208

M213



25


1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1X30 mm
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
1253 3,5x100 mm

1,8 Kg



M213 1 024500213
MV210 1 024510210

M214



7

1201E 2,5x50-3x75-3,5x100-4x125-5,5x100-5,5x150-6,5x150 mm

500 g



M214 1 024500214
MV211 1 024510211

M216



6

1202E PH0x60-PH1x80-PH1x120-PH2x100-PH2x150-PH3x150 mm

450 g



M216 1 024500216
MV212 1 024510212

M217



7

1207E/TX T6-T7-T8-T9-T10-T15-T20

500 g



M217 1 024500217
MV215 1 024510215



M218



- 1201E 3x75
4x100
5,5x150
6,5x150 mm
- ⊕ 1202E PH0x60
PH1x80
PH2x100 mm

500 g



M218	1	024500218
MV220	1	024510220

M219



- ⊕ 1202E 3x60 - 4,5x80 - 6x100 mm
- 1204E 3x75 - 4x100 - 5x150 - 6,5x150 mm

590 g




M219	1	024500219
MV220	1	024510220

M222



- ⊕ 1272MQ PH0x60 mm
- ⊕ 1272MQF PH1x80 - PH2x100 mm
- 1274MQF 3,5x100 - 4,5x100 - 5,5x125 - 6,5x150 mm

540 g



M222	1	024500222
MV222	1	024510222

M226



- 1274MQ 3x100
4x100
5,5x125
6,5x150 mm
- ⊕ 1272MQ PH0x60
PH1x80
PH2x100 mm

500 g



M226	1	024500226
MV226	1	024510226

M227



- 944BX 6-7-8-10-13 mm

420 g



M227	1	024500227
MV227	1	024510227

M230



- 30 Ø 2-3-4 mm
- 31 Ø 2-3-4-5-6-8 mm
- 32 Ø 4 mm
- 34 150 mm
- 35 200-250 mm
- 36 125 mm
- 1370 500 g
- 1390 Ø 35 mm
- 1692 3 m
- 1712TF
- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- ▶ 1719BMA/M 200 mm
- 1719BMA/R 200 mm
- 1737NX
- 1771 18 mm

3,2 Kg



M230	1	024500230
MV230	1	024510230



M231



- 31 2-3-4-5-6-8 mm
- 32 4 mm
- 34 125-150-175 mm
- 36 125 mm
- 1370 500-1000 g
- 1390 Ø 35 mm
- 1712TF 590 mm
- 1715 670 mm
- 1719BMA8/Q 200 mm
- ▲ 1719BMA8/T 200 mm
- 1719BMA8/P 200 mm
- ▶ 1719BMA8/M 200 mm
- 1719BMA8/R 200 mm
- 1737NX

4,7 kg



M231	1	024500877
MV231	1	024510877

M234



- 35 100-200 mm
- 1370 300 g
- 1390 Ø 35 mm

1,3 kg



M234	1	024500234
MV232	1	024510232

M236



- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- ▶ 1719BMA/M 200 mm
- 1719BMA/R 200 mm

870 g



M236	1	024500236
MV236	1	024510236

M237

4



35 100-200 mm
1370T 300 mm
1390N Ø 35 mm

1,3 kg



M237 1 024500237
MV232 1 024510232


M240

7



31BM Ø 2-3-4-5-6-8 mm
32 Ø 4 mm

850 g



M240 1 024500240
MV240 1 024510240

M264

16



1491 Ø 65+110 mm
1494 ■ 10 mm
1494E ○ 8-9-10-11-12-14-17 mm
1494Q ○ 8-9,5-12-13 mm
1494T △ 9,5
1494XZN ○ 16
1496C ■ 8x ■ 10 mm

2,1 kg



M264 1 024500264
MV264 1 024510264

M284

9



1128BMX
1130BMX
1719BMA...Q 200 mm
1719BMA...P 200 mm
1719BMA...M 200 mm
1719BMA...R 200 mm
1726BM 400 mm
1728BM (5)
1771BM 170 mm
1778V18 185 mm

2,4 Kg



M284 1 024500284
MV284 1 024510284

M285

4



1112 250 mm
1128BM
1726 440 mm
1728BM (5)
1753 200 cc

1,5 kg



M285 1 024500285
MV285 1 024510285

M289

4



1692 5 m
1725CR
1755 30 cc
1771

500 g



M289 1 024500289
MV289 1 024510289

M292

4



111E 250 mm
1128BMX
1692/5 5 m
1771 170 mm

500 g



M292 1 024500292
MV293 1 024510293

M295

4



1650
1682 L=300 mm
1707
1708/20

450 g



M295 1 024500295
MV295 1 024510295

M305

14



1927B
720 12-13-14-15-16-17
18-19-21-22
24-27 mm
720/21

4,2 kg

12"



M305 1 024500305
MV305 1 024510305

M310

14



1927CD
720 12-13-14-15-16-17
18-19-21-22
24-27 mm
720/21

4,0 kg

12"



M310 1 024500310
MV310 1 024510310

 Beta



M400

29



- 3932U
- 3935 120 mm
- 3937 170 mm
- 3952 13-14-15-16-17-18-19 mm
- 3961 3,2
- 3961 3,3
- 3961 3,5
- 3961U 3,2 - 4,0 mm
- 3969 200 mm (x2)
- 3969K3 113 mm
- 3973/1
- 3973/2
- 3973/3
- 3973/4
- 3984/1 Ø35 mm
- 3984/2 Ø22,8 mm
- 3984/3 Ø23,5 mm
- 3984/4 Ø23 mm
- 3991 222 mm
- 3992 234 mm

3,1 kg



M400	1	024500400
MV400	1	024510400

M401

7









- 3921 440 mm
- 3948
- 3953
- 3955 30x32 - 32x36 mm
- 3967 289 mm
- 3971

2,7 kg



M401	1	024500401
MV401	1	024510401

		
RSC22 RSC23 RSC23C C27S	 	503 518
C41S C41H		503

MC10

34



- 42 6-7-8-9-10-11-12
13-14-15-16-17
18-19-21-22 mm
- 96/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
- ⚡ 1084BM 160 mm
- ≡ 1150G 180 mm
- 1166G 160 mm
- 1201E 3,5x100-5,5x150-6,5x150 mm
- ⊕ 1202E PH0x60-PH1x80-PH2x100 mm

3,5 kg



MC10	1	027500011
MCV10	1	027510010

MC12

26



- 42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm
- 96/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
- 1692/5 5 m

2,2 kg



MC12	1	041500012
MCV11	1	041510011

MC20

74



- 860MIX/A31
- 895/1
- 1048N 250 mm
- 1370 300 g
- 32 Ø 4 mm
- 36 Ø 4 mm
- 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900/21 150 mm
- 900/25
- 900BG/30C
- 900/42
- 900/55
- 920A 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
- 920/25
- 920AN/125 125 mm
- 920/42
- 920/55

6 kg

12"



MC20	1	027500020
MCV20	1	027510021

MC21

24



- 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 920/25
- 920/42
- ⊕ 920/55
- 920AN 125-250 mm

4,3 kg



MC21	1	041500021
MCV21	1	041510021





C35



504÷506



MB12



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
 55 6x7-8x9-10x11
 12x13-14x15
 16x17-18x19
 20x22 mm
 1048N 250 mm

5,4 kg



MB12 1 024504212
 MBV13 1 024524213

MB38



96T 2-2,5-3-4-5-6-7-8 mm
 851SR 230 mm
 860LP 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
 860PE 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
 860PH PH0 - PH1 - PH2 - PH3 - PH4
 860PZ PZ1 - PZ2 - PZ3 - PZ4
 860RTX T9-T10-T15-T20-T25-T27-T30-T40
 860TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
 860/55 100 mm
 882P
 892/0
 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
 920/21 125 mm
 920/22 255 mm
 920/25
 920/42
 920/55
 1084BM 160 mm
 1150BM 180 mm
 1166BM 160 mm

5,9 kg



MB38 1 024504238
 MBV35 1 024524235

MB39




920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
 920/21 125 mm
 920/22 255 mm
 920/25
 920/42
 920/55
 920PE 5-6-8-10-12 mm
 1032 180 mm
 1034 170 mm
 1036 175 mm
 1038 175 mm
 35 200 mm
 1084BM 160 mm
 1150BM 180 mm
 1166BM 160 mm
 1370 500 g
 1390 35 mm

7,2 kg



MB39 1 024504239
 MBV36 1 024524236

MB44



1260 2,5x50-3x75-3,5x100-4x100-5,5x125-6,5x150-8x200 mm
 1260N 4x30-6,5x30 mm
 1262 PH0x60-PH0x100-PH1x80-PH1x120-PH2x100-PH2x150-PH3x150 mm
 1262N PH1x30-PH2x30 mm
 1253
 96BPC/SC9
 951 2,5-3-4-5-6-8 mm

2,8 kg



MB44 1 024504244
 MBV44 1 024524244

Beta
 Quality Tools

MB37



920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
 920/21 125 mm
 920/22 150 mm
 920/25
 920/42
 920/55
 111E 250 mm
 1052 240 mm
 1084BM 160 mm
 1150BM 180 mm
 1166BM 160 mm
 1032 180 mm
 1034 170 mm
 1036 175 mm
 1038 175 mm
 900 44,5-55,5-67-89-10-11-12-13-14 mm
 900/20 50 mm
 900/21 150 mm
 900/25
 900BG/30
 900/55
 900/42
 7,0 kg



MB37 1 024504237
 MBV40 1 024524240



MB45

29



- 1260 2,5x50-3x75-3,5x100-4x100-5,5x100-5x125-6,5x150 mm
- ⊕ 1262 PH0x60-PH0x100-PH1x80-PH1x120-PH2x100-PH2x150 mm
- ⊖ 1267TX T8-T10-T15-T20-T25-T30
- 1052 240 mm
- 96BPC/SC9

2,8 kg

MB45	1	024504245
MBV45	1	024524245

MB46

29



- 1260 3x75-4x100-5,5x125-6,5x150 mm
- ⊕ 1262 PH0x60-PH1x80-PH2x100 mm
- ⊖ 1267TX T8-T10-T15-T20-T25-T30
- 96BPC/SC9
- 96T 2-2,5-3-4-5-6
- 1052 240 mm

2,8 kg

MB46	1	024504246
MBV46	1	024524246

MB47

48



- 1260 3x75-4x100-5,5x125-6,5x150 mm
- ⊕ 1262 PH0x60-PH1x80-PH2x100 mm
- 1260N 4x30 mm
- ⊕ 1262N PH1x30 mm
- 96T 2,5-3-4-5-6-8 mm
- 96BPC/SC9
- 920A 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-30-32 mm
- 920/21 125 mm
- 920/22 250 mm
- 920/25
- 920/42
- ⊖ 920/55


5,6 kg

12"

MB47	1	024504247
MBV47	1	024524247

MB56

15



- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- ▶ 1719BMA/M 200 mm
- 1719BMA/R 200 mm
- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm
- 1370T 300 g
- 1390N Ø 35 mm
- 35 200 mm
- 1692 5 mt
- 1725CR 260 mm
- 1771 18 mm

3,7 kg

MB56	1	024504256
MBV56	1	024524256

MB58

17



- 31 Ø 2-3-4-5-6 mm
- 32 Ø 4 mm
- 35 200 mm
- 1112 250 mm
- 1128BMX
- 1370 500 g
- 1390 Ø 45 mm
- 1719BMA...Q 200 mm
- ▲ 1719BMA...T 200 mm
- 1719BMA...P 200 mm
- ▶ 1719BMA...M 200 mm
- 1719BMA...R 200 mm
- 1726 440 mm

4,5 kg

MB58	1	024504258
MBV55	1	024524255

MB59

15



- 1719BMA...Q 200 mm
- ▲ 1719BMA...T 200 mm
- 1719BMA...P 200 mm
- ▶ 1719BMA...M 200 mm
- 1719BMA...R 200 mm
- 31 Ø 4-6 mm
- 32 Ø 4 mm
- 35 125-200 mm
- 1370 300 g
- 1390 Ø 35 mm
- 1692 5 mt
- 1725 420 mm
- 1833XS/2

3,4 kg

MB59	1	024504259
MBV57	1	024524257

MB65

16




- 1719BMA...Q 200 mm
- 1719BMA...P 200 mm
- 1719BMA...T 200 mm
- 1719BMA...M 200 mm
- 1719BMA...R 200 mm
- 35 200 mm
- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm
- 1052 240 mm
- 1084BM 160 mm
- 1150BM 180 mm
- 1166BM 160 mm
- 1370 500 g
- 1390 Ø 35 mm

4,8 kg

MB65	1	024504265
MBV61	1	024524261

MB63

60



- 96BPC/SC9
- 1250 4x125 mm
- ⊕ 1251 PH1x125 mm
- 1253
- 943MQ 5,5-6-7-8-10-13 mm
- ⊕ 1272MQ PH0x60-PH1x80-PH2x100-PH3x150 mm
- 1274MQ 2,5x75-3x100-4x100-5,5x125-6,5x150-8x175 mm
- 860LP 0,5x3 - 0,6x4 - 0,8x5,5
1,0x5,5 - 1,2x6,5 mm
- 860PE 2 - 2,5 - 3 - 4 - 5 - 6
8 - 10 mm
- ⊕ 860PH PH0 - PH1 - PH2 - PH3 - PH4
- ⊕ 860PZ PZ1 - PZ2 - PZ3 - PZ4
- ⊕ 860RTX T9 - T10 - T15 - T20
T25 - T27 - T30 - T40
- 882MSR 50 ○ 1/4 ● 1/4
- 850MQ

3,2 kg



MB63 1 024504263
MBV63 1 024524263

MB64

20



- 55 6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22 mm
- 1048MQ 250 mm
- 1082MQ 140 mm
- 1128BSX
- 1132MQ 230 mm
- 1142MQ 160 mm
- 1150MQ 180 mm
- 1166MQ 160 mm
- 1168MQ 160 mm
- 110MQ 250 mm
- 1777MQ
- 993MQ
- 1602


4,1 kg



MB64 1 024504264
MBV62 1 024524262



C45PRO



506

MM11

30



- 42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
- 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

4,5 kg



MM11 1 024580011
MMV10 1 024590010

MM61

17



- 96T 2-2,5-3-4-5-6-7-8 mm
- 1390 Ø 35
- 1370 300 g
- 35 100-200 mm
- 1719BMA8/S5 200 mm

2,9 kg



MM61 1 024580061
MMV61 1 024590061

MM63

8



- 952 7-8-10-12-13-14-17-19 mm

3,4 kg



MM63 1 024580063
MMV63 1 024590063

MM105

107



- 895/1 ○ 1/4 □ 1/4
- 895/3 ○ 1/4 □ 3/8
- 895/6 ○ 5/16 □ 1/2
- 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
- 900L 5-6-7-8-9-10-11-12-13 mm
- 900ME 3-4-5-6-7 mm
- 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8
- ⊕ 900PH PH1-PH2-PH3-PH4
- ⊕ 900TX T10-T15-T20-T25-T27-T30-T40
- 900/16
- 900/... 50-100-150 mm
- 900/25
- 900BG/30 176 mm
- 900/42 115 mm
- 900/55 125 mm
- 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
- 910/15 □ 3/8 ■ 1/4
- 910/16 □ 3/8 ■ 1/2
- 910/21 125 mm
- 910/22 250 mm
- 910/25
- 910/42 210 mm
- 910/55 200 mm
- 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
- 920/15 □ 1/2 ■ 3/8
- 920/25
- 920AN 125-250 mm
- 920/42 305 mm
- 920/55 275 mm
- 956E 16 mm (5/8")-17,8 (11/16")-20,8 (13/16")

7,2 kg

14" 3/8" 12"



MM105 1 024580105
MMV105 1 024590105



MM140

52



97TTX	T10-T15-T20-T25-T30
1084BM	160 mm
1150BM	180 mm
1166BM	160 mm
1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm
1048N	250 mm
1052	240 mm
1256/C36-2	

2,2 kg



MM140	1 024580141
MMV142	1 024590142

MM210

25



1201E	2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN	4x30 mm
1202E	PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN	PH1X30 mm
1207E/TX	T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
1253	

2,1 kg



MM210	1 024580211
MMV210	1 024590210



MM400

29



3932U	
3935	120 mm
3937	170 mm
3952	13-14-15-16-17-18-19 mm
3961 3,2	
3961 3,3	
3961 3,5	
3961U	3,2 - 4,0 mm
3969	200 mm (x2)
3969K3	113 mm
3973/1	
3973/2	
3973/3	
3973/4	
3984/1	
3984/2	
3984/3	
3984/4	
3991	222 mm
3992	234 mm

3,1 kg



MM400	1 024580400
MMV400	1 024590400

MM401

7



3921	440 mm
3948	
3953	
3955	30x32 mm - 32x36 mm
3967	289 mm
3971	

2,7 kg



MM401	1 024580401
MMV401	1 024590401

VPM0

soft thermoformed tray with tote tray




VPM0

1 088870350

VPM3

soft thermoformed tray with 4 tote trays




VPM3

1 088870353

VPM7

soft thermoformed tray with 3 tote trays



VPM7

1 088870356

VPM8

soft thermoformed tray with tote tray



VPM8

1 088870357

VPM9

soft thermoformed tray with tote tray




VPM9

1 088870358

VPM7-C

soft thermoformed tray with tote tray



VPM7-C


1 088870360








Hard thermoformed trays T-series



Assortment of tools in thermoformed trays, designed for all roller cabs and all trolleys.



H	LxP
mm	mm
70	588x367



T01



42 6-7-8-10-11-12-13
14-16-17-18-19-21
22-24-27-30 mm

2,7 kg



T01	1 024240001
TV10	1 024000400



T18



42MP 6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21 mm

1,5 kg



T18	1 024240018
TV15	1 024000445



T05



42 6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21 mm

1,5 kg



T05	1 024240005
TV15	1 024000445



T19



42MP 22-24-27-30-32 mm

2,1 kg



T19	1 024240019
TV16	1 024000446



T06



42 22-24-27-30-32 mm

2,1 kg



T06	1 024240006
TV16	1 024000446



T22



42AS 5/16-3/8-7/16-1/2
9/16-5/8-11/16-3/4
3/32-1/8-5/32-3/16
1/4-5/16-3/8

1 kg



T22	1 024240022
TV20	1 024000488



T13



42SLIM 8-10-11-12
13-14-15-16-17
18-19 mm

1,5 kg



T13	1 024240013
TV13	1 024249913



T23



42INOX 8-10-11-12-13-14-15-
17-19 mm
96BPINOX 2,5-3-4-5-6-8-10 mm

1 kg



T23	1 024240023
TV23	1 024249906



T31



31 Ø 2-3-4-5-6 mm
 32 Ø 4 mm
 55 6x7-8x9-10x11
 12x13-14x15
 16x17-18x19
 20x22-21x23
 24x26-27x29
 30x32 mm
 ○96N/SC9 1,5+10 mm

3 kg




T31 1 024240031
 TV30 1 024000401

T33



55 6x7-8x9-10x11
 12x13-14x15
 16x17-18x19
 20x22 mm
 ○96/SC9 1,5+10 mm

1 kg




T33 1 024240033
 TV20 1 024000488

T34



55MP 6x7-8x9-10x11
 12x13-14x15
 16x17-18x19
 20x22 mm
 ○96/SC9 1,5+10 mm

1 kg



T34 1 024240034
 TV20 1 024000488

T40



90 6x7-8x9-10x11
 12x13-14x15
 16x17-18x19 mm

810 g



T40 1 024240040
 TV40 1 024000456

T41



90 20x22-21x23
 24x26-25x28
 27x29 mm

1,5 kg



T41 1 024240041
 TV41 1 024000457

T45



142 8-9-10-11-12
 13-14-15-16
 17-18-19 mm

1,3 kg



T45 1 024240045
 TV45 1 024000498

T46



142SN 8-9-10-11-12
 13-14-15-16
 17-18-19 mm

1,5 kg



T46 1 024240046
 TV46 1 024000499

T48



○96BPC/SC9 1,5+10 mm
 142C 8-9-10-11-12
 13-14-15-16
 17-18-19 mm

1,4 kg



T48 1 024240048
 TV47 1 024000763

T50



○96T 2-2,5-3-3,5-4-4,5
 5-6-7-8-10 mm

1,3 kg



T50 1 024240050
 TV50 1 024000764

T52



○96T 2-2,5-3-4-5-6 mm

350 g




T52 1 024240052
 TV52 1 024000765

T53



○96TBP 2,5-3-4-5-6 mm

300 g



T53 1 024240053
 TV52 1 024000765

T55



○97TTX T10-T15-T20
 T25-T27-T30

330 g



T55 1 024240055
 TV55 1 024000766

T57



96TINOX 2,5-3-4-5-6 mm



350 g

T57 1 024240057
TV57 1 024249907

T59



111E 250 mm
920/40 1/2
951 2,5-3-4-5-6-8 mm
953 4-5-6-8 mm
1370 300 - 500 g

4,7 kg

T59 1 024240059
TV60 1 024000420

T63



952 7-8-10-12-13-14-17-19 mm

3,8 kg

T63 1 024240063
TV63 1 024000471

T64



952FTX E10-E12-E14
953TX T25-T27-T30-T40-T45

3,8 kg

T64 1 024240064
TV63 1 024000471

T65



953 3-3,5-4-5-6-7-8-10 mm

2,8 kg

T65 1 024240065
TV63 1 024000471

T68



951 2,5-3-4-5-6-8 mm

590 g

T68 1 024240068
TV68 1 024000470

T73



930 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
940/1
940/2

1,3 kg

T73 1 024240073
TV73 1 024000418

T75



933 7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm

4,2 kg

T75 1 024240075
TV75 1 024000422

T76



932 7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm

4,2 kg

T76 1 024240076
TV75 1 024000422

T77



933 6-7-8-10-11-12-13-14-17-19 mm

1,4 kg

T77 1 024240077
TV77 1 024000474

T79



80 8x9-10x11-12x13-14x15-16x17-18x19 mm

1,3 kg

T79 1 024240079
TV79 1 024000490

T80

29



- 920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
- 920ME 5-6-8-10-12 mm
- 920/21 125 mm
- 920/22 255 mm
- 920/25 305 mm
- 920/42 305 mm
- Ⓣ 920/55

4,1 kg

12"

T80	1	024240080
TV80	1	024000403

T81

29



- 920B 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
- 920ME 5-6-8-10-12 mm
- 920/21 125 mm
- 920/22 255 mm
- 920/25 305 mm
- 920/42 305 mm
- Ⓣ 920/55

4,1 kg

12"

T81	1	024240081
TV80	1	024000403

T82

29



- 920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
- 920ME 5-6-8-10-12 mm
- 920AN/125 125 mm
- 920AN/250 250 mm
- 920/25 305 mm
- 920/42 305 mm
- Ⓣ 920/55

4,1 kg

12"

T82	1	024240082
TV80	1	024000403

T83

24



- 920A 10-11-12-13-14
15-16-17-18-19
20-21-22-23-24
26-27-30-32 mm
- 920/21 125 mm
- 920/22 255 mm
- 920/25 305 mm
- 920/42 305 mm
- Ⓣ 920/55

3,6 kg

12"

T83	1	024240083
TV83	1	024000402

T85

81



- 861LP 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x8 mm
- 861PE 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
- ⊕ 861PH PH0 - PH1 - PH2 - PH3
- ⊕ 861PZ PZ1 - PZ2 - PZ3
- ⊕ 861TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
- ⊕ 861RTX T9-T10-T15-T20-T25-T27-T30-T40
- ⊕ 861TRW 1-2-3-4-5-6 mm
- ⊕ 861TQS 0-1-2-3-4-5-6-8-10 mm
- ⊕ 861SP 4-6-8-10-12 mm
- 851SR 230 mm
- 900 4-4,5-5-5,5-6-7-8-9
10-11-12-13-14 mm
- 900/21 150 mm
- 900/25 41 mm
- 900BG/30 176 mm
- 900/42 115 mm
- Ⓣ 900/55 125 mm
- 194 1/4x5/16

1,0 kg

1/4"

T85	1	024240085
TV85	1	024000747

T91

25



- 900 4-4,5-5-5,5-6
7-8-9-10-11
12-13-14 mm
- 900ME 2,5-3-4-5-6-8 mm
- 900/20 50 mm
- 900/21 150 mm
- 900/25 115 mm
- 900BG/30 115 mm
- 900/42 115 mm
- Ⓣ 900/55

560 g

1/4"

T91	1	024240091
TV90	1	024000447

T92

22



- 910A 6-7-8-9-10-11-12-13
14-15-16-17-18-19
20-21-22 mm
- 910/21 125 mm
- 910/22 250 mm
- 910/25 210 mm
- 910/42 210 mm
- Ⓣ 910/55

1,5 kg

3/8"

T92	1	024240092
TV92	1	024000458

T99

16



- 920INOX-A 10-12-13-14-15-16-17
18-19-21-22-24-27
30-32mm
- Ⓣ 920/55INOX



2,7 kg

12"

T99	1	024240099
TV99	1	024249908

T100

16



- 920A 10-12-13-14-15
16-17-18-19-21
22-24 mm
- 920/21 125 mm
- 920/25 305 mm
- 920/42 305 mm
- Ⓣ 920/55

2,1 kg

12"

T100	1	024240100
TV100	1	024000495

T101

16



- 920B 10-12-13-14-15
16-17-18-19-21
22-24 mm
- 920/21 125 mm
- 920/25 305 mm
- 920/42 305 mm
- Ⓣ 920/55

2,1 kg

12"

T101	1	024240101
TV100	1	024000495

T102

16



- 920AS 3/8-7/16-1/2
9/16-5/8-11/16
3/4-13/16-7/8
15/16-1-1.1/16
- 920/21 125 mm
- 920/25 305 mm
- 920/42 305 mm
- Ⓣ 920/55

2,1 kg

12"

T102	1	024240102
TV100	1	024000495

T103



- 900L 6-7-8-9-10-11-12 mm
- 920AL 13-14-16-17-18-19-21-22-24-27 mm

1,1 kg

14" 12"



T103 1 024240103
TV103 1 024000748

T105



- 928A 22-24-27-30-32-34-36-38-41-46-50 mm

4,9 kg

34"



T105 1 024240105
TV105 1 024000484

T106



- 928/21 200 mm
- 928/22 380 mm
- 928/42 450 mm
- 928/55

4,5 kg

34"



T106 1 024240106
TV106 1 024000485

T111



- 720 10-13-15-17-18-19-21-22-24-27-30-32 mm
- 720LC 17-19-21 mm
- 720/21 125 mm

2,7 kg

12"



T111 1 024240111
TV111 1 024000476

T112



- 861TX ● 1/4-T6+T15
- 866TX ● 5/16-T20+T55
- 895/1 ○ 1/4x□1/4
- 895/6 ○ 5/16x□1/2
- 900FTX □ 1/4-E4+E10
- 920FTX □ 1/2-E12+E24
- 920TX □ 1/2-T55L-T60-T70L

1,3 kg

14" 12"



T112 1 024240112
TV112 1 024000480

T113



- 920PE 5L-6L-7L-8L-10L
- 920TX T40L-T45L-T55L-T70L
- 920XZN M6L-M8L-M12L

1,5 kg

12"



T113 1 024240113
TV113 1 024000489

T121



666N/20 40 - 200 Nm

1,4 kg

12"



T121 1 024240121
TV121 1 024000767

T123



- 1082G 160 mm
- 1150G 180 mm
- 1166G 160 mm

550 g



T123 1 024240123
TV135 1 024000762

T124



- 1082GBM 160 mm
- 1150GBM 180 mm
- 1166GBM 160 mm

640 g



T124 1 024240124
TV135 1 024000762

T135



- 1082MQ 160 mm
- 1150MQ 180 mm
- 1166MQ 160 mm

△ 1000 V

750 g



T135 1 024240135
TV135 1 024000762

T136



- 1048MQ 250 mm
- 1777MQ/U

△ 1000 V

700 g



T136 1 024240136
TV136 1 024000438

T137



- 1084BM 160 mm
- 1150BM 180 mm
- 1166BM 160 mm

750 g




T137 1 024240137
TV130 1 024000451

T138




- 1084 160 mm
- 1150 180 mm
- 1166 160 mm

650 g



T138	1	024240138
TV130	1	024000451

T140



- 1032 140x0,9 - 180 mm
- 1034 170 mm
- 1036 140x1,3 - 175 mm
- 1038 175 mm
- 1084 160 mm
- 1128BM

1,1 kg



T140	1	024240140
TV140	1	024000405

T144



- 1048N 250 mm
- 1052 240 mm
- 1112 250 mm
- 1150 180 mm

1,8 kg



T144	1	024240144
TV143	1	024000409

T145



- 1032 180 mm
- 1034 170 mm
- 1036 175 mm
- 1038 175 mm

640 g




T145	1	024240145
TV145	1	024000448

T146



- 1032 140x0,9 mm
- 1032 225 mm
- 1036 140x1,3 mm
- 1036 225 mm

700 g




T146	1	024240146
TV146	1	024000449

T151



- 1047 240 mm
- 1057A 240 mm

1,3 kg



T151	1	024240151
TV150	1	024000462

T153



- 1048N 250 mm
- 1052 240 mm

1,1 kg



T153	1	024240153
TV150	1	024000462

T156



- 1082 160 mm
- 1150 180 mm
- 1048N 250 mm

1 kg




T156	1	024240156
TV148	1	024000500

T157



- 1082BM 160 mm
- 1150BM 180 mm
- 1048BM 250 mm

1,1 kg



T157	1	024240157
TV148	1	024000500

T160



- 1290 3x75
- 3x100
- 4x100
- 4x150
- 5,5x100
- 5,5x150
- 6,5x150
- 8x150
- 10x200 mm
- 1290N 4x30
- 6,5x30 mm

1,3 kg



T160	1	024240160
TV160	1	024000706

T161



- 1292 PH0x60
- PH0x100
- PH1x80
- PH1x120
- PH2x100
- PH2x150
- PH3x150 mm
- 1292N PH1x30
- PH2x30 mm

1 kg



T161	1	024240161
TV161	1	024000707

T164



- 952 8-10-13-17-19 mm
- 959 16 mm (5/8") - 20,8 mm (13/16")
- 1260 3x75-4x100-5,5x100-6,5x150-10x200 mm
- 1262 PH0x60-PH1x80-PH2x100-PH3x150 mm

5 kg



T164	1	024240164
TV61	1	024000721

T167

11



- 1260 3x75
3x100
4x100
4x150
5,5x100
5,5x150
6,5x150
8x150
10x200 mm
- 1260N 4x30
6,5x30 mm

1,3 kg



T167 1 024240167
TV160 1 024000706

T172

6

Betamax



- 1292 PH0x60
PH0x100
PH1x80
PH1x120
PH2x100
PH2x150 mm

450 g



T172 1 024240172
TV172 1 024000743

T177

8

Betamax



- 1298RTX T9-T10-T15
T20-T25-T27
T30-T40

680 g



T177 1 024240177
TV177 1 024000759

T168

9



- 1262 PH0x60
PH0x100
PH1x80
PH1x120
PH2x100
PH2x150
PH3x150 mm
- 1262N PH1x30
PH2x30 mm

1 kg



T168 1 024240168
TV161 1 024000707

T173

4

Betamax



- 1292 PH3x150
PH4x200 mm
- 1292N PH1x30
PH2x30 mm

560 g



T173 1 024240173
TV173 1 024000744

T180

7

Betamax



- 1290 3x75
4x100
5,5x150
6,5x150 mm
- 1292 PH0x60
PH1x80
PH2x100 mm

480 g



T180 1 024240180
TV180 1 024000701

T170

7

Betamax



- 1290 2,5x50
3x75
3,5x100
4x125
5,5x100
5,5x150
6,5x150 mm

450 g



T170 1 024240170
TV170 1 024000741

T175

7

Betamax



- 1297TX T6-T7-T8-T9
T10-T15-T20

410 g



T175 1 024240175
TV175 1 024000760

T183

5

Betamax



- 1292L PH1x400-PH2x400 mm
- 1294L 3x300-4x400-5x400 mm

580 g



T183 1 024240183
TV183 1 024000497

T171

5

Betamax



- 1290 8x150
8x200
10x200 mm
- 1290N 4x30
6,5x30 mm

750 g



T171 1 024240171
TV171 1 024000742

T176

5

Betamax



- 1297TX T25-T27-T30
T40-T45

640 g



T176 1 024240176
TV176 1 024000761

T198

7



- 1260 3x75
4x100
5,5x150
6,5x150 mm
- 1269PZ PZ0 - PZ1 - PZ2

490 g



T198 1 024240198
TV180 1 024000701

T199



- 1260 2,5x50
3x75
3,5x100
4x125
5,5x100
5,5x150
6,5x150 mm

490 g



T199	1	024240199
TV170	1	024000741

T201



- 1260 8x200
10x150
10x200 mm
- 1260N 4x30
6,5x30 mm

680 g



T201	1	024240201
TV171	1	024000742

T202



- ⊕ 1262 PH0x60
PH0x100
PH1x80
PH1x120
PH2x100
PH2x150 mm

490 g



T202	1	024240202
TV172	1	024000743

T204



- ⊕ 1262 PH3x150
PH4x200 mm
- ⊕ 1262N PH1x30
PH2x30 mm

610 g



T204	1	024240204
TV173	1	024000744

T205



- ⊕ 1267TX T6-T7-T8-T9
T10-T15-T20

460 g



T205	1	024240205
TV175	1	024000760

T206



- ⊕ 1267TX T25-T27-T30
T40-T45

710 g



T206	1	024240206
TV176	1	024000761

T207



- ⊕ 1268RTX T9-T10-T15
T20-T25-T27-T30

760 g



T207	1	024240207
TV207	1	024000758

T208



- 1260 3x75
4x100
5,5x150
6,5x150 mm
- ⊕ 1262 PH0x60
PH1x80
PH2x100 mm

530 g



T208	1	024240208
TV180	1	024000701

T209



- ⊕ 1262L PH1x400-PH2x400 mm
- 1264L 3x300-4x400-5x400 mm

580 g



T209	1	024240209
TV183	1	024000497

T211



- 1201E 2,5x50
3x75
3,5x100
4x125
5,5x100
5,5x150
6,5x150 mm

490 g



T211	1	024240211
TV170	1	024000741

T213



- ⊕ 1202E PH0x60
PH1x80
PH1x120
PH2x100
PH2x150
PH3x150 mm

490 g



T213	1	024240213
TV212	1	024000440

T216



- ⊕ 1207E/TX T6-T7-T8-T9
T10-T15-T20

410 g



T216	1	024240216
TV175	1	024000760

T221




- 1201E 3x75
4x100
5,5x150
6,5x150 mm
- ⊕ 1202E PH0x60
PH1x80
PH2x100 mm

530 g



T221 1 024240221
TV180 1 024000701

T226



- 1274MQ 3x100
4x100
5,5x125
6,5x150 mm
- ⊕ 1272MQ PH0x60
PH1x80
PH2x100 mm

⚠ 1000 V

460 g



T226 1 024240226
TV180 1 024000701

T227



- 944BX 5-6-7-8-10-13 mm

490 g



T227 1 024240227
TV227 1 024000705

T228



- 1290INOX 3x75 - 4x100 -
5,5x150 - 6,5x150 mm
- ⊕ 1292INOX PH0x60 - PH1x80 -
PH2x100 mm



480 g



T228 1 024240228
TV180 1 024000701

T231



- 1370 400 g
- 1390 Ø 35 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- 1719BMA/M 200 mm

1,7 kg



T231 1 024240231
TV230 1 024000411

T233



- 35 100-200 mm
- 1370F 32 mm
- 1390 Ø 35 mm

1,3 kg



T233 1 024240233
TV232 1 024000452

T234



- 35 100-200 mm
- 1370 300 g
- 1390 Ø 35 mm

1,3 kg



T234 1 024240234
TV232 1 024000452

T236



- 1719BMA/Q 200 mm
- ▲ 1719BMA/T 200 mm
- 1719BMA/P 200 mm
- 1719BMA/M 200 mm
- 1719BMA/R 200 mm

870 g



T236 1 024240236
TV235 1 024000453

T239



- 31BM Ø 2-3-4-5-6-8 mm
- 32 Ø 4 mm

850 g



T239 1 024240239
TV239 1 024000439

T241



- 1500N/1
- 1500N/3
- 1516/1

4,2 kg



T241 1 024240241
TV241 1 024000414

T250

Automotive



- 34 150 mm
- 83/S3 11x13-14x17
19x22 mm
- 1458 175 mm
- 1491
- 1603
- 1708/13 0,05+1 mm

1430 g



T250 1 024240250
TV250 1 024000408

T256

Automotive



- 956E 16 mm (5/8) - 20,8 mm (13/16)
- 956L 16 mm (5/8) - 20,8 mm (13/16)
- 959 16 mm (5/8) - 20,8 mm (13/16)
- 1164 200 mm
- 1708/20 0,05+1 mm

3,2 kg



T256 1 024240256
TV255 1 024000467

T259

40



- 96BP 2,5-3-4-5
6-8-10 mm
- 96N 12 mm
- 860MIX/A31
-
- +
- +
- +
- 895/1

950 g



T259	1	024240259
TV263	1	024000492

T264

16



- 1491 Ø 65÷110 mm
- 1494 ■ 10 mm
- 1494E ○ 8-9-10-11-12-14-17 mm
- 1494Q ○ 8-9,5-12-13 mm
- △ 1494T △ 9,5
- 1494XZN ○ 16
- 1496C ■ 8x ■ 10 mm

2,1 kg



T264	1	024240264
TV264	1	024000466

T270

60



- 430 M3 - 4 - 5 - 6 - 7 - 8 - 9
10 - 12 - 14 - 16 - 18 - 20
- 433 M6x0,75 - M8x1 - M10x1,25
M12x1,5 - M14x1,5
M16x1,5 - M18x1,5
- 440 M3 - 4 - 5 - 6 - 7 - 8 - 9
- 440A M10 - 12 - 14 - 16 - 18 - 20
- 441 M6x0,75 - M8x1,0
- 441A M10x1,25 - M12x1,5
M14x1,5 - M16x1,5
M18x1,5

4,3 kg



T270	1	024240270
TV270	1	024000481

T273

7



- 435/1,5 M3÷M12
- 435/3 M5÷M21
- 436/1 □ 2,0÷5,0 mm
(M3÷M8)
- 436/2 □ 4,6÷8 mm
(M5÷M12)
- 444/1 Ø 25,4 mm
- 444/2 Ø 38,1 mm
- 1707 W 62÷4x1"

2,1 kg



T273	1	024240273
TV272	1	024000482

T281

1



- 1741B 250 mm
- 1741RV2,9K 2,9x6 mm (100)
- 1741RV3,2K 3,2x8 mm (100)
- 1741RV3,8K 3,8x10 mm (100)
- 1741RV4K 4x12 mm (100)

1,4 kg



T281	1	024240281
TV280	1	024000478

T285

4



- 1112 250 mm
- 1128BM -
- 1726 400 mm
- 1728BM (5 pezzi)
- 1753 200 cc

1,5 kg



T285	1	024240285
TV285	1	024000487



T284

10



- 1128BMX
- 1130BMX
- 1719BMA...Q 200 mm
- ▲ 1719BMA...T 200 mm
- 1719BMA...P 200 mm
- ▶ 1719BMA...M 200 mm
- 1719BMA...R 200 mm
- 1726BM 400 mm
- 1728BM
- 1771BM 170 mm
- 1778V18 185 mm

3,3 kg



T284	1	024240284
TV286	1	024249904

T289

4



- 1692 5 m
- 1725CR -
- 1755 30 cc
- 1771 -

500 g



T289	1	024240289
TV290	1	024000455

T291

3



- 1479RB/1
- 1479RB/2
- 1479RB/3

600 g



T291	1	024240291
TV291	1	024000472

T297



1651DGTB
1682
1691BM


490 g



T297	1	024240297
TV296	1	024000749

VP1 - VP2


thermoformed trays for small items,
made from plastic
for all roller cabs RSC22, RSC23, RSC23C



VP1	H mm	1	088880351
VP2	50	1	088880352
	35	1	088880352

VP3 - VP4

thermoformed trays for small items,
made from plastic
for all roller cabs and all trolleys



VP3	H mm	1	088880353
VP4	50	1	088880354
	35	1	088880354

VP5

thermoformed tray




VP5	1	088880355
-----	---	-----------



VP6


thermoformed tray



VP6	1	088880359
-----	---	-----------

VP-3SC

thermoformed tool trays,
made from plastic,
for mobile roller cab C38 +C04TSS-7



VP-3SC	H mm	1	088880356
	45		

VP-LS

thermoformed tool trays,
made from plastic,
for mobile roller cab C38 +C04TSS-7



VP-LS	H mm	1	088880357
	45		

VP-LD

thermoformed tool trays,
made from plastic,
for mobile roller cab C38



VP-LD	H mm	1	088880358
	45		

8889P1


parallel partitions for item RSC22, RSC23,
RSC23C e C27S
drawer 588x277 mm



8889P1/5	h	1	088890005
8889P1/7	50 mm	1	088890007
	70 mm		

8889C1

crossed partitions for item RSC22, RSC23,
RSC23C and C27S
for drawer 588x277 mm



8889C1/5	h	1	088890015
8889C1/7	50 mm	1	088890017
	70 mm		

8889P2


parallel partitions for standard drawer 588x367 mm



8889P2/7	h	1	088890107
	70 mm		

8889C2

crossed partitions for standard drawer
588x367 mm



8889C2	h	1	088890117
	70 mm		

8889P3

parallel partitions for item RSC24AXL

for drawer 882x367 mm




8889P3	h	1	088890207
	70 mm		

8889C3

crossed partitions for RSC24AXL

for drawer 882x367 mm



8889C3	h	1	088890217
	70 mm		

8889P4

parallel partitions for item C41

for drawer 418x205 mm



8889P4	h 70 mm	1	088890307
--------	------------	---	-----------

8889I4

crossed partition for item trolley C41

for drawer 418x205 mm



8889C4	h 70 mm	1	088890317
--------	------------	---	-----------

8889PS

parallel partitions for item C38 - C45PRO M4/M5/M7/M8

left side drawer 570x410 mm



8889PS/7	h 70 mm	1	088890407
----------	------------	---	-----------

8889CS

crossed partitions for item C38 - C45PRO M4/M5/M7/M8

left side drawer 570x410 mm



8889CS/7	h 70 mm	1	088890417
----------	------------	---	-----------

8889PD

parallel partitions for item C38

right side drawer 313x410 mm



8889PD/7	h 70 mm	1	088890427
----------	------------	---	-----------

8889CD

crossed partitions for item C38

right side drawer 313x410 mm



8889CD/7	h 70 mm	1	088890437
----------	------------	---	-----------

8889C6

crossed partitions for item C35

for drawer 600x447 mm



8889C6/7,5	h 75 mm	1	088890475
8889C6/10	100 mm	1	088890480
8889C6/15	150 mm	1	088890485
8889C6/20	200 mm	1	088890490

SB

socket rails



SB1	L 210 mm	10	088880201
SB2	280	10	088880202
SB3	360	10	088880203

PM 1/2-Q5

magnetic socket rail

12"



PM 1/2-Q5	1	088880233
-----------	---	-----------

MB


socket clips for rails SB



MB0	□ 1/4	50	088880210
MB1	3/8	50	088880211
MB2	1/2	50	088880212

KIT/GPS

kit of 40-mm GPS hooks with screws VE1



KIT/GPS	50	088880119
---------	----	-----------

VE1

expansion bolts



VE1	20	088880120
-----	----	-----------

GM

snap hooks with expansion bolts VE1




∅ mm		
6,5	5	088880250
9,5	5	088880251
13	5	088880252
16	5	088880253
19	5	088880254
25	5	088880255

S55/8

supports for 8 double open end wrenches, made from sheet metal

• supplied complete with 3 expansion bolts VE1




S55/8	1	088880420
-------	---	-----------

55/S8
55AS/8
55MP/S8

S55/12

supports for 12 double open end wrenches, made from sheet metal

• supplied complete with 3 expansion bolts VE1




S55/12	1	088880421
--------	---	-----------

55/S12
55/S12X
55AS/12
55MP/S12

ST2P

pliers pockets, made from sheet metal

• supplied complete with 3 expansion bolts VE1



ST2P	1	088880422
------	---	-----------

TSPP

tool pockets, made from plastic material

• supplied complete with 3 expansion bolts VE1




TSPP	1	088880402
------	---	-----------

S952/10

supports for 10 T-handles, made from sheet metal

- supplied complete with 3 expansion bolts VE1



S952/10

1 088880423

S1719BM

supports for 5 files, made from sheet metal

- supplied complete with 3 expansion bolts VE1



S1719BM


1719BMA: Q-T-P-M-R
1719BMD: Q-T-P-M-R
1719BMX: Q-T-P-M-R

1 088880404

SGN

supports for 2 mini screwdrivers, made from sheet metal

- supplied complete with 3 expansion bolts VE1



SGN

1290N-1292N-1299N/PZ
1260N-1262N-1269N/PZ
1201EN-1202EN-1209EN/PZ

1 088880405

CB/2

hard thermoformed tray for 1/2" sockets and accessories, empty

- only for item C54S

12"



CB/2


920A/920B
10+24+26-27
28-30-32 mm
920/21-920/22-920/25-
920/42-920/55

1 088880411

S42/17

supports for 17 combination wrenches, made from sheet metal

- supplied complete with 3 expansion bolts VE1



S42/17

42/S17
42MP/S17
42/S17X
42AS/17
142/S17

1 088880428

S951/6

supports for 6 T handle wrenches with hexagon male ends, made from sheet metal

- supplied complete with 3 expansion bolts VE1



S951/6

951/S6
951AS/S6X
951TX/S6

1 088880429

SPG11 - S1203/8

supports for screwdrivers, made from sheet metal

- supplied complete with 3 expansion bolts VE1



SPG11

n.8 Ø = 7 mm
n.2 Ø = 10 mm
n.1 Ø = 12 mm

S1203/8

1203E/S8
1263/D8
1293/S8

1 088880910

1 088880430

S96T/8

supports for 8 offset hexagon key wrenches, with high torque handles, made from sheet metal

- supplied complete with 3 expansion bolts VE1



S96T/8


96T/AS8
96T/S8
97TTX/S8

1 088880431

96T/SPV

supports for 11 offset hexagon key wrenches, with high torque handles, made from sheet metal

- supplied complete with 3 expansion bolts VE1



96T/SPV

96T/S11
97TTX/S11

1 000960958

