

987AR

tyre valve lever
with non-scratch fulcrum

- rubber and nylon fulcrum for alloy and iron rims
- valve quick coupling, does not require screwing



L
mm
305

1 009870021

987P

tyre valve lever
made of plastic

Handle accommodates screwdriver to work on mechanism inside valve



L
mm
335

1 009870011

988/K4

set of 4 scratchproof plastic flat chisels



988/K4
A= 19-21-25-38 mm

1 009880104

989

wheel balancing weight tool



L
mm
250

2 009890001

989A

pliers for removing wheel balancing adhesive weights



Nose profile specially designed to remove weights without making contact with rim

L
mm
220

1 009890011

989B

combination pliers for wheel balancing weights

functions:

- removing adhesive weights for alloy rims
- removing weights for iron rims
- hammer with removable PE-HD covering for adhesive weights and iron rims
- weight jaws for iron rims



L
mm
230

1 009890015

990

straight thin knurled point spring tweezers made from stainless steel bright finish



L
mm
130

5 009900001

991

bent thin knurled point spring tweezers made from stainless steel, bright finish



L
mm
130

5 009910001

992

straight thin knurled point pin spring tweezers made from stainless steel bright finish



L
mm
150

5 009920001

993

bent thin knurled point pin spring tweezers made from stainless steel bright finish



L
mm
145

5 009930001

993PL

bent thin knurled point pin spring tweezers made from stainless steel PVC-coated



L
mm
150

3 009930010

Beta

Beta

Quality Tools

993G

pin spring tweezers, curved round ends, knurled made from stainless steel bright finish



L mm 160 3 009930030

994

straight large knurled point spring tweezers made from stainless steel bright finish



L mm 150 5 009940001

994PL

straight large knurled point spring tweezers made from stainless steel PVC-coated



L mm 150 3 009940010

994TF

spring tweezers, acid and magnetic resistant, large round noses, strong and knurled ends made from stainless steel semi-bright finish



L mm 150 3 009940020

996

straight end spring tweezers with wide tips made from stainless steel bright finish



L mm 150 5 009960001

998

cross knurled end spring tweezers made from stainless steel bright finish



L mm 155 5 009980001

999

flat round end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish



L mm 115 3 009990011

999A

extra slim short end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish



L mm 120 3 009990015

999B

strong straight end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish



L mm 120 3 009990017

999C

extra slim straight end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish



L mm 110 3 009990019

999D

extra slim angled end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish



L mm 115 3 009990021

999E

extra slim curved end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish



L mm 120 3 009990023

999G

extra slim straight end spring tweezers, acid and magnetic resistant with stop mechanism made from stainless steel semi-bright finish



L mm 140 3 009990027

999/B6N

set of 6 spring tweezers, acid and magnetic resistant



999/B6N 1 009990060
999-999A-999B
999C-999D-999E



1168BM

extra-long bent needle knurled nose pliers, chrome-plated, bi-material handles



ISO 5745

L	L1	mm		
mm	mm	mm		
160	54	1,6	3	011680036
200	70	1,6	3	011680040

1168GBM

extra-long bent needle knurled nose pliers, bi-material handles, industrial finish



ISO 5745

L	L1	mm		
mm	mm	mm		
160	54	1,6	3	011680266
200	70	1,6	3	011680270

1169/D3

set of 1 combination pliers, 1 long needle nose pliers and 1 diagonal cutting nippers



1169/D3		
1082 160mm	1	011690053
1150 180mm		
1166 160mm		

1169G/D3

set of 1 combination pliers, 1 long needle nose pliers and 1 diagonal cutting nippers, slip-proof double layer PVC, industrial finish



1169G/D3		
1082G 160mm	1	011690073
1150G 180mm		
1166G 160mm		

1169BM/D3

set of 1 combination pliers, 1 long needle nose pliers and 1 diagonal cutting nippers



1169BM/D3		
1082BM 160mm	1	011690133
1150BM 180mm		
1166BM 160mm		

1169GBM/D3

set of 1 combination pliers, 1 long needle nose pliers and 1 diagonal cutting nippers, bi-material handles, industrial finish



1169GBM/D3		
1082GBM 160mm	1	011690273
1150GBM 180mm		
1166GBM 160mm		

1171BM

smooth, flat short nose pliers bi-material handles




ISO 9655

L	L1	A	B		
mm	mm	mm	mm		
130	18	12	8	2	011710101

1172BM

smooth, flat long nose pliers bi-material handles




ISO 9655

L	L1	A	B		
mm	mm	mm	mm		
140	40	12	8	2	011720101

1172BM/P

smooth, flat bent long nose pliers bi-material handles



L	L1	A	B		
mm	mm	mm	mm		
140	38	12	13	2	011720102



1173BM

round short nose pliers
bi-material handles




ISO 9655

L	L1	A	B	
mm	mm	mm	mm	
125	22	12	8	2 011730101

1175BM

smooth half-round short nose pliers
bi-material handles




ISO 9655

L	L1	A	B	
mm	mm	mm	mm	
140	29	12	8	2 011750101

1177BM

smooth half-round long nose pliers
bi-material handles




ISO 9655

L	L1	A	B	
mm	mm	mm	mm	
140	38	12	8	2 011770101

1177BM/Z

half-round long knurled nose pliers
bi-material handles




ISO 9655

L	L1	A	B	
mm	mm	mm	mm	
140	39	12	8	2 011770113

1178BM

smooth half-round long needle nose pliers
bi-material handles



ISO 9655

L	L1	A	B	
mm	mm	mm	mm	
140	37	12	8	2 011780101

1178BM/P

smooth half-round long bent
needle nose pliers
bi-material handles



L	L1	A	B	
mm	mm	mm	mm	
140	36,5	12	12	2 011780102

Copper cutting nippers.
For heavier duty jobs see item 1081

1182BM

diagonal semi-flush cutting nippers,
slim tips
bi-material handles



ISO 9654

L	L1	A	Cu	
mm	mm	mm	mm	
120	11	10	1	2 011820101

1183BM

diagonal semi-flush cutting nippers,
rounded tips
bi-material handles



ISO 9654

L	L1	A	Cu	
mm	mm	mm	mm	
120	11	10	1	2 011830101



1184BM

diagonal flush cutting nippers,
rounded tips
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	11	10	1	2	011840101
130	13	12,5	1,25	2	011840102

1185BM

diagonal flush cutting nippers,
slim tips
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	11	10	1	2	011850101
130	13	12,5	1,25	2	011850102

1186BM

diagonal flush cutting nippers,
slim tapering tips
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	11	10	1	2	011860101
130	13	12,5	1,25	2	011860102

1188BM

diagonal axial cutting nippers
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
125	12	12	1,25	2	011880101
130	17	15	2	2	011880102

1190BM

end semi-flush cutting nippers
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
120	12	12	1,25	2	011900113

1191BM

end flush oblique cutting nippers
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
130	8	12	0,8	2	011910101

1191BM/L

end flush long oblique cutting nippers
bi-material handles



ISO 9654

L	L1	A	Cu		
mm	mm	mm	mm		
130	18	12	1	2	011910110

1191R/5-M


spare spring kit for pliers and nippers for
electronics, 5 pairs (items: 1171...1191)

1191R/5-M

1 011910995

1200MS

magnetizer/demagnetizer




1200MS

5 012000000



1229LP

micro-screwdrivers
for headless slotted screws




D mm	L mm	L1 mm		
1,0	17	75	5	012290210
1,2	21	85	5	012290212
1,4	21	89	5	012290214
1,8	23	94	5	012290218
2,0	23	98	5	012290220
2,4	26	103	5	012290224
3,0	28	108	5	012290230



1229LP/A6 1 012290300
1,2-1,4-1,8-2,2,4-3 mm

1229PH

micro-screwdrivers for cross head
Phillips® screws



PH	L mm	L1 mm		
0	26	102	5	012290250
1	29	107	5	012290251

1229LPH/A6


set of 6 micro-screwdrivers
items 1229LP-1229PH



1229LPH/A6 1 012290310
1229LP 1,4-2,0-2,4-3 mm
1229PH PH0-PH1

1236B

offset screwdrivers
for slotted head screws



UNI 7079 DIN 5200

SxA mm	L mm		
0,8x4	100	5	012360201
1x5,5	125	5	012360202
1,2x8	150	5	012360204

1238B

offset screwdrivers
for cross head Phillips® screws




UNI 7083 DIN 5208

PH	L mm		
1-2	125	5	012380201
3-4	200	5	012380203

1241

screwdrivers with steel head for slotted head
screws




ISO 2380

SxAxL mm	L1 mm		
1x5,5x100	202	5	012410039
1,2x6,5x125	240	5	012410050
1,2x8x150	268	3	012410057
1,6x10x175	300	2	012410065
1,6x10x200	325	2	012410066
2,0x12x200	325	2	012410067
2,5x14x250	375	2	012410076



1242

screwdrivers with steel head for cross head
Phillips® screws



UNI/ISO 8764

PHxDxL mm	L1 mm		
1x4,5x100	202	5	012420209
2x6x100	215	5	012420218
3x8x150	268	3	012420221
4x11x200	325	2	012420224

1243LP/D6

set of 6 screwdrivers with steel heads, for
slotted head screws



1243LP/D6 1 012430016
1241 1x5,5x100-1,2x6,5x125-
3x8x150-1,6x10x175-
2,0x12x200-2,5x14x250 mm

1243/D7

Set of 7 screwdrivers with steel heads



1243/D7 1 012430017
1241 1x5,5x100-1,2x6,5x125
1,2x8x150-1,6x10x200 mm
1242 PH1x4,5x100-PH2x6x100
PH3x8x150 mm

1243/S11

set of 6 screwdrivers with steel heads



1243/S11 1 012430021

1241 1x5,5x100-1,2x6,5x125-3x8x150-1,6x10x175-1,6x10x200-2,0x12x200-2,5x14x250 mm
1242 PH1x4,5x100-PH2x6x100-PH3x8x150-PH4x11x200 mm

1250

screwholding screwdrivers for slotted head screws



SxDxL mm	L1 mm	5	1
0,5x3x125	190	5	012500030
0,6x4x125	225	5	012500040
0,7x5x150	255	5	012500050

1251

screwholding screwdrivers for cross head Phillips® screws



PHxDxL mm	L1 mm	5	1
0x4x125	225	5	012510000
1x5x125	225	5	012510010
2x6x175	280	5	012510020

1252/S5



1252/S5 1 012520001

1250 0,5x3x125-0,6x4x125
0,7x5x150 mm
1251 PH1x5x150-PH2x6x175 mm

1253

mains testing screwdriver 150/250V



SxAxL mm	L1 mm	5	1
0,5x3,5x100	190	5	012530001

1253A


mains testing screwdriver 125/250V, double insulation



SxAxL mm	L1 mm	5	1
0,5x3x15	150	5	012530010

1254

circuit testing screwdriver 6-24V



SxAxL mm	L1 mm	5	1
0,5x3x44	123	5	012540001

1256/C36-2

microscrewdriver with 36 interchangeable 4-mm bits and magnetic extension



1256/C36-2 1 012560100

	1256TX	T3 - T4 - T5 - T6 - T7 T8 - T9 - T10 - T15
	1256RTX	T6 - T7 - T8 - T9 - T10
	1256LP	0,8 - 1,2 - 1,5 - 1,8 - 2 - 2,5 3 - 3,5 - 4 mm
	1256PE	0,7 - 0,9 - 1,3 - 1,5 - 2 mm
	1256PH	PH000 - PH00 - PH0 - PH1
	1256PZ	PZ000 - PZ00 - PZ0 - PZ1
	1256/20	
	1256/30	

130x60x35 mm - 200 g

1256LP

4-mm bits for slotted head screws



SxA mm	L mm	5	1
0.25x0.8	27	5	012560001
0.25x1.2	27	5	012560002
0.3x1.5	27	5	012560003
0.35x1.8	27	5	012560004
0.4x2.0	27	5	012560005
0.4x2.5	27	5	012560006
0.5x3.0	27	5	012560007
0.6x3.5	27	5	012560008
0.8x4.0	27	5	012560009

1256PH

4-mm bits for cross head Phillips® screws



PH mm	L mm	5	1
000	27	5	012560011
00	27	5	012560012
0	27	5	012560013
1	27	5	012560014

1256PZ

4-mm bits for slotted head Pozidriv® - Supradriv® screws



PZ mm	L mm	5	1
000	27	5	012560061
00	27	5	012560062
0	27	5	012560063
1	27	5	012560064

1256PE

4-mm bits for hexagon head screws



mm	L mm	5	1
0.7	27	5	012560021
0.9	27	5	012560022
1.3	27	5	012560023
1.5	27	5	012560024
2.0	27	5	012560025

1256TX

4-mm bits
for Torx® head screws



Symbol	L mm	Quantity	Part No.
T3	27	5	012560041
T4	27	5	012560042
T5	27	5	012560043
T6	27	5	012560044
T7	27	5	012560045
T8	27	5	012560046
T9	27	5	012560047
T10	27	5	012560048
T15	27	5	012560049

1256RTX

4-mm bits
for Tamper Resistant Torx® head screws



Symbol	L mm	Quantity	Part No.
T6	27	5	012560051
T7	27	5	012560052
T8	27	5	012560053
T9	27	5	012560054
T10	27	5	012560055

1256/20

hexagon drive extension, 4 mm



Part No.	Quantity	Part No.
1256/20	5	012560092

1256/30

4-mm bit holder with handle



L mm	Quantity	Part No.
110	2	012560097

1257LP

micro-screwdrivers
for slotted head screws



SxD mm	L mm	Quantity	Part No.
0,25x1,2	60	5	012570012
0,23x1,5	60	5	012570015
0,3x1,8	60	5	012570018
0,4x2	60	5	012570020
0,4x2,5	60	5	012570024
0,5x3	60	5	012570030
0,6x3,5	60	5	012570035
0,8x4	60	5	012570040



Part No.	Quantity	Part No.
1257LP/S8	1	012570200

0,2x1,2-0,25x1,5
0,3x1,8-0,4x2-0,4x2,5
0,5x3-0,6x3,5-0,8x4 mm

1257PH

micro-screwdrivers
for cross-head Phillips® screws



PH	L mm	Quantity	Part No.
00	60	5	012570060
0	60	5	012570063
1	60	5	012570066

1257LPH/S8



Symbol	Quantity	Part No.
1257LPH/S8	1	012570210

1257PH PH00-PH0-PH1
1257LP 0,4x2-0,4x2,5-0,5x3
0,6x3,5-0,8x4 mm

1257ES

micro-screwdrivers hexagon male ends



mm	L mm	Quantity	Part No.
0,9	60	5	012570045
1,3	60	5	012570046
1,5	60	5	012570047
2	60	5	012570048
2,5	60	5	012570049
3	60	5	012570050

1257ESB/S8



Symbol	Quantity	Part No.
1257ESB/S8	1	012570230

1257ES 0,9-1,3-1,5-2-2,5-3 mm
1257BE 4-5 mm

1257TX

micro-screwdrivers for Torx®
head screws



Symbol	L mm	Quantity	Part No.
T5	60	5	012570075
T6	60	5	012570076
T7	60	5	012570077
T8	60	5	012570078
T9	60	5	012570079
T10	60	5	012570080
T15	60	5	012570081
T20	60	5	012570082



Part No.	Quantity	Part No.
1257TX/S8	1	012570220

T5-T6-T7-T8
T9-T10-T15-T20

1257BE

micro-screwdrivers hexagon socket wrenches



mm	L mm	Quantity	Part No.
3,2	60	5	012570085
4	60	5	012570086
5	60	5	012570087
5,5	60	5	012570088